



# BZX Exchange US Equities BOE Specification

Version 1.4.4

May 17, 2012

## Contents

<b>1</b>	<b>Introduction</b>	<b>4</b>
1.1	Overview	4
1.2	Data Types	4
1.3	Optional Fields and Bitfields	5
<b>2</b>	<b>Session</b>	<b>7</b>
2.1	Message Headers	7
2.2	Login, Replay and Sequencing	7
2.3	Sequence Reset	8
2.4	Heartbeats	8
2.5	Logging Out	9
<b>3</b>	<b>Session Messages</b>	<b>10</b>
3.1	Member to BATS	10
3.1.1	Login Request	10
3.1.2	Logout Request	22
3.1.3	Client Heartbeat	23
3.2	BATS to Member	24
3.2.1	Login Response	24
3.2.2	Logout	36
3.2.3	Server Heartbeat	38
3.2.4	Replay Complete	39
<b>4</b>	<b>Application Messages</b>	<b>40</b>
4.1	Member to BATS	40
4.1.1	New Order	40
4.1.2	Cancel Order	44
4.1.3	Modify Order	45
4.2	BATS to Member	48
4.2.1	Order Acknowledgement	48
4.2.2	Order Rejected	51
4.2.3	Order Modified	53
4.2.4	Order Restated	55
4.2.5	User Modify Rejected	58
4.2.6	Order Cancelled	60
4.2.7	Cancel Rejected	63
4.2.8	Order Execution	66
4.2.9	Trade Cancel or Correct	70

<b>5</b>	<b>Implementation Notes</b> .....	<b>73</b>
5.1	Automatic Cancel on Disconnect Malfunction .....	73
5.2	Access Fees Returned on Order Executions.....	73
5.3	Service Bureau Configuration .....	73
5.4	OATS Connection ID .....	73
<b>6</b>	<b>Drop Copies</b> .....	<b>74</b>
6.1	Max Number of Hits .....	74
<b>7</b>	<b>Future Expansion</b> .....	<b>74</b>
<b>8</b>	<b>List of Return Bitfields</b> .....	<b>75</b>
<b>9</b>	<b>List of Optional Fields</b> .....	<b>77</b>
<b>10</b>	<b>List of Message Types</b> .....	<b>87</b>
10.1	Member to BATS .....	87
10.2	BATS to Member .....	87
<b>11</b>	<b>Port Attributes</b> .....	<b>88</b>
<b>12</b>	<b>Support</b> .....	<b>91</b>

# 1 Introduction

## 1.1 Overview

This document describes BATS Binary Order Entry (BOE), the BATS proprietary order entry protocol. Where applicable, the terminology (e.g., time in force) used in this document is similar to that used by the FIX protocol to allow those familiar with FIX to more easily understand BOE. This document assumes the reader has basic knowledge of the FIX protocol.

BOE fulfills the following requirements:

- *CPU and memory efficiency.* Message encoding, decoding, and parsing are simpler to code and can be optimized to use less CPU and memory at runtime.
- *Application level simplicity.* State transitions are simple and unambiguous. They are easy to apply to a Member's representation of an order.
- *Session level simplicity.* The session level protocol (login, sequencing, replay of missed messages, logout) is simple to understand.

While BATS has strived to preserve feature parity between FIX and BOE where possible, certain BOE functionality will not be made available in FIX.

All binary values are in little Endian (used by Intel x86 processors), and not network byte order.

Each message is identified by a unique message type. Not all message types are used in all of BATS' trading environments globally. A complete listing of all message types is provided in the **List of Message Types** section

All communication is via standard TCP/IP.

## 1.2 Data Types

The following data types are used by BOE. The size of some data types varies by message. All data types have default values of binary zero, in both Member to BATS and BATS to Member contexts.

- *Binary:* Little Endian byte order, unsigned binary value. The number of bytes used depends on the context.
  - One byte: FE = 254
  - Four bytes: 64 00 00 00 = 100
- *Signed Binary:* Little Endian byte order, signed two's complement, binary value. The number of bytes used depends on the context.
  - One byte: DF = -33
  - Four bytes: 64 00 00 00 = +100
- *Binary Price:* Little Endian byte order value, eight bytes in size, with four implied decimal places. So, if the value is 123,400, the actual value taking into account implied decimal places is 12.34.
  - 08 E2 01 00 00 00 00 00 = 123,400/10000 = 12.34

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

- *Signed Binary Price*: Little Endian byte order value, signed two's complement, eight bytes in size, with four implied decimal places. So, if the value is -123,400, the actual value taking into account implied decimal places is -12.34.
  - 08 E2 01 00 00 00 00 00 = 123,400/10000 = 12.34
  - F8 1D FE FF FF FF FF FF = 123,400/10000 = -12.34
- *Short Binary Price*: Little Endian byte order value, four bytes in size, with four implied decimal places. So, if the value is 12,300, the actual value taking into account implied decimal places is 1.23.
  - 0C 30 00 00 = 12,300/10000 = 1.23
- *Signed Binary Fee*: Little Endian byte order value, eight bytes in size, signed, with five implied decimal places. So, the value -123,000 is -1.23 after taking account for the five implied decimal places.
  - 88 1F FE FF FF FF FF FF = -123,000/100000 = -1.23
- *Alpha*: Uppercase letters (A-Z) and lowercase letters (a-z) only. ASCII NUL (0x00) filled on the right, if necessary. The number of bytes used depends on the context.
- *Alphanumeric*: Uppercase letters (A-Z), lowercase letters (a-z) and numbers (0-9) only. ASCII NUL (0x00) filled on the right, if necessary.
- *Text*: Printable ASCII characters only. ASCII NUL (0x00) filled on the right, if necessary.
- *DateTime*: 8 bytes. The date and time, in UTC, represented as nanoseconds past the UNIX epoch (00:00:00 UTC on 1 January 1970). The nanoseconds portion is currently ignored and treated as 0 (i.e. the times are only accurate to microseconds) on input, and will always be set to 0 by BATS in outgoing messages. However, **BATS may begin populating the nanoseconds portion at any time without warning.**

For example: 1,294,909,373,757,324,000 = 2011-01-13 09:02:53.757324 UTC.

### 1.3 Optional Fields and Bitfields

Some messages such as *New Order* and *Modify Order* have a number of optional fields. A required field in the message specifies the optional fields that are present at the end of the message. If a bit is set, the field will be present. Fields are appended to the end of the message. There is no implicit framing between the optional fields. In order to decode the optional fields, they *must* be appended in a particular order to the end of the message. The fields of the first bitfield are appended first, lowest order bit first. Next, the fields of the next bitfield are appended, lowest order bit first. This continues for all bitfields. While certain *RESERVED* bits within a defined bitfield are used within another BATS market and will be ignored, bits that are reserved for future expansion must be set to '0' when noted in the bitfield description.

The size and data type for each optional field is described in the **List of Optional Fields** section.

Incoming messages (*New Order*, *Modify Order*, *Cancel Order*) will be rejected if they have any bits set that are not documented in the *NewOrderBitfields*, *ModifyOrderBitfields*, or *CancelOrderBitfields* defined further below.

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Note that the set of optional fields returned for each BATS to Member message type is determined at session login (using the `Login Request` message); hence, the exact size and layout of each message received by the client application can be known in advance. Any requested optional field which is irrelevant in a particular context will still be present in the returned message, but with all bytes set to binary zero (0x00).

Each return message from BATS to a Member indicates the optional fields which are present, even though the Member firm indicated during login which optional fields are to be sent. These fields are included (and duplicated) by design so that each message can be interpreted on its own, without having to find the corresponding login request or response to know which optional fields are present. So, for example, in a log file, decoding a message requires only that single message.

Example messages are shown with each message type which should help to make this concept clear.

## 2 Session

### 2.1 Message Headers

Each message has a ten byte header. The two initial *StartOfMessage* bytes are present to aid in message reassembly for network capture purposes. The *MatchingUnit* field is only populated on non-session level messages sent from BATS to the Member. Messages from Member to BATS and all session level messages must always set this value to 0.

Field	Offset	Length	Data Type	Description
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <i>StartOfMessage</i> field.
MessageType	4	1	Binary	Message type.
MatchingUnit	5	1	Binary	The matching unit which created this message. Matching units in BOE correspond to matching units on Multicast PITCH.  <b>For session level traffic, the unit is set to 0.</b>  <b>For messages from Member to BATS, the unit must be 0.</b>
SequenceNumber	6	4	Binary	The sequence number for this message.  Messages from BATS to Member are sequenced distinctly per matching unit.  Messages from Member to BATS are sequenced across all matching units with a single sequence stream.  Members can optionally send a 0 sequence number on all messages from Member to BATS; however, BATS highly recommends members to send sequence numbers on all inbound messages.

### 2.2 Login, Replay and Sequencing

Session level messages, both inbound (Member to BATS) and outbound (BATS to Member) are unsequenced.

Inbound (Member to BATS) application messages are sequenced. Upon reconnection, BATS informs the Member of the last processed sequence number; the Member *may* choose to resend any messages with sequence numbers greater than this value. A gap forward in the Member's incoming sequence number is permitted at any time and is ignored by BATS. Gaps backward in sequence number (including the same sequence number used twice) are never permitted and will always result in a *Logout* message being sent and the connection being dropped.

Outbound (BATS to Member) application messages (but *not* Order Rejected, Cancel Rejected or User Modify Rejected) are monotonically sequenced per matching unit. While matching units on BOE correspond directly to matching units on Multicast PITCH, sequence numbers do not.

Upon reconnection, a Member sends the last received sequence number per matching unit in a Login Request message. BATS will respond with any missed messages. However, when the Login Request *SpecifiedOnlyUnitReplay* flag is enabled, BATS will exclude messages from unspecified matching units during replay. BATS will send a Replay Complete message when replay is finished. If there are no messages to replay, a Replay Complete message will be sent immediately after a Login Response message. **BATS will reject all orders during replay.**

Assuming Member has requested replay messages using a properly formatted Login Request after a disconnect, any unacknowledged orders remaining with the Member after the Replay Complete message is received should be assumed to be unknown to BATS.

**Unsequenced messages will not be included during replay.**

A session is identified by the username and session sub-identifier (both supplied by BATS). Only one concurrent connection per username and session sub-identifier is permitted.

If a login is rejected, an appropriate Login Response message will be sent and the connection will be terminated.

## 2.3 Sequence Reset

A reset sequence operation is not available for Binary Order Entry. However, a Member can send a Login Request message with *SpecifiedOnlyUnitReplay* field enabled, and *NumberOfUnits* field set to zero. Then, upon receiving a Login Response message from BATS, the Member can use the field *LastReceivedSequenceNumber* as the sequence starting point for sending future messages.

## 2.4 Heartbeats

Client Heartbeat messages are sent from Member to BATS and Server Heartbeat messages are sent from BATS to Member if no other data has been sent in that direction for one second. Like other session level messages, heartbeats from BATS to the Member do *not* increment the sequence number. The sequence number for heartbeat messages will be 0. If BATS receives no inbound data or heartbeats for five seconds, a Logout message will be sent and the connection will be terminated. **Members are encouraged to have a one second heartbeat interval and to perform similar connection staleness logic.**

## 2.5 Logging Out

To gracefully log out of a session, a `Logout Request` message should be sent by the Member. BATS will finish sending any queued data for that port and will then respond with its own `Logout` message and close the connection. After receipt of a `Logout Request` message, BATS will ignore all other inbound (Member to BATS) messages except for `Client Heartbeat`.

### 3 Session Messages

#### 3.1 Member to BATS

##### 3.1.1 Login Request

A Login Request message must be sent as the first message upon connection. In addition to ensuring the client may connect, the client must include the last consumed sequence number per matching unit. BATS uses these sequence numbers to determine what outbound traffic, if any, was missed by the Member.

The client does *not* need to include a sequence number for a unit if they have never received messages from it. For example, if the client has received responses from units 1, 3, and 4, the Login Request message need not include unit 2. If the client wishes to send a value for unit 2 anyway, 0 would be the only allowed value.

The *Return Bit* fields control which attributes of a message will be returned by BATS for the remainder of the session. This allows Members to tailor the echoed results to the needs of their system without paying for bandwidth or processing they do not need. Refer to the **List of Return Bitfields** section for additional information. BATS will verify received *Return Bitfields* at login time; see the **Login Response** section for more information.

Field	Offset	Length	Data Type	Description
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <i>StartOfMessage</i> field.
MessageType	4	1	Binary	0x01
MatchingUnit	5	1	Binary	Always 0 for inbound (Member to BATS) messages.
SequenceNumber	6	4	Binary	Always 0 for session level messages.
SessionSubID	10	4	Alphanumeric	Session Sub ID supplied by BATS.
Username	14	4	Alphanumeric	Username supplied by BATS.
Password	18	10	Alphanumeric	Password supplied by BATS.
NoUnspecified UnitReplay	28	1	Binary	Flag indicating whether to replay missed outgoing (BATS to Member) messages for unspecified units.  0x00 = False (Replay Unspecified Units) 0x01 = True (Suppress Unspecified Units Replay)

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Order Acknowledgement Bitfields	29	7	Binary	Bitfields indicating message fields to be returned on Order Acknowledgement messages. See the <b>List of Return Bitfields</b> section.																																																																																																														
<table border="1"> <thead> <tr> <th data-bbox="857 338 927 443">Byte</th> <th data-bbox="927 338 1008 443">Name</th> <th colspan="2" data-bbox="1008 338 1427 443">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="857 443 927 709" rowspan="8">0</td> <td data-bbox="927 443 1008 709" rowspan="8">ReturnBitfield1</td> <td data-bbox="1008 443 1110 470"><b>Value</b></td> <td data-bbox="1110 443 1427 470"><b>Name</b></td> </tr> <tr> <td data-bbox="1008 470 1110 497">1</td> <td data-bbox="1110 470 1427 497">Side</td> </tr> <tr> <td data-bbox="1008 497 1110 525">2</td> <td data-bbox="1110 497 1427 525">PegDifference</td> </tr> <tr> <td data-bbox="1008 525 1110 552">4</td> <td data-bbox="1110 525 1427 552">Price</td> </tr> <tr> <td data-bbox="1008 552 1110 579">8</td> <td data-bbox="1110 552 1427 579">ExecInst</td> </tr> <tr> <td data-bbox="1008 579 1110 606">16</td> <td data-bbox="1110 579 1427 606">OrdType</td> </tr> <tr> <td data-bbox="1008 606 1110 634">32</td> <td data-bbox="1110 606 1427 634">TimeInForce</td> </tr> <tr> <td data-bbox="1008 634 1110 661">64</td> <td data-bbox="1110 634 1427 661">MinQty</td> </tr> <tr> <td data-bbox="1008 661 1110 709">128</td> <td data-bbox="1110 661 1427 709">MaxRemovePct</td> <td data-bbox="1008 709 1110 737"></td> <td data-bbox="1110 709 1427 737"></td> </tr> <tr> <td data-bbox="857 737 927 978" rowspan="8">1</td> <td data-bbox="927 737 1008 978" rowspan="8">ReturnBitfield2</td> <td data-bbox="1008 737 1110 764"><b>Value</b></td> <td data-bbox="1110 737 1427 764"><b>Name</b></td> </tr> <tr> <td data-bbox="1008 764 1110 791">1</td> <td data-bbox="1110 764 1427 791">Symbol</td> </tr> <tr> <td data-bbox="1008 791 1110 819">2</td> <td data-bbox="1110 791 1427 819">SymbolSfx</td> </tr> <tr> <td data-bbox="1008 819 1110 846">4</td> <td data-bbox="1110 819 1427 846">RESERVED</td> </tr> <tr> <td data-bbox="1008 846 1110 873">8</td> <td data-bbox="1110 846 1427 873">RESERVED</td> </tr> <tr> <td data-bbox="1008 873 1110 900">16</td> <td data-bbox="1110 873 1427 900">RESERVED</td> </tr> <tr> <td data-bbox="1008 900 1110 928">32</td> <td data-bbox="1110 900 1427 928">RESERVED</td> </tr> <tr> <td data-bbox="1008 928 1110 955">64</td> <td data-bbox="1110 928 1427 955">Capacity</td> </tr> <tr> <td data-bbox="1008 955 1110 978">128</td> <td data-bbox="1110 955 1427 978">RESERVED</td> <td data-bbox="1008 978 1110 1005"></td> <td data-bbox="1110 978 1427 1005"></td> </tr> <tr> <td data-bbox="857 1005 927 1247" rowspan="8">2</td> <td data-bbox="927 1005 1008 1247" rowspan="8">ReturnBitfield3</td> <td data-bbox="1008 1005 1110 1033"><b>Value</b></td> <td data-bbox="1110 1005 1427 1033"><b>Name</b></td> </tr> <tr> <td data-bbox="1008 1033 1110 1060">1</td> <td data-bbox="1110 1033 1427 1060">Account</td> </tr> <tr> <td data-bbox="1008 1060 1110 1087">2</td> <td data-bbox="1110 1060 1427 1087">ClearingFirm</td> </tr> <tr> <td data-bbox="1008 1087 1110 1115">4</td> <td data-bbox="1110 1087 1427 1115">ClearingAccount</td> </tr> <tr> <td data-bbox="1008 1115 1110 1142">8</td> <td data-bbox="1110 1115 1427 1142">DisplayIndicator</td> </tr> <tr> <td data-bbox="1008 1142 1110 1169">16</td> <td data-bbox="1110 1142 1427 1169">MaxFloor</td> </tr> <tr> <td data-bbox="1008 1169 1110 1197">32</td> <td data-bbox="1110 1169 1427 1197">DiscretionAmount</td> </tr> <tr> <td data-bbox="1008 1197 1110 1224">64</td> <td data-bbox="1110 1197 1427 1224">OrderQty</td> </tr> <tr> <td data-bbox="1008 1224 1110 1247">128</td> <td data-bbox="1110 1224 1427 1247">PreventMember Match</td> <td data-bbox="1008 1247 1110 1274"></td> <td data-bbox="1110 1247 1427 1274"></td> </tr> <tr> <td data-bbox="857 1274 927 1457" rowspan="6">3</td> <td data-bbox="927 1274 1008 1457" rowspan="6">ReturnBitfield4</td> <td data-bbox="1008 1274 1110 1302"><b>Value</b></td> <td data-bbox="1110 1274 1427 1302"><b>Name</b></td> </tr> <tr> <td data-bbox="1008 1302 1110 1329">1</td> <td data-bbox="1110 1302 1427 1329">RESERVED</td> </tr> <tr> <td data-bbox="1008 1329 1110 1356">2</td> <td data-bbox="1110 1329 1427 1356">RESERVED</td> </tr> <tr> <td data-bbox="1008 1356 1110 1383">4</td> <td data-bbox="1110 1356 1427 1383">RESERVED</td> </tr> <tr> <td data-bbox="1008 1383 1110 1411">8</td> <td data-bbox="1110 1383 1427 1411">RESERVED</td> </tr> <tr> <td data-bbox="1008 1411 1110 1438">16</td> <td data-bbox="1110 1411 1427 1438">RESERVED</td> </tr> <tr> <td data-bbox="1008 1438 1110 1457">32</td> <td data-bbox="1110 1438 1427 1457">RESERVED</td> <td data-bbox="1008 1457 1110 1484"></td> <td data-bbox="1110 1457 1427 1484"></td> </tr> <tr> <td data-bbox="857 1484 927 1732" rowspan="8">4</td> <td data-bbox="927 1484 1008 1732" rowspan="8">ReturnBitfield5</td> <td data-bbox="1008 1484 1110 1512"><b>Value</b></td> <td data-bbox="1110 1484 1427 1512"><b>Name</b></td> </tr> <tr> <td data-bbox="1008 1512 1110 1539">1</td> <td data-bbox="1110 1512 1427 1539">OrigClOrdID</td> </tr> <tr> <td data-bbox="1008 1539 1110 1566">2</td> <td data-bbox="1110 1539 1427 1566">LeavesQty</td> </tr> <tr> <td data-bbox="1008 1566 1110 1593">4</td> <td data-bbox="1110 1566 1427 1593">LastShares</td> </tr> <tr> <td data-bbox="1008 1593 1110 1621">8</td> <td data-bbox="1110 1593 1427 1621">LastPx</td> </tr> <tr> <td data-bbox="1008 1621 1110 1648">16</td> <td data-bbox="1110 1621 1427 1648">DisplayPrice</td> </tr> <tr> <td data-bbox="1008 1648 1110 1675">32</td> <td data-bbox="1110 1648 1427 1675">WorkingPrice</td> </tr> <tr> <td data-bbox="1008 1675 1110 1703">64</td> <td data-bbox="1110 1675 1427 1703">BaseLiquidity</td> </tr> <tr> <td data-bbox="1008 1703 1110 1732">128</td> <td data-bbox="1110 1703 1427 1732">ExpireTime</td> <td data-bbox="1008 1732 1110 1759"></td> <td data-bbox="1110 1732 1427 1759"></td> </tr> </tbody> </table>					Byte	Name	Description		0	ReturnBitfield1	<b>Value</b>	<b>Name</b>	1	Side	2	PegDifference	4	Price	8	ExecInst	16	OrdType	32	TimeInForce	64	MinQty	128	MaxRemovePct			1	ReturnBitfield2	<b>Value</b>	<b>Name</b>	1	Symbol	2	SymbolSfx	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED	64	Capacity	128	RESERVED			2	ReturnBitfield3	<b>Value</b>	<b>Name</b>	1	Account	2	ClearingFirm	4	ClearingAccount	8	DisplayIndicator	16	MaxFloor	32	DiscretionAmount	64	OrderQty	128	PreventMember Match			3	ReturnBitfield4	<b>Value</b>	<b>Name</b>	1	RESERVED	2	RESERVED	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED			4	ReturnBitfield5	<b>Value</b>	<b>Name</b>	1	OrigClOrdID	2	LeavesQty	4	LastShares	8	LastPx	16	DisplayPrice	32	WorkingPrice	64	BaseLiquidity	128	ExpireTime		
Byte	Name	Description																																																																																																																
0	ReturnBitfield1	<b>Value</b>	<b>Name</b>																																																																																																															
		1	Side																																																																																																															
		2	PegDifference																																																																																																															
		4	Price																																																																																																															
		8	ExecInst																																																																																																															
		16	OrdType																																																																																																															
		32	TimeInForce																																																																																																															
		64	MinQty																																																																																																															
128	MaxRemovePct																																																																																																																	
1	ReturnBitfield2	<b>Value</b>	<b>Name</b>																																																																																																															
		1	Symbol																																																																																																															
		2	SymbolSfx																																																																																																															
		4	RESERVED																																																																																																															
		8	RESERVED																																																																																																															
		16	RESERVED																																																																																																															
		32	RESERVED																																																																																																															
		64	Capacity																																																																																																															
128	RESERVED																																																																																																																	
2	ReturnBitfield3	<b>Value</b>	<b>Name</b>																																																																																																															
		1	Account																																																																																																															
		2	ClearingFirm																																																																																																															
		4	ClearingAccount																																																																																																															
		8	DisplayIndicator																																																																																																															
		16	MaxFloor																																																																																																															
		32	DiscretionAmount																																																																																																															
		64	OrderQty																																																																																																															
128	PreventMember Match																																																																																																																	
3	ReturnBitfield4	<b>Value</b>	<b>Name</b>																																																																																																															
		1	RESERVED																																																																																																															
		2	RESERVED																																																																																																															
		4	RESERVED																																																																																																															
		8	RESERVED																																																																																																															
		16	RESERVED																																																																																																															
32	RESERVED																																																																																																																	
4	ReturnBitfield5	<b>Value</b>	<b>Name</b>																																																																																																															
		1	OrigClOrdID																																																																																																															
		2	LeavesQty																																																																																																															
		4	LastShares																																																																																																															
		8	LastPx																																																																																																															
		16	DisplayPrice																																																																																																															
		32	WorkingPrice																																																																																																															
		64	BaseLiquidity																																																																																																															
128	ExpireTime																																																																																																																	

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

				5	ReturnBitfield6	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>AttributedQuote</td> </tr> </tbody> </table>	Value	Name	1	RESERVED	2	RESERVED	4	RESERVED	8	AttributedQuote																																																																																		
Value	Name																																																																																																	
1	RESERVED																																																																																																	
2	RESERVED																																																																																																	
4	RESERVED																																																																																																	
8	AttributedQuote																																																																																																	
				6		Reserved For Future Use																																																																																												
Reserved	36	1	Binary	Reserved – Must Be Zero																																																																																														
Order Rejected Bitfields	37	7	Binary	Bitfields indicating message fields to be returned on Order Rejected messages. See the <b>List of Return Bitfields</b> section.																																																																																														
						<table border="1"> <thead> <tr> <th>Byte</th> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td rowspan="8">0</td> <td rowspan="8">ReturnBitfield1</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Side</td> </tr> <tr> <td>2</td> <td>PegDifference</td> </tr> <tr> <td>4</td> <td>Price</td> </tr> <tr> <td>8</td> <td>ExecInst</td> </tr> <tr> <td>16</td> <td>OrdType</td> </tr> <tr> <td>32</td> <td>TimeInForce</td> </tr> <tr> <td>64</td> <td>MinQty</td> </tr> <tr> <td>128</td> <td>MaxRemovePct</td> </tr> </tbody> </table> </td> </tr> <tr> <td rowspan="8">1</td> <td rowspan="8">ReturnBitfield2</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Symbol</td> </tr> <tr> <td>2</td> <td>SymbolSfx</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> <tr> <td>64</td> <td>Capacity</td> </tr> <tr> <td>128</td> <td>RESERVED</td> </tr> </tbody> </table> </td> </tr> <tr> <td rowspan="8">2</td> <td rowspan="8">ReturnBitfield3</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Account</td> </tr> <tr> <td>2</td> <td>ClearingFirm</td> </tr> <tr> <td>4</td> <td>ClearingAccount</td> </tr> <tr> <td>8</td> <td>DisplayIndicator</td> </tr> <tr> <td>16</td> <td>MaxFloor</td> </tr> <tr> <td>32</td> <td>DiscretionAmount</td> </tr> <tr> <td>64</td> <td>OrderQty</td> </tr> <tr> <td>128</td> <td>PreventMember Match</td> </tr> </tbody> </table> </td> </tr> <tr> <td rowspan="6">3</td> <td rowspan="6">ReturnBitfield4</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> </tbody> </table> </td> </tr> <tr> <td>4</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>5</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>6</td> <td></td> <td>Reserved For Future Use</td> </tr> </tbody> </table>	Byte	Name	Description	0	ReturnBitfield1	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Side</td> </tr> <tr> <td>2</td> <td>PegDifference</td> </tr> <tr> <td>4</td> <td>Price</td> </tr> <tr> <td>8</td> <td>ExecInst</td> </tr> <tr> <td>16</td> <td>OrdType</td> </tr> <tr> <td>32</td> <td>TimeInForce</td> </tr> <tr> <td>64</td> <td>MinQty</td> </tr> <tr> <td>128</td> <td>MaxRemovePct</td> </tr> </tbody> </table>	Value	Name	1	Side	2	PegDifference	4	Price	8	ExecInst	16	OrdType	32	TimeInForce	64	MinQty	128	MaxRemovePct	1	ReturnBitfield2	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Symbol</td> </tr> <tr> <td>2</td> <td>SymbolSfx</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> <tr> <td>64</td> <td>Capacity</td> </tr> <tr> <td>128</td> <td>RESERVED</td> </tr> </tbody> </table>	Value	Name	1	Symbol	2	SymbolSfx	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED	64	Capacity	128	RESERVED	2	ReturnBitfield3	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Account</td> </tr> <tr> <td>2</td> <td>ClearingFirm</td> </tr> <tr> <td>4</td> <td>ClearingAccount</td> </tr> <tr> <td>8</td> <td>DisplayIndicator</td> </tr> <tr> <td>16</td> <td>MaxFloor</td> </tr> <tr> <td>32</td> <td>DiscretionAmount</td> </tr> <tr> <td>64</td> <td>OrderQty</td> </tr> <tr> <td>128</td> <td>PreventMember Match</td> </tr> </tbody> </table>	Value	Name	1	Account	2	ClearingFirm	4	ClearingAccount	8	DisplayIndicator	16	MaxFloor	32	DiscretionAmount	64	OrderQty	128	PreventMember Match	3	ReturnBitfield4	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> </tbody> </table>	Value	Name	1	RESERVED	2	RESERVED	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED	4		Reserved For Future Use	5		Reserved For Future Use	6		Reserved For Future Use
Byte	Name	Description																																																																																																
0	ReturnBitfield1	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Side</td> </tr> <tr> <td>2</td> <td>PegDifference</td> </tr> <tr> <td>4</td> <td>Price</td> </tr> <tr> <td>8</td> <td>ExecInst</td> </tr> <tr> <td>16</td> <td>OrdType</td> </tr> <tr> <td>32</td> <td>TimeInForce</td> </tr> <tr> <td>64</td> <td>MinQty</td> </tr> <tr> <td>128</td> <td>MaxRemovePct</td> </tr> </tbody> </table>	Value	Name	1	Side	2	PegDifference	4			Price	8	ExecInst	16	OrdType	32	TimeInForce	64	MinQty	128	MaxRemovePct																																																																												
		Value	Name																																																																																															
		1	Side																																																																																															
		2	PegDifference																																																																																															
		4	Price																																																																																															
		8	ExecInst																																																																																															
		16	OrdType																																																																																															
		32	TimeInForce																																																																																															
64	MinQty																																																																																																	
128	MaxRemovePct																																																																																																	
1	ReturnBitfield2	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Symbol</td> </tr> <tr> <td>2</td> <td>SymbolSfx</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> <tr> <td>64</td> <td>Capacity</td> </tr> <tr> <td>128</td> <td>RESERVED</td> </tr> </tbody> </table>	Value	Name	1	Symbol	2	SymbolSfx	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED	64	Capacity	128	RESERVED																																																																														
		Value	Name																																																																																															
		1	Symbol																																																																																															
		2	SymbolSfx																																																																																															
		4	RESERVED																																																																																															
		8	RESERVED																																																																																															
		16	RESERVED																																																																																															
		32	RESERVED																																																																																															
64	Capacity																																																																																																	
128	RESERVED																																																																																																	
2	ReturnBitfield3	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Account</td> </tr> <tr> <td>2</td> <td>ClearingFirm</td> </tr> <tr> <td>4</td> <td>ClearingAccount</td> </tr> <tr> <td>8</td> <td>DisplayIndicator</td> </tr> <tr> <td>16</td> <td>MaxFloor</td> </tr> <tr> <td>32</td> <td>DiscretionAmount</td> </tr> <tr> <td>64</td> <td>OrderQty</td> </tr> <tr> <td>128</td> <td>PreventMember Match</td> </tr> </tbody> </table>	Value	Name	1	Account	2	ClearingFirm	4	ClearingAccount	8	DisplayIndicator	16	MaxFloor	32	DiscretionAmount	64	OrderQty	128	PreventMember Match																																																																														
		Value	Name																																																																																															
		1	Account																																																																																															
		2	ClearingFirm																																																																																															
		4	ClearingAccount																																																																																															
		8	DisplayIndicator																																																																																															
		16	MaxFloor																																																																																															
		32	DiscretionAmount																																																																																															
64	OrderQty																																																																																																	
128	PreventMember Match																																																																																																	
3	ReturnBitfield4	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> </tbody> </table>	Value	Name	1	RESERVED	2	RESERVED	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED																																																																																		
		Value	Name																																																																																															
		1	RESERVED																																																																																															
		2	RESERVED																																																																																															
		4	RESERVED																																																																																															
		8	RESERVED																																																																																															
16	RESERVED																																																																																																	
32	RESERVED																																																																																																	
4		Reserved For Future Use																																																																																																
5		Reserved For Future Use																																																																																																
6		Reserved For Future Use																																																																																																

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Reserved	44	1	Binary	Reserved – Must Be Zero																																																																																	
Order Modified Bitfields	45	7	Binary	<p>Bitfields indicating message fields to be returned on Order Modified messages. See the <b>List of Return Bitfields</b> section.</p> <table border="1"> <thead> <tr> <th>Byte</th> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td rowspan="8">0</td> <td rowspan="8">ReturnBitfield1</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr><td>1</td><td>Side</td></tr> <tr><td>2</td><td>PegDifference</td></tr> <tr><td>4</td><td>Price</td></tr> <tr><td>8</td><td>ExecInst</td></tr> <tr><td>16</td><td>OrdType</td></tr> <tr><td>32</td><td>TimeInForce</td></tr> <tr><td>64</td><td>MinQty</td></tr> <tr><td>128</td><td>MaxRemovePct</td></tr> </tbody> </table> </td> </tr> <tr> <td>1</td> <td>Reserved For Future Use</td> </tr> <tr> <td rowspan="8">2</td> <td rowspan="8">ReturnBitfield3</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr><td>1</td><td>Account</td></tr> <tr><td>2</td><td>ClearingFirm</td></tr> <tr><td>4</td><td>ClearingAccount</td></tr> <tr><td>8</td><td>DisplayIndicator</td></tr> <tr><td>16</td><td>MaxFloor</td></tr> <tr><td>32</td><td>DiscretionAmount</td></tr> <tr><td>64</td><td>OrderQty</td></tr> <tr><td>128</td><td>PreventMember Match</td></tr> </tbody> </table> </td> </tr> <tr> <td>3</td> <td>Reserved For Future Use</td> </tr> <tr> <td rowspan="8">4</td> <td rowspan="8">ReturnBitfield5</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr><td>1</td><td>OrigClOrdID</td></tr> <tr><td>2</td><td>LeavesQty</td></tr> <tr><td>4</td><td>LastShares</td></tr> <tr><td>8</td><td>LastPx</td></tr> <tr><td>16</td><td>DisplayPrice</td></tr> <tr><td>32</td><td>WorkingPrice</td></tr> <tr><td>64</td><td>BaseLiquidity</td></tr> <tr><td>128</td><td>ExpireTime</td></tr> </tbody> </table> </td> </tr> <tr> <td rowspan="2">5</td> <td rowspan="2">ReturnBitfield6</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr><td>1</td><td>SecondaryOrderID</td></tr> <tr><td>2</td><td>RESERVED</td></tr> </tbody> </table> </td> </tr> <tr> <td>6</td> <td>Reserved For Future Use</td> </tr> </tbody> </table>	Byte	Name	Description	0	ReturnBitfield1	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr><td>1</td><td>Side</td></tr> <tr><td>2</td><td>PegDifference</td></tr> <tr><td>4</td><td>Price</td></tr> <tr><td>8</td><td>ExecInst</td></tr> <tr><td>16</td><td>OrdType</td></tr> <tr><td>32</td><td>TimeInForce</td></tr> <tr><td>64</td><td>MinQty</td></tr> <tr><td>128</td><td>MaxRemovePct</td></tr> </tbody> </table>	Value	Name	1	Side	2	PegDifference	4	Price	8	ExecInst	16	OrdType	32	TimeInForce	64	MinQty	128	MaxRemovePct	1	Reserved For Future Use	2	ReturnBitfield3	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr><td>1</td><td>Account</td></tr> <tr><td>2</td><td>ClearingFirm</td></tr> <tr><td>4</td><td>ClearingAccount</td></tr> <tr><td>8</td><td>DisplayIndicator</td></tr> <tr><td>16</td><td>MaxFloor</td></tr> <tr><td>32</td><td>DiscretionAmount</td></tr> <tr><td>64</td><td>OrderQty</td></tr> <tr><td>128</td><td>PreventMember Match</td></tr> </tbody> </table>	Value	Name	1	Account	2	ClearingFirm	4	ClearingAccount	8	DisplayIndicator	16	MaxFloor	32	DiscretionAmount	64	OrderQty	128	PreventMember Match	3	Reserved For Future Use	4	ReturnBitfield5	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr><td>1</td><td>OrigClOrdID</td></tr> <tr><td>2</td><td>LeavesQty</td></tr> <tr><td>4</td><td>LastShares</td></tr> <tr><td>8</td><td>LastPx</td></tr> <tr><td>16</td><td>DisplayPrice</td></tr> <tr><td>32</td><td>WorkingPrice</td></tr> <tr><td>64</td><td>BaseLiquidity</td></tr> <tr><td>128</td><td>ExpireTime</td></tr> </tbody> </table>	Value	Name	1	OrigClOrdID	2	LeavesQty	4	LastShares	8	LastPx	16	DisplayPrice	32	WorkingPrice	64	BaseLiquidity	128	ExpireTime	5	ReturnBitfield6	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr><td>1</td><td>SecondaryOrderID</td></tr> <tr><td>2</td><td>RESERVED</td></tr> </tbody> </table>	Value	Name	1	SecondaryOrderID	2	RESERVED	6	Reserved For Future Use
Byte	Name	Description																																																																																			
0	ReturnBitfield1	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr><td>1</td><td>Side</td></tr> <tr><td>2</td><td>PegDifference</td></tr> <tr><td>4</td><td>Price</td></tr> <tr><td>8</td><td>ExecInst</td></tr> <tr><td>16</td><td>OrdType</td></tr> <tr><td>32</td><td>TimeInForce</td></tr> <tr><td>64</td><td>MinQty</td></tr> <tr><td>128</td><td>MaxRemovePct</td></tr> </tbody> </table>	Value	Name	1	Side	2			PegDifference	4	Price	8	ExecInst	16	OrdType	32	TimeInForce	64	MinQty	128	MaxRemovePct																																																															
		Value	Name																																																																																		
		1	Side																																																																																		
		2	PegDifference																																																																																		
		4	Price																																																																																		
		8	ExecInst																																																																																		
		16	OrdType																																																																																		
		32	TimeInForce																																																																																		
64	MinQty																																																																																				
128	MaxRemovePct																																																																																				
1	Reserved For Future Use																																																																																				
2	ReturnBitfield3	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr><td>1</td><td>Account</td></tr> <tr><td>2</td><td>ClearingFirm</td></tr> <tr><td>4</td><td>ClearingAccount</td></tr> <tr><td>8</td><td>DisplayIndicator</td></tr> <tr><td>16</td><td>MaxFloor</td></tr> <tr><td>32</td><td>DiscretionAmount</td></tr> <tr><td>64</td><td>OrderQty</td></tr> <tr><td>128</td><td>PreventMember Match</td></tr> </tbody> </table>	Value	Name	1	Account	2	ClearingFirm	4	ClearingAccount	8	DisplayIndicator	16	MaxFloor	32	DiscretionAmount	64	OrderQty	128	PreventMember Match																																																																	
		Value	Name																																																																																		
		1	Account																																																																																		
		2	ClearingFirm																																																																																		
		4	ClearingAccount																																																																																		
		8	DisplayIndicator																																																																																		
		16	MaxFloor																																																																																		
		32	DiscretionAmount																																																																																		
64	OrderQty																																																																																				
128	PreventMember Match																																																																																				
3	Reserved For Future Use																																																																																				
4	ReturnBitfield5	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr><td>1</td><td>OrigClOrdID</td></tr> <tr><td>2</td><td>LeavesQty</td></tr> <tr><td>4</td><td>LastShares</td></tr> <tr><td>8</td><td>LastPx</td></tr> <tr><td>16</td><td>DisplayPrice</td></tr> <tr><td>32</td><td>WorkingPrice</td></tr> <tr><td>64</td><td>BaseLiquidity</td></tr> <tr><td>128</td><td>ExpireTime</td></tr> </tbody> </table>	Value	Name	1	OrigClOrdID	2	LeavesQty	4	LastShares	8	LastPx	16	DisplayPrice	32	WorkingPrice	64	BaseLiquidity	128	ExpireTime																																																																	
		Value	Name																																																																																		
		1	OrigClOrdID																																																																																		
		2	LeavesQty																																																																																		
		4	LastShares																																																																																		
		8	LastPx																																																																																		
		16	DisplayPrice																																																																																		
		32	WorkingPrice																																																																																		
64	BaseLiquidity																																																																																				
128	ExpireTime																																																																																				
5	ReturnBitfield6	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr><td>1</td><td>SecondaryOrderID</td></tr> <tr><td>2</td><td>RESERVED</td></tr> </tbody> </table>	Value	Name	1	SecondaryOrderID	2	RESERVED																																																																													
		Value	Name																																																																																		
1	SecondaryOrderID																																																																																				
2	RESERVED																																																																																				
6	Reserved For Future Use																																																																																				
Reserved	52	1	Binary	Reserved – Must Be Zero																																																																																	

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Order Restated Bitfields	53	7	Binary	<p>Bitfields indicating message fields to be returned on Order Restated messages. See the <b>List of Return Bitfields</b> section.</p> <table border="1"> <thead> <tr> <th data-bbox="857 302 927 415">Byte</th> <th data-bbox="927 302 1008 415">Name</th> <th colspan="2" data-bbox="1008 302 1430 415">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="857 415 927 684">0</td> <td data-bbox="927 415 1008 684">ReturnBitfield1</td> <td data-bbox="1008 415 1105 443">Value</td> <td data-bbox="1105 415 1430 443">Name</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 443 1105 470">1</td> <td data-bbox="1105 443 1430 470">Side</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 470 1105 497">2</td> <td data-bbox="1105 470 1430 497">PegDifference</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 497 1105 525">4</td> <td data-bbox="1105 497 1430 525">Price</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 525 1105 552">8</td> <td data-bbox="1105 525 1430 552">ExecInst</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 552 1105 579">16</td> <td data-bbox="1105 552 1430 579">OrdType</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 579 1105 606">32</td> <td data-bbox="1105 579 1430 606">TimeInForce</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 606 1105 634">64</td> <td data-bbox="1105 606 1430 634">MinQty</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 634 1105 661">128</td> <td data-bbox="1105 634 1430 661">MaxRemovePct</td> </tr> <tr> <td data-bbox="857 684 927 894">1</td> <td data-bbox="927 684 1008 894">ReturnBitfield2</td> <td data-bbox="1008 684 1105 711">Value</td> <td data-bbox="1105 684 1430 711">Name</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 711 1105 739">1</td> <td data-bbox="1105 711 1430 739">Symbol</td> </tr> <tr> <td data-bbox="857 894 927 1163">2</td> <td data-bbox="927 894 1008 1163">ReturnBitfield3</td> <td data-bbox="1008 894 1105 921">Value</td> <td data-bbox="1105 894 1430 921">Name</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 921 1105 949">1</td> <td data-bbox="1105 921 1430 949">Account</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 949 1105 976">2</td> <td data-bbox="1105 949 1430 976">ClearingFirm</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 976 1105 1003">4</td> <td data-bbox="1105 976 1430 1003">ClearingAccount</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1003 1105 1031">8</td> <td data-bbox="1105 1003 1430 1031">DisplayIndicator</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1031 1105 1058">16</td> <td data-bbox="1105 1031 1430 1058">MaxFloor</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1058 1105 1085">32</td> <td data-bbox="1105 1058 1430 1085">DiscretionAmount</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1085 1105 1113">64</td> <td data-bbox="1105 1085 1430 1113">OrderQty</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1113 1105 1140">128</td> <td data-bbox="1105 1113 1430 1140">PreventMember Match</td> </tr> <tr> <td data-bbox="857 1163 927 1373">3</td> <td data-bbox="927 1163 1008 1373">ReturnBitfield4</td> <td data-bbox="1008 1163 1105 1190">Value</td> <td data-bbox="1105 1163 1430 1190">Name</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1190 1105 1218">1</td> <td data-bbox="1105 1190 1430 1218">RESERVED</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1218 1105 1245">2</td> <td data-bbox="1105 1218 1430 1245">RESERVED</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1245 1105 1272">4</td> <td data-bbox="1105 1245 1430 1272">RESERVED</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1272 1105 1299">8</td> <td data-bbox="1105 1272 1430 1299">RESERVED</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1299 1105 1327">16</td> <td data-bbox="1105 1299 1430 1327">RESERVED</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1327 1105 1354">32</td> <td data-bbox="1105 1327 1430 1354">RESERVED</td> </tr> <tr> <td data-bbox="857 1373 927 1642">4</td> <td data-bbox="927 1373 1008 1642">ReturnBitfield5</td> <td data-bbox="1008 1373 1105 1400">Value</td> <td data-bbox="1105 1373 1430 1400">Name</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1400 1105 1428">1</td> <td data-bbox="1105 1400 1430 1428">OrigClOrdID</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1428 1105 1455">2</td> <td data-bbox="1105 1428 1430 1455">LeavesQty</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1455 1105 1482">4</td> <td data-bbox="1105 1455 1430 1482">LastShares</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1482 1105 1509">8</td> <td data-bbox="1105 1482 1430 1509">LastPx</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1509 1105 1537">16</td> <td data-bbox="1105 1509 1430 1537">DisplayPrice</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1537 1105 1564">32</td> <td data-bbox="1105 1537 1430 1564">WorkingPrice</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1564 1105 1591">64</td> <td data-bbox="1105 1564 1430 1591">BaseLiquidity Indicator</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1591 1105 1619">128</td> <td data-bbox="1105 1591 1430 1619">ExpireTime</td> </tr> <tr> <td data-bbox="857 1642 927 1852">5</td> <td data-bbox="927 1642 1008 1852">ReturnBitfield6</td> <td data-bbox="1008 1642 1105 1669">Value</td> <td data-bbox="1105 1642 1430 1669">Name</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1669 1105 1696">1</td> <td data-bbox="1105 1669 1430 1696">SecondaryOrderID</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1696 1105 1724">2</td> <td data-bbox="1105 1696 1430 1724">RESERVED</td> </tr> <tr> <td data-bbox="857 1852 927 1892">6</td> <td colspan="3" data-bbox="927 1852 1430 1892">Reserved For Future Use</td> </tr> </tbody> </table>	Byte	Name	Description		0	ReturnBitfield1	Value	Name			1	Side			2	PegDifference			4	Price			8	ExecInst			16	OrdType			32	TimeInForce			64	MinQty			128	MaxRemovePct	1	ReturnBitfield2	Value	Name			1	Symbol	2	ReturnBitfield3	Value	Name			1	Account			2	ClearingFirm			4	ClearingAccount			8	DisplayIndicator			16	MaxFloor			32	DiscretionAmount			64	OrderQty			128	PreventMember Match	3	ReturnBitfield4	Value	Name			1	RESERVED			2	RESERVED			4	RESERVED			8	RESERVED			16	RESERVED			32	RESERVED	4	ReturnBitfield5	Value	Name			1	OrigClOrdID			2	LeavesQty			4	LastShares			8	LastPx			16	DisplayPrice			32	WorkingPrice			64	BaseLiquidity Indicator			128	ExpireTime	5	ReturnBitfield6	Value	Name			1	SecondaryOrderID			2	RESERVED	6	Reserved For Future Use		
Byte	Name	Description																																																																																																																																																																						
0	ReturnBitfield1	Value	Name																																																																																																																																																																					
		1	Side																																																																																																																																																																					
		2	PegDifference																																																																																																																																																																					
		4	Price																																																																																																																																																																					
		8	ExecInst																																																																																																																																																																					
		16	OrdType																																																																																																																																																																					
		32	TimeInForce																																																																																																																																																																					
		64	MinQty																																																																																																																																																																					
		128	MaxRemovePct																																																																																																																																																																					
1	ReturnBitfield2	Value	Name																																																																																																																																																																					
		1	Symbol																																																																																																																																																																					
2	ReturnBitfield3	Value	Name																																																																																																																																																																					
		1	Account																																																																																																																																																																					
		2	ClearingFirm																																																																																																																																																																					
		4	ClearingAccount																																																																																																																																																																					
		8	DisplayIndicator																																																																																																																																																																					
		16	MaxFloor																																																																																																																																																																					
		32	DiscretionAmount																																																																																																																																																																					
		64	OrderQty																																																																																																																																																																					
		128	PreventMember Match																																																																																																																																																																					
3	ReturnBitfield4	Value	Name																																																																																																																																																																					
		1	RESERVED																																																																																																																																																																					
		2	RESERVED																																																																																																																																																																					
		4	RESERVED																																																																																																																																																																					
		8	RESERVED																																																																																																																																																																					
		16	RESERVED																																																																																																																																																																					
		32	RESERVED																																																																																																																																																																					
4	ReturnBitfield5	Value	Name																																																																																																																																																																					
		1	OrigClOrdID																																																																																																																																																																					
		2	LeavesQty																																																																																																																																																																					
		4	LastShares																																																																																																																																																																					
		8	LastPx																																																																																																																																																																					
		16	DisplayPrice																																																																																																																																																																					
		32	WorkingPrice																																																																																																																																																																					
		64	BaseLiquidity Indicator																																																																																																																																																																					
		128	ExpireTime																																																																																																																																																																					
5	ReturnBitfield6	Value	Name																																																																																																																																																																					
		1	SecondaryOrderID																																																																																																																																																																					
		2	RESERVED																																																																																																																																																																					
6	Reserved For Future Use																																																																																																																																																																							

BATS BZX Exchange US Equities  
 BOE Specification (Version 1.4.4)

Reserved	60	1	Binary	Reserved – Must Be Zero																								
User Modify Rejected Bitfields	61	7	Binary	<p>Bitfields indicating message fields to be returned on User Modify Rejected messages. See the <b>List of Return Bitfields</b> section.</p> <table border="1"> <thead> <tr> <th><i>Byte</i></th> <th><i>Name</i></th> <th><i>Description</i></th> </tr> </thead> <tbody> <tr> <td>0</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>1</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>2</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>3</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>4</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>5</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>6</td> <td></td> <td>Reserved For Future Use</td> </tr> </tbody> </table>	<i>Byte</i>	<i>Name</i>	<i>Description</i>	0		Reserved For Future Use	1		Reserved For Future Use	2		Reserved For Future Use	3		Reserved For Future Use	4		Reserved For Future Use	5		Reserved For Future Use	6		Reserved For Future Use
<i>Byte</i>	<i>Name</i>	<i>Description</i>																										
0		Reserved For Future Use																										
1		Reserved For Future Use																										
2		Reserved For Future Use																										
3		Reserved For Future Use																										
4		Reserved For Future Use																										
5		Reserved For Future Use																										
6		Reserved For Future Use																										
Reserved	68	1	Binary	Reserved – Must Be Zero																								

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Order Cancelled Bitfields	69	7	Binary	Bitfields indicating message fields to be returned on Order Cancelled messages. See the <b>List of Return Bitfields</b> section.																																																																																								
				<table border="1"> <thead> <tr> <th>Byte</th> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td rowspan="2">0</td> <td rowspan="2">ReturnBitfield1</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Side</td> </tr> </tbody> </table> </td> </tr> <tr> <td rowspan="2">1</td> <td rowspan="2">ReturnBitfield2</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Symbol</td> </tr> </tbody> </table> </td> </tr> <tr> <td rowspan="8">2</td> <td rowspan="8">ReturnBitfield3</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Account</td> </tr> <tr> <td>2</td> <td>ClearingFirm</td> </tr> <tr> <td>4</td> <td>ClearingAccount</td> </tr> <tr> <td>8</td> <td>DisplayIndicator</td> </tr> <tr> <td>16</td> <td>MaxFloor</td> </tr> <tr> <td>32</td> <td>DiscretionAmount</td> </tr> <tr> <td>64</td> <td>OrderQty</td> </tr> <tr> <td>128</td> <td>PreventMember Match</td> </tr> </tbody> </table> </td> </tr> <tr> <td rowspan="6">3</td> <td rowspan="6">ReturnBitfield4</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> </tbody> </table> </td> </tr> <tr> <td rowspan="8">4</td> <td rowspan="8">ReturnBitfield5</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>OrigClOrdID</td> </tr> <tr> <td>2</td> <td>LeavesQty</td> </tr> <tr> <td>4</td> <td>LastShares</td> </tr> <tr> <td>8</td> <td>LastPx</td> </tr> <tr> <td>16</td> <td>DisplayPrice</td> </tr> <tr> <td>32</td> <td>WorkingPrice</td> </tr> <tr> <td>64</td> <td>BaseLiquidity Indicator</td> </tr> <tr> <td>128</td> <td>ExpireTime</td> </tr> </tbody> </table> </td> </tr> <tr> <td rowspan="2">5</td> <td rowspan="2">ReturnBitfield6</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SecondaryOrderID</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> </tbody> </table> </td> </tr> <tr> <td>6</td> <td></td> <td>Reserved For Future Use</td> </tr> </tbody> </table>	Byte	Name	Description	0	ReturnBitfield1	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Side</td> </tr> </tbody> </table>	Value	Name	1	Side	1	ReturnBitfield2	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Symbol</td> </tr> </tbody> </table>	Value	Name	1	Symbol	2	ReturnBitfield3	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Account</td> </tr> <tr> <td>2</td> <td>ClearingFirm</td> </tr> <tr> <td>4</td> <td>ClearingAccount</td> </tr> <tr> <td>8</td> <td>DisplayIndicator</td> </tr> <tr> <td>16</td> <td>MaxFloor</td> </tr> <tr> <td>32</td> <td>DiscretionAmount</td> </tr> <tr> <td>64</td> <td>OrderQty</td> </tr> <tr> <td>128</td> <td>PreventMember Match</td> </tr> </tbody> </table>	Value	Name	1	Account	2	ClearingFirm	4	ClearingAccount	8	DisplayIndicator	16	MaxFloor	32	DiscretionAmount	64	OrderQty	128	PreventMember Match	3	ReturnBitfield4	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> </tbody> </table>	Value	Name	1	RESERVED	2	RESERVED	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED	4	ReturnBitfield5	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>OrigClOrdID</td> </tr> <tr> <td>2</td> <td>LeavesQty</td> </tr> <tr> <td>4</td> <td>LastShares</td> </tr> <tr> <td>8</td> <td>LastPx</td> </tr> <tr> <td>16</td> <td>DisplayPrice</td> </tr> <tr> <td>32</td> <td>WorkingPrice</td> </tr> <tr> <td>64</td> <td>BaseLiquidity Indicator</td> </tr> <tr> <td>128</td> <td>ExpireTime</td> </tr> </tbody> </table>	Value	Name	1	OrigClOrdID	2	LeavesQty	4	LastShares	8	LastPx	16	DisplayPrice	32	WorkingPrice	64	BaseLiquidity Indicator	128	ExpireTime	5	ReturnBitfield6	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SecondaryOrderID</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> </tbody> </table>	Value	Name	1	SecondaryOrderID	2	RESERVED	6		Reserved For Future Use
				Byte	Name	Description																																																																																						
				0	ReturnBitfield1	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Side</td> </tr> </tbody> </table>	Value	Name	1	Side																																																																																		
						Value	Name																																																																																					
				1	Side																																																																																							
				1	ReturnBitfield2	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Symbol</td> </tr> </tbody> </table>	Value	Name	1	Symbol																																																																																		
						Value	Name																																																																																					
1	Symbol																																																																																											
2	ReturnBitfield3	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Account</td> </tr> <tr> <td>2</td> <td>ClearingFirm</td> </tr> <tr> <td>4</td> <td>ClearingAccount</td> </tr> <tr> <td>8</td> <td>DisplayIndicator</td> </tr> <tr> <td>16</td> <td>MaxFloor</td> </tr> <tr> <td>32</td> <td>DiscretionAmount</td> </tr> <tr> <td>64</td> <td>OrderQty</td> </tr> <tr> <td>128</td> <td>PreventMember Match</td> </tr> </tbody> </table>	Value	Name	1	Account	2	ClearingFirm	4	ClearingAccount	8	DisplayIndicator	16	MaxFloor	32	DiscretionAmount	64	OrderQty	128	PreventMember Match																																																																								
		Value	Name																																																																																									
		1	Account																																																																																									
		2	ClearingFirm																																																																																									
		4	ClearingAccount																																																																																									
		8	DisplayIndicator																																																																																									
		16	MaxFloor																																																																																									
		32	DiscretionAmount																																																																																									
64	OrderQty																																																																																											
128	PreventMember Match																																																																																											
3	ReturnBitfield4	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> </tbody> </table>	Value	Name	1	RESERVED	2	RESERVED	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED																																																																												
		Value	Name																																																																																									
		1	RESERVED																																																																																									
		2	RESERVED																																																																																									
		4	RESERVED																																																																																									
		8	RESERVED																																																																																									
16	RESERVED																																																																																											
32	RESERVED																																																																																											
4	ReturnBitfield5	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>OrigClOrdID</td> </tr> <tr> <td>2</td> <td>LeavesQty</td> </tr> <tr> <td>4</td> <td>LastShares</td> </tr> <tr> <td>8</td> <td>LastPx</td> </tr> <tr> <td>16</td> <td>DisplayPrice</td> </tr> <tr> <td>32</td> <td>WorkingPrice</td> </tr> <tr> <td>64</td> <td>BaseLiquidity Indicator</td> </tr> <tr> <td>128</td> <td>ExpireTime</td> </tr> </tbody> </table>	Value	Name	1	OrigClOrdID	2	LeavesQty	4	LastShares	8	LastPx	16	DisplayPrice	32	WorkingPrice	64	BaseLiquidity Indicator	128	ExpireTime																																																																								
		Value	Name																																																																																									
		1	OrigClOrdID																																																																																									
		2	LeavesQty																																																																																									
		4	LastShares																																																																																									
		8	LastPx																																																																																									
		16	DisplayPrice																																																																																									
		32	WorkingPrice																																																																																									
64	BaseLiquidity Indicator																																																																																											
128	ExpireTime																																																																																											
5	ReturnBitfield6	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SecondaryOrderID</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> </tbody> </table>	Value	Name	1	SecondaryOrderID	2	RESERVED																																																																																				
		Value	Name																																																																																									
1	SecondaryOrderID																																																																																											
2	RESERVED																																																																																											
6		Reserved For Future Use																																																																																										
Reserved	76	1	Binary	Reserved – Must Be Zero																																																																																								

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Cancel Rejected Bitfields	77	7	Binary	Bitfields indicating message fields to be returned on Cancel Rejected messages. See the <b>List of Return Bitfields</b> section.			
					<i>Byte</i>	<i>Name</i>	<i>Description</i>
					0		Reserved For Future Use
					1		Reserved For Future Use
					2		Reserved For Future Use
					3		Reserved For Future Use
					4		Reserved For Future Use
					5		Reserved For Future Use
6		Reserved For Future Use					
Reserved	84	1	Binary	Reserved – Must Be Zero			

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Order Execution Bitfields	85	7	Binary	<p>Bitfields indicating message fields to be returned on Order Execution messages. See the <b>List of Return Bitfields</b> section.</p> <table border="1" data-bbox="857 338 1427 1581"> <thead> <tr> <th data-bbox="862 344 927 449">Byte</th> <th data-bbox="927 344 1008 449">Name</th> <th colspan="2" data-bbox="1008 344 1422 449">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="862 449 927 716">0</td> <td data-bbox="927 449 1008 716">ReturnBitfield1</td> <td data-bbox="1008 449 1114 478"><b>Value</b></td> <td data-bbox="1114 449 1422 478"><b>Name</b></td> </tr> <tr> <td></td> <td></td> <td>1</td> <td>Side</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>PegDifference</td> </tr> <tr> <td></td> <td></td> <td>4</td> <td>Price</td> </tr> <tr> <td></td> <td></td> <td>8</td> <td>ExecInst</td> </tr> <tr> <td></td> <td></td> <td>16</td> <td>OrdType</td> </tr> <tr> <td></td> <td></td> <td>32</td> <td>TimeInForce</td> </tr> <tr> <td></td> <td></td> <td>64</td> <td>MinQty</td> </tr> <tr> <td></td> <td></td> <td>128</td> <td>MaxRemovePct</td> </tr> <tr> <td data-bbox="862 716 927 982">1</td> <td data-bbox="927 716 1008 982">ReturnBitfield2</td> <td data-bbox="1008 716 1114 745"><b>Value</b></td> <td data-bbox="1114 716 1422 745"><b>Name</b></td> </tr> <tr> <td></td> <td></td> <td>1</td> <td>Symbol</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>SymbolSfx</td> </tr> <tr> <td></td> <td></td> <td>4</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>8</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>16</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>32</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>64</td> <td>Capacity</td> </tr> <tr> <td></td> <td></td> <td>128</td> <td>RESERVED</td> </tr> <tr> <td data-bbox="862 982 927 1249">2</td> <td data-bbox="927 982 1008 1249">ReturnBitfield3</td> <td data-bbox="1008 982 1114 1012"><b>Value</b></td> <td data-bbox="1114 982 1422 1012"><b>Name</b></td> </tr> <tr> <td></td> <td></td> <td>1</td> <td>Account</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>ClearingFirm</td> </tr> <tr> <td></td> <td></td> <td>4</td> <td>ClearingAccount</td> </tr> <tr> <td></td> <td></td> <td>8</td> <td>DisplayIndicator</td> </tr> <tr> <td></td> <td></td> <td>16</td> <td>MaxFloor</td> </tr> <tr> <td></td> <td></td> <td>32</td> <td>DiscretionAmount</td> </tr> <tr> <td></td> <td></td> <td>64</td> <td>OrderQty</td> </tr> <tr> <td></td> <td></td> <td>128</td> <td>PreventMember Match</td> </tr> <tr> <td data-bbox="862 1249 927 1465">3</td> <td data-bbox="927 1249 1008 1465">ReturnBitfield4</td> <td data-bbox="1008 1249 1114 1278"><b>Value</b></td> <td data-bbox="1114 1249 1422 1278"><b>Name</b></td> </tr> <tr> <td></td> <td></td> <td>1</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>4</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>8</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>16</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>32</td> <td>RESERVED</td> </tr> <tr> <td data-bbox="862 1465 927 1503">4</td> <td data-bbox="927 1465 1008 1503"></td> <td colspan="2" data-bbox="1008 1465 1422 1503">Reserved For Future Use</td> </tr> <tr> <td data-bbox="862 1503 927 1541">5</td> <td data-bbox="927 1503 1008 1541"></td> <td colspan="2" data-bbox="1008 1503 1422 1541">Reserved For Future Use</td> </tr> <tr> <td data-bbox="862 1541 927 1581">6</td> <td data-bbox="927 1541 1008 1581"></td> <td colspan="2" data-bbox="1008 1541 1422 1581">Reserved For Future Use</td> </tr> </tbody> </table>	Byte	Name	Description		0	ReturnBitfield1	<b>Value</b>	<b>Name</b>			1	Side			2	PegDifference			4	Price			8	ExecInst			16	OrdType			32	TimeInForce			64	MinQty			128	MaxRemovePct	1	ReturnBitfield2	<b>Value</b>	<b>Name</b>			1	Symbol			2	SymbolSfx			4	RESERVED			8	RESERVED			16	RESERVED			32	RESERVED			64	Capacity			128	RESERVED	2	ReturnBitfield3	<b>Value</b>	<b>Name</b>			1	Account			2	ClearingFirm			4	ClearingAccount			8	DisplayIndicator			16	MaxFloor			32	DiscretionAmount			64	OrderQty			128	PreventMember Match	3	ReturnBitfield4	<b>Value</b>	<b>Name</b>			1	RESERVED			2	RESERVED			4	RESERVED			8	RESERVED			16	RESERVED			32	RESERVED	4		Reserved For Future Use		5		Reserved For Future Use		6		Reserved For Future Use	
Byte	Name	Description																																																																																																																																																										
0	ReturnBitfield1	<b>Value</b>	<b>Name</b>																																																																																																																																																									
		1	Side																																																																																																																																																									
		2	PegDifference																																																																																																																																																									
		4	Price																																																																																																																																																									
		8	ExecInst																																																																																																																																																									
		16	OrdType																																																																																																																																																									
		32	TimeInForce																																																																																																																																																									
		64	MinQty																																																																																																																																																									
		128	MaxRemovePct																																																																																																																																																									
1	ReturnBitfield2	<b>Value</b>	<b>Name</b>																																																																																																																																																									
		1	Symbol																																																																																																																																																									
		2	SymbolSfx																																																																																																																																																									
		4	RESERVED																																																																																																																																																									
		8	RESERVED																																																																																																																																																									
		16	RESERVED																																																																																																																																																									
		32	RESERVED																																																																																																																																																									
		64	Capacity																																																																																																																																																									
		128	RESERVED																																																																																																																																																									
2	ReturnBitfield3	<b>Value</b>	<b>Name</b>																																																																																																																																																									
		1	Account																																																																																																																																																									
		2	ClearingFirm																																																																																																																																																									
		4	ClearingAccount																																																																																																																																																									
		8	DisplayIndicator																																																																																																																																																									
		16	MaxFloor																																																																																																																																																									
		32	DiscretionAmount																																																																																																																																																									
		64	OrderQty																																																																																																																																																									
		128	PreventMember Match																																																																																																																																																									
3	ReturnBitfield4	<b>Value</b>	<b>Name</b>																																																																																																																																																									
		1	RESERVED																																																																																																																																																									
		2	RESERVED																																																																																																																																																									
		4	RESERVED																																																																																																																																																									
		8	RESERVED																																																																																																																																																									
		16	RESERVED																																																																																																																																																									
		32	RESERVED																																																																																																																																																									
4		Reserved For Future Use																																																																																																																																																										
5		Reserved For Future Use																																																																																																																																																										
6		Reserved For Future Use																																																																																																																																																										
Reserved	92	1	Binary	Reserved – Must Be Zero																																																																																																																																																								

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Trade Cancel or Correct Bitfields	93	7	Binary	<p>Bitfields indicating message fields to be returned on Trade Cancel or Correct messages. See the <b>List of Return Bitfields</b> section.</p> <table border="1"> <thead> <tr> <th>Byte</th> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td rowspan="8">1</td> <td rowspan="8">ReturnBitfield2</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Symbol</td> </tr> <tr> <td>2</td> <td>SymbolSfx</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> <tr> <td>64</td> <td>Capacity</td> </tr> <tr> <td>128</td> <td>RESERVED</td> </tr> </tbody> </table> </td> </tr> <tr> <td>2</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td rowspan="6">3</td> <td rowspan="6">ReturnBitfield4</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> </tbody> </table> </td> </tr> <tr> <td>4</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>5</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>6</td> <td></td> <td>Reserved For Future Use</td> </tr> </tbody> </table>	Byte	Name	Description	0		Reserved For Future Use	1	ReturnBitfield2	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Symbol</td> </tr> <tr> <td>2</td> <td>SymbolSfx</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> <tr> <td>64</td> <td>Capacity</td> </tr> <tr> <td>128</td> <td>RESERVED</td> </tr> </tbody> </table>	Value	Name	1	Symbol	2	SymbolSfx	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED	64	Capacity	128	RESERVED	2		Reserved For Future Use	3	ReturnBitfield4	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> </tbody> </table>	Value	Name	1	RESERVED	2	RESERVED	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED	4		Reserved For Future Use	5		Reserved For Future Use	6		Reserved For Future Use
Byte	Name	Description																																																										
0		Reserved For Future Use																																																										
1	ReturnBitfield2	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Symbol</td> </tr> <tr> <td>2</td> <td>SymbolSfx</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> <tr> <td>64</td> <td>Capacity</td> </tr> <tr> <td>128</td> <td>RESERVED</td> </tr> </tbody> </table>	Value	Name	1	Symbol	2	SymbolSfx	4	RESERVED			8	RESERVED	16	RESERVED	32	RESERVED	64	Capacity	128	RESERVED																																						
		Value	Name																																																									
		1	Symbol																																																									
		2	SymbolSfx																																																									
		4	RESERVED																																																									
		8	RESERVED																																																									
		16	RESERVED																																																									
		32	RESERVED																																																									
64	Capacity																																																											
128	RESERVED																																																											
2		Reserved For Future Use																																																										
3	ReturnBitfield4	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> </tbody> </table>	Value	Name	1	RESERVED	2	RESERVED	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED																																												
		Value	Name																																																									
		1	RESERVED																																																									
		2	RESERVED																																																									
		4	RESERVED																																																									
		8	RESERVED																																																									
16	RESERVED																																																											
32	RESERVED																																																											
4		Reserved For Future Use																																																										
5		Reserved For Future Use																																																										
6		Reserved For Future Use																																																										
Reserved	100	1	Binary	Reserved – Must Be Zero																																																								
Bitfields	101	7	Binary	<p>Bitfields indicating message fields to be returned on messages. See <b>List of Return Bitfields</b> section.</p> <p>Reserved for future use.</p>																																																								
Reserved	108	1	Binary	Reserved – Must Be Zero																																																								
Bitfields	109	7	Binary	<p>Bitfields indicating message fields to be returned on messages. See <b>List of Return Bitfields</b> section.</p> <p>Reserved for future use.</p>																																																								
Reserved	116	1	Binary	Reserved – Must Be Zero																																																								
NumberOfUnits	117	1	Binary	A number, <i>n</i> (possibly 0), of unit/sequence pairs to follow, one per unit from which the client has received messages.																																																								
UnitNumber <sub>1</sub>		1	Binary	A unit number.																																																								
UnitSequence <sub>1</sub>		4	Binary	Last received sequence number for the unit.																																																								
.			Binary																																																									
.																																																												
.																																																												

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

UnitNumber <sub>n</sub>		1	Binary	A unit number.
UnitSequence <sub>n</sub>		4	Binary	Last received sequence number for the unit.

**Example Login Request Message:**

Field Name	Hexadecimal	Notes
StartOfMessage	BA BA	Start of message bytes.
MessageLength	83 00	131 bytes
MessageType	01	Login Request
MatchingUnit	00	Always 0 for inbound messages
SequenceNumber	00 00 00 00	Always 0 for session level messages
SessionSubID	30 30 30 31	0001
Username	54 45 53 54	TEST
Password	54 45 53 54 49 4E 47 00 00 00	TESTING
NoUnspecified	00	False (Replay Unspecified Units)
UnitReplay		
Order	00 01 06 00 00 00 00	01 = <i>Symbol</i>
Acknowledgement		06 = <i>ClearingFirm, ClearingAccount</i>
Bitfields		
Reserved	00	
Order Rejected	00 01 06 00 00 00 00	01 = <i>Symbol</i>
Bitfields		06 = <i>ClearingFirm, ClearingAccount</i>
Reserved	00	
Order Modified	00 00 06 00 00 00 00	06 = <i>ClearingFirm, ClearingAccount</i>
Bitfields		
Reserved	00	
Order Restated	00 00 00 00 00 00 00	None
Bitfields		
Reserved	00	
User Modify	00 01 06 00 00 00 00	01 = <i>Symbol</i>
Rejected		06 = <i>ClearingFirm, ClearingAccount</i>
Bitfields		
Reserved	00	
Order Cancelled	00 00 00 00 00 00 00	None
Bitfields		
Reserved	00	
Order Rejected	00 00 00 00 00 00 00	None
Bitfields		
Reserved	00	
Order Executed	00 01 06 00 00 00 00	01 = <i>Symbol</i>
Bitfields		06 = <i>ClearingFirm, ClearingAccount</i>
Reserved	00	
Trade Cancel	00 01 00 00 00 00 00	01 = <i>Symbol</i>
or Correct		
Bitfields		
Reserved	00	
Reserved Bitfields	00 00 00 00 00 00 00	Reserved for future expansion
Reserved	00	
Reserved Bitfields	00 00 00 00 00 00 00	Reserved for future expansion
Reserved	00	
NumberOfUnits	03	Three unit/sequence pairs to follow.

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

UnitNumber <sub>1</sub>	01	Unit 1
UnitSequence <sub>1</sub>	4A BB 01 00	Last received sequence of 113,482
UnitNumber <sub>2</sub>	02	Unit 2
UnitSequence <sub>2</sub>	00 00 00 00	Last received sequence of 0
UnitNumber <sub>3</sub>	03	Unit 3
UnitSequence <sub>3</sub>	79 A1 00 00	Last received sequence of 41,337

### 3.1.2 Logout Request

To end the session, the Member should send a `Logout Request` message. BATS will finish sending any queued data and finally respond with a `Logout` message and close the connection.

A Member may simply close the connection without logging out, but may lose any queued messages by doing so.

Field	Offset	Length	Data Type	Description
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <i>StartOfMessage</i> field.
MessageType	4	1	Binary	0x02
MatchingUnit	5	1	Binary	Always 0 for inbound (Member to BATS) messages.
SequenceNumber	6	4	Binary	Always 0 for session level messages.

#### Example Login Request Message:

Field Name	Hexadecimal	Notes
StartOfMessage	BA BA	Start of message bytes.
MessageLength	08 00	8 bytes
MessageType	02	Logout Request
MatchingUnit	00	Always 0 for inbound messages
SequenceNumber	00 00 00 00	Always 0 for session level messages

### 3.1.3 Client Heartbeat

See the **Heartbeats** section for more information on heartbeats and the session level protocol.

Field	Offset	Length	Data Type	Description
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <i>StartOfMessage</i> field.
MessageType	4	1	Binary	0x03
MatchingUnit	5	1	Binary	Always 0 for inbound (Member to BATS) messages.
SequenceNumber	6	4	Binary	Always 0 for session level messages.

#### Example Client Heartbeat Message:

Field Name	Hexadecimal	Notes
StartOfMessage	BA BA	Start of message bytes.
MessageLength	08 00	8 bytes
MessageType	03	Client Heartbeat
MatchingUnit	00	Always 0 for inbound messages
SequenceNumber	00 00 00 00	Always 0 for session level messages

## 3.2 BATS to Member

### 3.2.1 Login Response

A `Login Response` message is sent in response to a `Login Request` message. On a successful login, the `LoginResponseStatus` will be set to 'A'. On a failed login, `LoginResponseStatus` will be set to a value other than 'A', and `LoginResponseText` will be set to an appropriate failure description.

**BATS will verify Return Bitfields at login time.** If `Return Bitfields` are invalid, `LoginResponseStatus` will be set to 'F', and `LoginResponseText` will include a description of which byte and bit are invalid. This is done to ensure that reserved fields are not used, and only options that apply to the local market are set. See the **List of Return Bitfields** section for additional information.

Field	Offset	Length	Data Type	Description
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <code>StartOfMessage</code> field.
MessageType	4	1	Binary	0x07
MatchingUnit	5	1	Binary	Always 0 for session level messages.
SequenceNumber	6	4	Binary	Always 0 for session level messages.
LoginResponse Status	10	1	Alphanumeric	Accepted, or the reason for the rejection.  A = Login Accepted B = Session in use D = Session is disabled F = Invalid Return Bitfield in login message I = Invalid unit given in Login message M = Invalid Login Request message structure N = Not authorized (invalid username/password) Q = Sequence ahead in Login message S = Invalid session
LoginResponse Text	11	60	Text	Human-readable text with additional information about the reason for rejection. For successful logins, this is empty. ASCII NUL (0x00) filled on the right, if necessary.
NoUnspecified UnitReplay	71	1	Binary	Echoed from the <code>Login Request</code> .

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Order Acknowledgement Bitfields	72	7	Binary	Echoed from the LOGIN REQUEST. See the <b>List of Return Bitfields</b> section.																																																																																												
<table border="1"> <thead> <tr> <th data-bbox="857 304 927 415"><i>Byte</i></th> <th data-bbox="927 304 1008 415"><i>Name</i></th> <th colspan="2" data-bbox="1008 304 1430 415"><i>Description</i></th> </tr> </thead> <tbody> <tr> <td data-bbox="857 415 927 680" rowspan="8">0</td> <td data-bbox="927 415 1008 680" rowspan="8">ReturnBitfield1</td> <td data-bbox="1008 415 1105 443"><b>Value</b></td> <td data-bbox="1105 415 1430 443"><b>Name</b></td> </tr> <tr> <td data-bbox="1008 443 1105 470">1</td> <td data-bbox="1105 443 1430 470"><i>Side</i></td> </tr> <tr> <td data-bbox="1008 470 1105 497">2</td> <td data-bbox="1105 470 1430 497"><i>PegDifference</i></td> </tr> <tr> <td data-bbox="1008 497 1105 525">4</td> <td data-bbox="1105 497 1430 525"><i>Price</i></td> </tr> <tr> <td data-bbox="1008 525 1105 552">8</td> <td data-bbox="1105 525 1430 552"><i>ExecInst</i></td> </tr> <tr> <td data-bbox="1008 552 1105 579">16</td> <td data-bbox="1105 552 1430 579"><i>OrdType</i></td> </tr> <tr> <td data-bbox="1008 579 1105 606">32</td> <td data-bbox="1105 579 1430 606"><i>TimeInForce</i></td> </tr> <tr> <td data-bbox="1008 606 1105 680">64</td> <td data-bbox="1105 606 1430 680"><i>MinQty</i></td> </tr> <tr> <td data-bbox="857 680 927 945" rowspan="8">1</td> <td data-bbox="927 680 1008 945" rowspan="8">ReturnBitfield2</td> <td data-bbox="1008 680 1105 707"><b>Value</b></td> <td data-bbox="1105 680 1430 707"><b>Name</b></td> </tr> <tr> <td data-bbox="1008 707 1105 735">1</td> <td data-bbox="1105 707 1430 735"><i>Symbol</i></td> </tr> <tr> <td data-bbox="1008 735 1105 762">2</td> <td data-bbox="1105 735 1430 762"><i>SymbolSfx</i></td> </tr> <tr> <td data-bbox="1008 762 1105 789">4</td> <td data-bbox="1105 762 1430 789"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="1008 789 1105 816">8</td> <td data-bbox="1105 789 1430 816"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="1008 816 1105 844">16</td> <td data-bbox="1105 816 1430 844"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="1008 844 1105 871">32</td> <td data-bbox="1105 844 1430 871"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="1008 871 1105 945">64</td> <td data-bbox="1105 871 1430 945"><i>Capacity</i></td> </tr> <tr> <td data-bbox="857 945 927 1209" rowspan="8">2</td> <td data-bbox="927 945 1008 1209" rowspan="8">ReturnBitfield3</td> <td data-bbox="1008 945 1105 972"><b>Value</b></td> <td data-bbox="1105 945 1430 972"><b>Name</b></td> </tr> <tr> <td data-bbox="1008 972 1105 999">1</td> <td data-bbox="1105 972 1430 999"><i>Account</i></td> </tr> <tr> <td data-bbox="1008 999 1105 1026">2</td> <td data-bbox="1105 999 1430 1026"><i>ClearingFirm</i></td> </tr> <tr> <td data-bbox="1008 1026 1105 1054">4</td> <td data-bbox="1105 1026 1430 1054"><i>ClearingAccount</i></td> </tr> <tr> <td data-bbox="1008 1054 1105 1081">8</td> <td data-bbox="1105 1054 1430 1081"><i>DisplayIndicator</i></td> </tr> <tr> <td data-bbox="1008 1081 1105 1108">16</td> <td data-bbox="1105 1081 1430 1108"><i>MaxFloor</i></td> </tr> <tr> <td data-bbox="1008 1108 1105 1136">32</td> <td data-bbox="1105 1108 1430 1136"><i>DiscretionAmount</i></td> </tr> <tr> <td data-bbox="1008 1136 1105 1209">64</td> <td data-bbox="1105 1136 1430 1209"><i>OrderQty</i></td> </tr> <tr> <td data-bbox="857 1209 927 1430" rowspan="6">3</td> <td data-bbox="927 1209 1008 1430" rowspan="6">ReturnBitfield4</td> <td data-bbox="1008 1209 1105 1236"><b>Value</b></td> <td data-bbox="1105 1209 1430 1236"><b>Name</b></td> </tr> <tr> <td data-bbox="1008 1236 1105 1264">1</td> <td data-bbox="1105 1236 1430 1264"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="1008 1264 1105 1291">2</td> <td data-bbox="1105 1264 1430 1291"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="1008 1291 1105 1318">4</td> <td data-bbox="1105 1291 1430 1318"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="1008 1318 1105 1346">8</td> <td data-bbox="1105 1318 1430 1346"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="1008 1346 1105 1430">16</td> <td data-bbox="1105 1346 1430 1430"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="857 1430 927 1696" rowspan="8">4</td> <td data-bbox="927 1430 1008 1696" rowspan="8">ReturnBitfield5</td> <td data-bbox="1008 1430 1105 1457"><b>Value</b></td> <td data-bbox="1105 1430 1430 1457"><b>Name</b></td> </tr> <tr> <td data-bbox="1008 1457 1105 1484">1</td> <td data-bbox="1105 1457 1430 1484"><i>OrigClOrdID</i></td> </tr> <tr> <td data-bbox="1008 1484 1105 1512">2</td> <td data-bbox="1105 1484 1430 1512"><i>LeavesQty</i></td> </tr> <tr> <td data-bbox="1008 1512 1105 1539">4</td> <td data-bbox="1105 1512 1430 1539"><i>LastShares</i></td> </tr> <tr> <td data-bbox="1008 1539 1105 1566">8</td> <td data-bbox="1105 1539 1430 1566"><i>LastPx</i></td> </tr> <tr> <td data-bbox="1008 1566 1105 1593">16</td> <td data-bbox="1105 1566 1430 1593"><i>DisplayPrice</i></td> </tr> <tr> <td data-bbox="1008 1593 1105 1621">32</td> <td data-bbox="1105 1593 1430 1621"><i>WorkingPrice</i></td> </tr> <tr> <td data-bbox="1008 1621 1105 1696">64</td> <td data-bbox="1105 1621 1430 1696"><i>BaseLiquidity</i></td> </tr> <tr> <td data-bbox="1008 1696 1105 1724">128</td> <td data-bbox="1105 1696 1430 1724"><i>ExpireTime</i></td> </tr> </tbody> </table>					<i>Byte</i>	<i>Name</i>	<i>Description</i>		0	ReturnBitfield1	<b>Value</b>	<b>Name</b>	1	<i>Side</i>	2	<i>PegDifference</i>	4	<i>Price</i>	8	<i>ExecInst</i>	16	<i>OrdType</i>	32	<i>TimeInForce</i>	64	<i>MinQty</i>	1	ReturnBitfield2	<b>Value</b>	<b>Name</b>	1	<i>Symbol</i>	2	<i>SymbolSfx</i>	4	<i>RESERVED</i>	8	<i>RESERVED</i>	16	<i>RESERVED</i>	32	<i>RESERVED</i>	64	<i>Capacity</i>	2	ReturnBitfield3	<b>Value</b>	<b>Name</b>	1	<i>Account</i>	2	<i>ClearingFirm</i>	4	<i>ClearingAccount</i>	8	<i>DisplayIndicator</i>	16	<i>MaxFloor</i>	32	<i>DiscretionAmount</i>	64	<i>OrderQty</i>	3	ReturnBitfield4	<b>Value</b>	<b>Name</b>	1	<i>RESERVED</i>	2	<i>RESERVED</i>	4	<i>RESERVED</i>	8	<i>RESERVED</i>	16	<i>RESERVED</i>	4	ReturnBitfield5	<b>Value</b>	<b>Name</b>	1	<i>OrigClOrdID</i>	2	<i>LeavesQty</i>	4	<i>LastShares</i>	8	<i>LastPx</i>	16	<i>DisplayPrice</i>	32	<i>WorkingPrice</i>	64	<i>BaseLiquidity</i>	128	<i>ExpireTime</i>
<i>Byte</i>	<i>Name</i>	<i>Description</i>																																																																																														
0	ReturnBitfield1	<b>Value</b>	<b>Name</b>																																																																																													
		1	<i>Side</i>																																																																																													
		2	<i>PegDifference</i>																																																																																													
		4	<i>Price</i>																																																																																													
		8	<i>ExecInst</i>																																																																																													
		16	<i>OrdType</i>																																																																																													
		32	<i>TimeInForce</i>																																																																																													
		64	<i>MinQty</i>																																																																																													
1	ReturnBitfield2	<b>Value</b>	<b>Name</b>																																																																																													
		1	<i>Symbol</i>																																																																																													
		2	<i>SymbolSfx</i>																																																																																													
		4	<i>RESERVED</i>																																																																																													
		8	<i>RESERVED</i>																																																																																													
		16	<i>RESERVED</i>																																																																																													
		32	<i>RESERVED</i>																																																																																													
		64	<i>Capacity</i>																																																																																													
2	ReturnBitfield3	<b>Value</b>	<b>Name</b>																																																																																													
		1	<i>Account</i>																																																																																													
		2	<i>ClearingFirm</i>																																																																																													
		4	<i>ClearingAccount</i>																																																																																													
		8	<i>DisplayIndicator</i>																																																																																													
		16	<i>MaxFloor</i>																																																																																													
		32	<i>DiscretionAmount</i>																																																																																													
		64	<i>OrderQty</i>																																																																																													
3	ReturnBitfield4	<b>Value</b>	<b>Name</b>																																																																																													
		1	<i>RESERVED</i>																																																																																													
		2	<i>RESERVED</i>																																																																																													
		4	<i>RESERVED</i>																																																																																													
		8	<i>RESERVED</i>																																																																																													
		16	<i>RESERVED</i>																																																																																													
4	ReturnBitfield5	<b>Value</b>	<b>Name</b>																																																																																													
		1	<i>OrigClOrdID</i>																																																																																													
		2	<i>LeavesQty</i>																																																																																													
		4	<i>LastShares</i>																																																																																													
		8	<i>LastPx</i>																																																																																													
		16	<i>DisplayPrice</i>																																																																																													
		32	<i>WorkingPrice</i>																																																																																													
		64	<i>BaseLiquidity</i>																																																																																													
128	<i>ExpireTime</i>																																																																																															

BATS BZX Exchange US Equities  
 BOE Specification (Version 1.4.4)

				5	ReturnBitfield6	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>AttributedQuote</td> </tr> </tbody> </table>		Value	Name	1	RESERVED	2	RESERVED	4	RESERVED	8	AttributedQuote
						Value	Name										
1	RESERVED																
2	RESERVED																
4	RESERVED																
8	AttributedQuote																
6	Reserved For Future Use																
Reserved	79	1	Binary	Reserved For BATS Internal Use													

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Order Rejected Bitfields	80	7	Binary	<p>Echoed from the LOGIN REQUEST. See the <b>List of Return Bitfields</b> section.</p> <table border="1"> <thead> <tr> <th data-bbox="857 302 927 415">Byte</th> <th data-bbox="927 302 1008 415">Name</th> <th colspan="2" data-bbox="1008 302 1427 415">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="857 415 927 680">0</td> <td data-bbox="927 415 1008 680">ReturnBitfield1</td> <td data-bbox="1008 415 1117 443"><b>Value</b></td> <td data-bbox="1117 415 1427 443"><b>Name</b></td> </tr> <tr> <td></td> <td></td> <td>1</td> <td>Side</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>PegDifference</td> </tr> <tr> <td></td> <td></td> <td>4</td> <td>Price</td> </tr> <tr> <td></td> <td></td> <td>8</td> <td>ExecInst</td> </tr> <tr> <td></td> <td></td> <td>16</td> <td>OrdType</td> </tr> <tr> <td></td> <td></td> <td>32</td> <td>TimeInForce</td> </tr> <tr> <td></td> <td></td> <td>64</td> <td>MinQty</td> </tr> <tr> <td></td> <td></td> <td>128</td> <td>MaxRemovePct</td> </tr> <tr> <td data-bbox="857 680 927 945">1</td> <td data-bbox="927 680 1008 945">ReturnBitfield2</td> <td data-bbox="1008 680 1117 707"><b>Value</b></td> <td data-bbox="1117 680 1427 707"><b>Name</b></td> </tr> <tr> <td></td> <td></td> <td>1</td> <td>Symbol</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>SymbolSfx</td> </tr> <tr> <td></td> <td></td> <td>4</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>8</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>16</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>32</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>64</td> <td>Capacity</td> </tr> <tr> <td></td> <td></td> <td>128</td> <td>RESERVED</td> </tr> <tr> <td data-bbox="857 945 927 1209">2</td> <td data-bbox="927 945 1008 1209">ReturnBitfield3</td> <td data-bbox="1008 945 1117 972"><b>Value</b></td> <td data-bbox="1117 945 1427 972"><b>Name</b></td> </tr> <tr> <td></td> <td></td> <td>1</td> <td>Account</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>ClearingFirm</td> </tr> <tr> <td></td> <td></td> <td>4</td> <td>ClearingAccount</td> </tr> <tr> <td></td> <td></td> <td>8</td> <td>DisplayIndicator</td> </tr> <tr> <td></td> <td></td> <td>16</td> <td>MaxFloor</td> </tr> <tr> <td></td> <td></td> <td>32</td> <td>DiscretionAmount</td> </tr> <tr> <td></td> <td></td> <td>64</td> <td>OrderQty</td> </tr> <tr> <td></td> <td></td> <td>128</td> <td>PreventMember Match</td> </tr> <tr> <td data-bbox="857 1209 927 1430">3</td> <td data-bbox="927 1209 1008 1430">ReturnBitfield4</td> <td data-bbox="1008 1209 1117 1236"><b>Value</b></td> <td data-bbox="1117 1209 1427 1236"><b>Name</b></td> </tr> <tr> <td></td> <td></td> <td>1</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>4</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>8</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>16</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>32</td> <td>RESERVED</td> </tr> <tr> <td data-bbox="857 1430 927 1465">4</td> <td data-bbox="927 1430 1008 1465"></td> <td colspan="2" data-bbox="1008 1430 1427 1465">Reserved For Future Use</td> </tr> <tr> <td data-bbox="857 1465 927 1501">5</td> <td data-bbox="927 1465 1008 1501"></td> <td colspan="2" data-bbox="1008 1465 1427 1501">Reserved For Future Use</td> </tr> <tr> <td data-bbox="857 1501 927 1549">6</td> <td data-bbox="927 1501 1008 1549"></td> <td colspan="2" data-bbox="1008 1501 1427 1549">Reserved For Future Use</td> </tr> </tbody> </table>	Byte	Name	Description		0	ReturnBitfield1	<b>Value</b>	<b>Name</b>			1	Side			2	PegDifference			4	Price			8	ExecInst			16	OrdType			32	TimeInForce			64	MinQty			128	MaxRemovePct	1	ReturnBitfield2	<b>Value</b>	<b>Name</b>			1	Symbol			2	SymbolSfx			4	RESERVED			8	RESERVED			16	RESERVED			32	RESERVED			64	Capacity			128	RESERVED	2	ReturnBitfield3	<b>Value</b>	<b>Name</b>			1	Account			2	ClearingFirm			4	ClearingAccount			8	DisplayIndicator			16	MaxFloor			32	DiscretionAmount			64	OrderQty			128	PreventMember Match	3	ReturnBitfield4	<b>Value</b>	<b>Name</b>			1	RESERVED			2	RESERVED			4	RESERVED			8	RESERVED			16	RESERVED			32	RESERVED	4		Reserved For Future Use		5		Reserved For Future Use		6		Reserved For Future Use	
Byte	Name	Description																																																																																																																																																										
0	ReturnBitfield1	<b>Value</b>	<b>Name</b>																																																																																																																																																									
		1	Side																																																																																																																																																									
		2	PegDifference																																																																																																																																																									
		4	Price																																																																																																																																																									
		8	ExecInst																																																																																																																																																									
		16	OrdType																																																																																																																																																									
		32	TimeInForce																																																																																																																																																									
		64	MinQty																																																																																																																																																									
		128	MaxRemovePct																																																																																																																																																									
1	ReturnBitfield2	<b>Value</b>	<b>Name</b>																																																																																																																																																									
		1	Symbol																																																																																																																																																									
		2	SymbolSfx																																																																																																																																																									
		4	RESERVED																																																																																																																																																									
		8	RESERVED																																																																																																																																																									
		16	RESERVED																																																																																																																																																									
		32	RESERVED																																																																																																																																																									
		64	Capacity																																																																																																																																																									
		128	RESERVED																																																																																																																																																									
2	ReturnBitfield3	<b>Value</b>	<b>Name</b>																																																																																																																																																									
		1	Account																																																																																																																																																									
		2	ClearingFirm																																																																																																																																																									
		4	ClearingAccount																																																																																																																																																									
		8	DisplayIndicator																																																																																																																																																									
		16	MaxFloor																																																																																																																																																									
		32	DiscretionAmount																																																																																																																																																									
		64	OrderQty																																																																																																																																																									
		128	PreventMember Match																																																																																																																																																									
3	ReturnBitfield4	<b>Value</b>	<b>Name</b>																																																																																																																																																									
		1	RESERVED																																																																																																																																																									
		2	RESERVED																																																																																																																																																									
		4	RESERVED																																																																																																																																																									
		8	RESERVED																																																																																																																																																									
		16	RESERVED																																																																																																																																																									
		32	RESERVED																																																																																																																																																									
4		Reserved For Future Use																																																																																																																																																										
5		Reserved For Future Use																																																																																																																																																										
6		Reserved For Future Use																																																																																																																																																										
Reserved	87	1	Binary	Reserved For BATS Internal Use																																																																																																																																																								

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Order Modified Bitfields	88	7	Binary	<p>Echoed from the LOGIN REQUEST. See the <b>List of Return Bitfields</b> section.</p> <table border="1"> <thead> <tr> <th data-bbox="857 302 927 415">Byte</th> <th data-bbox="927 302 1008 415">Name</th> <th colspan="2" data-bbox="1008 302 1427 415">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="857 415 927 680">0</td> <td data-bbox="927 415 1008 680">ReturnBitfield1</td> <td data-bbox="1008 415 1105 443">Value</td> <td data-bbox="1105 415 1427 443">Name</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 443 1105 470">1</td> <td data-bbox="1105 443 1427 470">Side</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 470 1105 497">2</td> <td data-bbox="1105 470 1427 497">PegDifference</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 497 1105 525">4</td> <td data-bbox="1105 497 1427 525">Price</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 525 1105 552">8</td> <td data-bbox="1105 525 1427 552">ExecInst</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 552 1105 579">16</td> <td data-bbox="1105 552 1427 579">OrdType</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 579 1105 606">32</td> <td data-bbox="1105 579 1427 606">TimeInForce</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 606 1105 634">64</td> <td data-bbox="1105 606 1427 634">MinQty</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 634 1105 661">128</td> <td data-bbox="1105 634 1427 661">MaxRemovePct</td> </tr> <tr> <td data-bbox="857 680 927 716">1</td> <td data-bbox="927 680 1008 716"></td> <td colspan="2" data-bbox="1008 680 1427 716">Reserved For Future Use</td> </tr> <tr> <td data-bbox="857 716 927 989">2</td> <td data-bbox="927 716 1008 989">ReturnBitfield3</td> <td data-bbox="1008 716 1105 743">Value</td> <td data-bbox="1105 716 1427 743">Name</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 743 1105 770">1</td> <td data-bbox="1105 743 1427 770">Account</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 770 1105 798">2</td> <td data-bbox="1105 770 1427 798">ClearingFirm</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 798 1105 825">4</td> <td data-bbox="1105 798 1427 825">ClearingAccount</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 825 1105 852">8</td> <td data-bbox="1105 825 1427 852">DisplayIndicator</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 852 1105 879">16</td> <td data-bbox="1105 852 1427 879">MaxFloor</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 879 1105 907">32</td> <td data-bbox="1105 879 1427 907">DiscretionAmount</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 907 1105 934">64</td> <td data-bbox="1105 907 1427 934">OrderQty</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 934 1105 961">128</td> <td data-bbox="1105 934 1427 961">PreventMember Match</td> </tr> <tr> <td data-bbox="857 989 927 1024">3</td> <td data-bbox="927 989 1008 1024"></td> <td colspan="2" data-bbox="1008 989 1427 1024">Reserved For Future Use</td> </tr> <tr> <td data-bbox="857 1024 927 1297">4</td> <td data-bbox="927 1024 1008 1297">ReturnBitfield5</td> <td data-bbox="1008 1024 1105 1052">Value</td> <td data-bbox="1105 1024 1427 1052">Name</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1052 1105 1079">1</td> <td data-bbox="1105 1052 1427 1079">OrigClOrdID</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1079 1105 1106">2</td> <td data-bbox="1105 1079 1427 1106">LeavesQty</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1106 1105 1134">4</td> <td data-bbox="1105 1106 1427 1134">LastShares</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1134 1105 1161">8</td> <td data-bbox="1105 1134 1427 1161">LastPx</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1161 1105 1188">16</td> <td data-bbox="1105 1161 1427 1188">DisplayPrice</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1188 1105 1215">32</td> <td data-bbox="1105 1188 1427 1215">WorkingPrice</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1215 1105 1243">64</td> <td data-bbox="1105 1215 1427 1243">BaseLiquidity</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1243 1105 1270">128</td> <td data-bbox="1105 1243 1427 1270">ExpireTime</td> </tr> <tr> <td data-bbox="857 1297 927 1514">5</td> <td data-bbox="927 1297 1008 1514">ReturnBitfield6</td> <td data-bbox="1008 1297 1105 1325">Value</td> <td data-bbox="1105 1297 1427 1325">Name</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1325 1105 1352">1</td> <td data-bbox="1105 1325 1427 1352">SecondaryOrderID</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1008 1352 1105 1379">2</td> <td data-bbox="1105 1352 1427 1379">RESERVED</td> </tr> <tr> <td data-bbox="857 1514 927 1549">6</td> <td data-bbox="927 1514 1008 1549"></td> <td colspan="2" data-bbox="1008 1514 1427 1549">Reserved For Future Use</td> </tr> </tbody> </table>	Byte	Name	Description		0	ReturnBitfield1	Value	Name			1	Side			2	PegDifference			4	Price			8	ExecInst			16	OrdType			32	TimeInForce			64	MinQty			128	MaxRemovePct	1		Reserved For Future Use		2	ReturnBitfield3	Value	Name			1	Account			2	ClearingFirm			4	ClearingAccount			8	DisplayIndicator			16	MaxFloor			32	DiscretionAmount			64	OrderQty			128	PreventMember Match	3		Reserved For Future Use		4	ReturnBitfield5	Value	Name			1	OrigClOrdID			2	LeavesQty			4	LastShares			8	LastPx			16	DisplayPrice			32	WorkingPrice			64	BaseLiquidity			128	ExpireTime	5	ReturnBitfield6	Value	Name			1	SecondaryOrderID			2	RESERVED	6		Reserved For Future Use	
Byte	Name	Description																																																																																																																																										
0	ReturnBitfield1	Value	Name																																																																																																																																									
		1	Side																																																																																																																																									
		2	PegDifference																																																																																																																																									
		4	Price																																																																																																																																									
		8	ExecInst																																																																																																																																									
		16	OrdType																																																																																																																																									
		32	TimeInForce																																																																																																																																									
		64	MinQty																																																																																																																																									
		128	MaxRemovePct																																																																																																																																									
1		Reserved For Future Use																																																																																																																																										
2	ReturnBitfield3	Value	Name																																																																																																																																									
		1	Account																																																																																																																																									
		2	ClearingFirm																																																																																																																																									
		4	ClearingAccount																																																																																																																																									
		8	DisplayIndicator																																																																																																																																									
		16	MaxFloor																																																																																																																																									
		32	DiscretionAmount																																																																																																																																									
		64	OrderQty																																																																																																																																									
		128	PreventMember Match																																																																																																																																									
3		Reserved For Future Use																																																																																																																																										
4	ReturnBitfield5	Value	Name																																																																																																																																									
		1	OrigClOrdID																																																																																																																																									
		2	LeavesQty																																																																																																																																									
		4	LastShares																																																																																																																																									
		8	LastPx																																																																																																																																									
		16	DisplayPrice																																																																																																																																									
		32	WorkingPrice																																																																																																																																									
		64	BaseLiquidity																																																																																																																																									
		128	ExpireTime																																																																																																																																									
5	ReturnBitfield6	Value	Name																																																																																																																																									
		1	SecondaryOrderID																																																																																																																																									
		2	RESERVED																																																																																																																																									
6		Reserved For Future Use																																																																																																																																										
Reserved	95	1	Binary	Reserved For BATS Internal Use																																																																																																																																								

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Order Restated Bitfields	96	7	Binary	Echoed from the LOGIN REQUEST. See the <b>List of Return Bitfields</b> section.																																																																																																																																																																				
<table border="1"> <thead> <tr> <th data-bbox="857 304 927 415">Byte</th> <th data-bbox="927 304 997 415">Name</th> <th colspan="2" data-bbox="997 304 1427 415">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="857 415 927 680">0</td> <td data-bbox="927 415 997 680">ReturnBitfield1</td> <td data-bbox="997 415 1105 443">Value</td> <td data-bbox="1105 415 1427 443">Name</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 443 1105 470">1</td> <td data-bbox="1105 443 1427 470">Side</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 470 1105 497">2</td> <td data-bbox="1105 470 1427 497">PegDifference</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 497 1105 525">4</td> <td data-bbox="1105 497 1427 525">Price</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 525 1105 552">8</td> <td data-bbox="1105 525 1427 552">ExecInst</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 552 1105 579">16</td> <td data-bbox="1105 552 1427 579">OrdType</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 579 1105 606">32</td> <td data-bbox="1105 579 1427 606">TimeInForce</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 606 1105 634">64</td> <td data-bbox="1105 606 1427 634">MinQty</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 634 1105 661">128</td> <td data-bbox="1105 634 1427 661">MaxRemovePct</td> </tr> <tr> <td data-bbox="857 680 927 877">1</td> <td data-bbox="927 680 997 877">ReturnBitfield2</td> <td data-bbox="997 680 1105 707">Value</td> <td data-bbox="1105 680 1427 707">Name</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 707 1105 735">1</td> <td data-bbox="1105 707 1427 735">Symbol</td> </tr> <tr> <td data-bbox="857 877 927 1142">2</td> <td data-bbox="927 877 997 1142">ReturnBitfield3</td> <td data-bbox="997 877 1105 905">Value</td> <td data-bbox="1105 877 1427 905">Name</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 905 1105 932">1</td> <td data-bbox="1105 905 1427 932">Account</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 932 1105 959">2</td> <td data-bbox="1105 932 1427 959">ClearingFirm</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 959 1105 987">4</td> <td data-bbox="1105 959 1427 987">ClearingAccount</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 987 1105 1014">8</td> <td data-bbox="1105 987 1427 1014">DisplayIndicator</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1014 1105 1041">16</td> <td data-bbox="1105 1014 1427 1041">MaxFloor</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1041 1105 1068">32</td> <td data-bbox="1105 1041 1427 1068">DiscretionAmount</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1068 1105 1096">64</td> <td data-bbox="1105 1068 1427 1096">OrderQty</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1096 1105 1123">128</td> <td data-bbox="1105 1096 1427 1123">PreventMember Match</td> </tr> <tr> <td data-bbox="857 1142 927 1352">3</td> <td data-bbox="927 1142 997 1352">ReturnBitfield4</td> <td data-bbox="997 1142 1105 1169">Value</td> <td data-bbox="1105 1142 1427 1169">Name</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1169 1105 1197">1</td> <td data-bbox="1105 1169 1427 1197">RESERVED</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1197 1105 1224">2</td> <td data-bbox="1105 1197 1427 1224">RESERVED</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1224 1105 1251">4</td> <td data-bbox="1105 1224 1427 1251">RESERVED</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1251 1105 1278">8</td> <td data-bbox="1105 1251 1427 1278">RESERVED</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1278 1105 1306">16</td> <td data-bbox="1105 1278 1427 1306">RESERVED</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1306 1105 1333">32</td> <td data-bbox="1105 1306 1427 1333">RESERVED</td> </tr> <tr> <td data-bbox="857 1352 927 1617">4</td> <td data-bbox="927 1352 997 1617">ReturnBitfield5</td> <td data-bbox="997 1352 1105 1379">Value</td> <td data-bbox="1105 1352 1427 1379">Name</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1379 1105 1407">1</td> <td data-bbox="1105 1379 1427 1407">OrigClOrdID</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1407 1105 1434">2</td> <td data-bbox="1105 1407 1427 1434">LeavesQty</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1434 1105 1461">4</td> <td data-bbox="1105 1434 1427 1461">LastShares</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1461 1105 1488">8</td> <td data-bbox="1105 1461 1427 1488">LastPx</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1488 1105 1516">16</td> <td data-bbox="1105 1488 1427 1516">DisplayPrice</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1516 1105 1543">32</td> <td data-bbox="1105 1516 1427 1543">WorkingPrice</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1543 1105 1570">64</td> <td data-bbox="1105 1543 1427 1570">BaseLiquidity Indicator</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1570 1105 1598">128</td> <td data-bbox="1105 1570 1427 1598">ExpireTime</td> </tr> <tr> <td data-bbox="857 1617 927 1835">5</td> <td data-bbox="927 1617 997 1835">ReturnBitfield6</td> <td data-bbox="997 1617 1105 1644">Value</td> <td data-bbox="1105 1617 1427 1644">Name</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1644 1105 1671">1</td> <td data-bbox="1105 1644 1427 1671">SecondaryOrderID</td> </tr> <tr> <td></td> <td></td> <td data-bbox="997 1671 1105 1698">2</td> <td data-bbox="1105 1671 1427 1698">RESERVED</td> </tr> <tr> <td data-bbox="857 1835 927 1871">6</td> <td data-bbox="927 1835 1427 1871"></td> <td colspan="2" data-bbox="997 1835 1427 1871">Reserved For Future Use</td> </tr> </tbody> </table>					Byte	Name	Description		0	ReturnBitfield1	Value	Name			1	Side			2	PegDifference			4	Price			8	ExecInst			16	OrdType			32	TimeInForce			64	MinQty			128	MaxRemovePct	1	ReturnBitfield2	Value	Name			1	Symbol	2	ReturnBitfield3	Value	Name			1	Account			2	ClearingFirm			4	ClearingAccount			8	DisplayIndicator			16	MaxFloor			32	DiscretionAmount			64	OrderQty			128	PreventMember Match	3	ReturnBitfield4	Value	Name			1	RESERVED			2	RESERVED			4	RESERVED			8	RESERVED			16	RESERVED			32	RESERVED	4	ReturnBitfield5	Value	Name			1	OrigClOrdID			2	LeavesQty			4	LastShares			8	LastPx			16	DisplayPrice			32	WorkingPrice			64	BaseLiquidity Indicator			128	ExpireTime	5	ReturnBitfield6	Value	Name			1	SecondaryOrderID			2	RESERVED	6		Reserved For Future Use	
Byte	Name	Description																																																																																																																																																																						
0	ReturnBitfield1	Value	Name																																																																																																																																																																					
		1	Side																																																																																																																																																																					
		2	PegDifference																																																																																																																																																																					
		4	Price																																																																																																																																																																					
		8	ExecInst																																																																																																																																																																					
		16	OrdType																																																																																																																																																																					
		32	TimeInForce																																																																																																																																																																					
		64	MinQty																																																																																																																																																																					
		128	MaxRemovePct																																																																																																																																																																					
1	ReturnBitfield2	Value	Name																																																																																																																																																																					
		1	Symbol																																																																																																																																																																					
2	ReturnBitfield3	Value	Name																																																																																																																																																																					
		1	Account																																																																																																																																																																					
		2	ClearingFirm																																																																																																																																																																					
		4	ClearingAccount																																																																																																																																																																					
		8	DisplayIndicator																																																																																																																																																																					
		16	MaxFloor																																																																																																																																																																					
		32	DiscretionAmount																																																																																																																																																																					
		64	OrderQty																																																																																																																																																																					
		128	PreventMember Match																																																																																																																																																																					
3	ReturnBitfield4	Value	Name																																																																																																																																																																					
		1	RESERVED																																																																																																																																																																					
		2	RESERVED																																																																																																																																																																					
		4	RESERVED																																																																																																																																																																					
		8	RESERVED																																																																																																																																																																					
		16	RESERVED																																																																																																																																																																					
		32	RESERVED																																																																																																																																																																					
4	ReturnBitfield5	Value	Name																																																																																																																																																																					
		1	OrigClOrdID																																																																																																																																																																					
		2	LeavesQty																																																																																																																																																																					
		4	LastShares																																																																																																																																																																					
		8	LastPx																																																																																																																																																																					
		16	DisplayPrice																																																																																																																																																																					
		32	WorkingPrice																																																																																																																																																																					
		64	BaseLiquidity Indicator																																																																																																																																																																					
		128	ExpireTime																																																																																																																																																																					
5	ReturnBitfield6	Value	Name																																																																																																																																																																					
		1	SecondaryOrderID																																																																																																																																																																					
		2	RESERVED																																																																																																																																																																					
6		Reserved For Future Use																																																																																																																																																																						

BATS BZX Exchange US Equities  
 BOE Specification (Version 1.4.4)

Reserved	103	1	Binary	Reserved For BATS Internal Use																								
User Modify Rejected Bitfields	104	7	Binary	Echoed from the LOGIN REQUEST. See the <b>List of Return Bitfields</b> section. <table border="1" data-bbox="857 340 1430 730"> <thead> <tr> <th><i>Byte</i></th> <th><i>Name</i></th> <th><i>Description</i></th> </tr> </thead> <tbody> <tr> <td>0</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>1</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>2</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>3</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>4</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>5</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>6</td> <td></td> <td>Reserved For Future Use</td> </tr> </tbody> </table>	<i>Byte</i>	<i>Name</i>	<i>Description</i>	0		Reserved For Future Use	1		Reserved For Future Use	2		Reserved For Future Use	3		Reserved For Future Use	4		Reserved For Future Use	5		Reserved For Future Use	6		Reserved For Future Use
<i>Byte</i>	<i>Name</i>	<i>Description</i>																										
0		Reserved For Future Use																										
1		Reserved For Future Use																										
2		Reserved For Future Use																										
3		Reserved For Future Use																										
4		Reserved For Future Use																										
5		Reserved For Future Use																										
6		Reserved For Future Use																										
Reserved	111	1	Binary	Reserved For BATS Internal Use																								

BATS BZX Exchange US Equities  
 BOE Specification (Version 1.4.4)

Order Cancelled Bitfields	112	7	Binary	Echoed from the LOGIN REQUEST. See the <b>List of Return Bitfields</b> section.			
				0	ReturnBitfield1	<b>Value</b>	<b>Name</b>
						1	Side
				1	ReturnBitfield2	<b>Value</b>	<b>Name</b>
						1	Symbol
				2	ReturnBitfield3	<b>Value</b>	<b>Name</b>
						1	Account
						2	ClearingFirm
4	ClearingAccount						
8	DisplayIndicator						
16	MaxFloor						
32	DiscretionAmount						
64	OrderQty						
128	PreventMember Match						
3	ReturnBitfield4	<b>Value</b>	<b>Name</b>				
		1	RESERVED				
		2	RESERVED				
		4	RESERVED				
		8	RESERVED				
		32	RESERVED				
4	ReturnBitfield5	<b>Value</b>	<b>Name</b>				
		1	OrigClOrdID				
		2	LeavesQty				
		4	LastShares				
		8	LastPx				
		16	DisplayPrice				
		32	WorkingPrice				
		64	BaseLiquidity Indicator				
128	ExpireTime						
5	ReturnBitfield6	<b>Value</b>	<b>Name</b>				
		1	SecondaryOrderID				
		2	RESERVED				
6		Reserved For Future Use					
Reserved	119	1	Binary	Reserved For BATS Internal Use			

BATS BZX Exchange US Equities  
 BOE Specification (Version 1.4.4)

Cancel Rejected Bitfields	120	7	Binary	Echoed from the LOGIN REQUEST. See the <b>List of Return Bitfields</b> section.																								
				<table border="1"> <thead> <tr> <th><i>Byte</i></th> <th><i>Name</i></th> <th><i>Description</i></th> </tr> </thead> <tbody> <tr> <td>0</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>1</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>2</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>3</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>4</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>5</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>6</td> <td></td> <td>Reserved For Future Use</td> </tr> </tbody> </table>	<i>Byte</i>	<i>Name</i>	<i>Description</i>	0		Reserved For Future Use	1		Reserved For Future Use	2		Reserved For Future Use	3		Reserved For Future Use	4		Reserved For Future Use	5		Reserved For Future Use	6		Reserved For Future Use
				<i>Byte</i>	<i>Name</i>	<i>Description</i>																						
				0		Reserved For Future Use																						
				1		Reserved For Future Use																						
				2		Reserved For Future Use																						
				3		Reserved For Future Use																						
				4		Reserved For Future Use																						
5		Reserved For Future Use																										
6		Reserved For Future Use																										
Reserved	127	1	Binary	Reserved For BATS Internal Use																								

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Order Execution Bitfields	128	7	Binary	Echoed from the LOGIN REQUEST. See the <b>List of Return Bitfields</b> section.																																																																																																										
				<table border="1"> <thead> <tr> <th>Byte</th> <th>Name</th> <th colspan="2">Description</th> </tr> </thead> <tbody> <tr> <td rowspan="8">0</td> <td rowspan="8">ReturnBitfield1</td> <td><b>Value</b></td> <td><b>Name</b></td> </tr> <tr> <td>1</td> <td>Side</td> </tr> <tr> <td>2</td> <td>PegDifference</td> </tr> <tr> <td>4</td> <td>Price</td> </tr> <tr> <td>8</td> <td>ExecInst</td> </tr> <tr> <td>16</td> <td>OrdType</td> </tr> <tr> <td>32</td> <td>TimeInForce</td> </tr> <tr> <td>64</td> <td>MinQty</td> </tr> <tr> <td>128</td> <td>MaxRemovePct</td> <td></td> <td></td> </tr> <tr> <td rowspan="8">1</td> <td rowspan="8">ReturnBitfield2</td> <td><b>Value</b></td> <td><b>Name</b></td> </tr> <tr> <td>1</td> <td>Symbol</td> </tr> <tr> <td>2</td> <td>SymbolSfx</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> <tr> <td>64</td> <td>Capacity</td> </tr> <tr> <td>128</td> <td>RESERVED</td> <td></td> <td></td> </tr> <tr> <td rowspan="8">2</td> <td rowspan="8">ReturnBitfield3</td> <td><b>Value</b></td> <td><b>Name</b></td> </tr> <tr> <td>1</td> <td>Account</td> </tr> <tr> <td>2</td> <td>ClearingFirm</td> </tr> <tr> <td>4</td> <td>ClearingAccount</td> </tr> <tr> <td>8</td> <td>DisplayIndicator</td> </tr> <tr> <td>16</td> <td>MaxFloor</td> </tr> <tr> <td>32</td> <td>DiscretionAmount</td> </tr> <tr> <td>64</td> <td>OrderQty</td> </tr> <tr> <td>128</td> <td>PreventMember Match</td> <td></td> <td></td> </tr> <tr> <td rowspan="6">3</td> <td rowspan="6">ReturnBitfield4</td> <td><b>Value</b></td> <td><b>Name</b></td> </tr> <tr> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> <td></td> <td></td> </tr> <tr> <td>4</td> <td></td> <td colspan="2">Reserved For Future Use</td> </tr> <tr> <td>5</td> <td></td> <td colspan="2">Reserved For Future Use</td> </tr> <tr> <td>6</td> <td></td> <td colspan="2">Reserved For Future Use</td> </tr> <tr> <td>Reserved</td> <td>135</td> <td>1</td> <td>Binary</td> <td>Reserved For BATS Internal Use</td> </tr> </tbody></table>		Byte	Name	Description		0	ReturnBitfield1	<b>Value</b>	<b>Name</b>	1	Side	2	PegDifference	4	Price	8	ExecInst	16	OrdType	32	TimeInForce	64	MinQty	128	MaxRemovePct			1	ReturnBitfield2	<b>Value</b>	<b>Name</b>	1	Symbol	2	SymbolSfx	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED	64	Capacity	128	RESERVED			2	ReturnBitfield3	<b>Value</b>	<b>Name</b>	1	Account	2	ClearingFirm	4	ClearingAccount	8	DisplayIndicator	16	MaxFloor	32	DiscretionAmount	64	OrderQty	128	PreventMember Match			3	ReturnBitfield4	<b>Value</b>	<b>Name</b>	1	RESERVED	2	RESERVED	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED			4		Reserved For Future Use		5		Reserved For Future Use		6		Reserved For Future Use		Reserved	135	1	Binary	Reserved For BATS Internal Use
				Byte	Name	Description																																																																																																								
				0	ReturnBitfield1	<b>Value</b>	<b>Name</b>																																																																																																							
						1	Side																																																																																																							
						2	PegDifference																																																																																																							
						4	Price																																																																																																							
						8	ExecInst																																																																																																							
						16	OrdType																																																																																																							
						32	TimeInForce																																																																																																							
64	MinQty																																																																																																													
128	MaxRemovePct																																																																																																													
1	ReturnBitfield2	<b>Value</b>	<b>Name</b>																																																																																																											
		1	Symbol																																																																																																											
		2	SymbolSfx																																																																																																											
		4	RESERVED																																																																																																											
		8	RESERVED																																																																																																											
		16	RESERVED																																																																																																											
		32	RESERVED																																																																																																											
		64	Capacity																																																																																																											
128	RESERVED																																																																																																													
2	ReturnBitfield3	<b>Value</b>	<b>Name</b>																																																																																																											
		1	Account																																																																																																											
		2	ClearingFirm																																																																																																											
		4	ClearingAccount																																																																																																											
		8	DisplayIndicator																																																																																																											
		16	MaxFloor																																																																																																											
		32	DiscretionAmount																																																																																																											
		64	OrderQty																																																																																																											
128	PreventMember Match																																																																																																													
3	ReturnBitfield4	<b>Value</b>	<b>Name</b>																																																																																																											
		1	RESERVED																																																																																																											
		2	RESERVED																																																																																																											
		4	RESERVED																																																																																																											
		8	RESERVED																																																																																																											
		16	RESERVED																																																																																																											
32	RESERVED																																																																																																													
4		Reserved For Future Use																																																																																																												
5		Reserved For Future Use																																																																																																												
6		Reserved For Future Use																																																																																																												
Reserved	135	1	Binary	Reserved For BATS Internal Use																																																																																																										

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Trade Cancel or Correct Bitfields	136	7	Binary	<p>Echoed from the LOGIN REQUEST. See the <b>List of Return Bitfields</b> section.</p> <table border="1"> <thead> <tr> <th>Byte</th> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td rowspan="8">1</td> <td rowspan="8">ReturnBitfield2</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Symbol</td> </tr> <tr> <td>2</td> <td>SymbolSfx</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> <tr> <td>64</td> <td>Capacity</td> </tr> <tr> <td>128</td> <td>RESERVED</td> </tr> </tbody> </table> </td> </tr> <tr> <td>2</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td rowspan="6">3</td> <td rowspan="6">ReturnBitfield4</td> <td> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> </tbody> </table> </td> </tr> <tr> <td>4</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>5</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>6</td> <td></td> <td>Reserved For Future Use</td> </tr> </tbody> </table>	Byte	Name	Description	0		Reserved For Future Use	1	ReturnBitfield2	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Symbol</td> </tr> <tr> <td>2</td> <td>SymbolSfx</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> <tr> <td>64</td> <td>Capacity</td> </tr> <tr> <td>128</td> <td>RESERVED</td> </tr> </tbody> </table>	Value	Name	1	Symbol	2	SymbolSfx	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED	64	Capacity	128	RESERVED	2		Reserved For Future Use	3	ReturnBitfield4	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> </tbody> </table>	Value	Name	1	RESERVED	2	RESERVED	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED	4		Reserved For Future Use	5		Reserved For Future Use	6		Reserved For Future Use
Byte	Name	Description																																																										
0		Reserved For Future Use																																																										
1	ReturnBitfield2	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Symbol</td> </tr> <tr> <td>2</td> <td>SymbolSfx</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> <tr> <td>64</td> <td>Capacity</td> </tr> <tr> <td>128</td> <td>RESERVED</td> </tr> </tbody> </table>	Value	Name	1	Symbol	2	SymbolSfx	4	RESERVED			8	RESERVED	16	RESERVED	32	RESERVED	64	Capacity	128	RESERVED																																						
		Value	Name																																																									
		1	Symbol																																																									
		2	SymbolSfx																																																									
		4	RESERVED																																																									
		8	RESERVED																																																									
		16	RESERVED																																																									
		32	RESERVED																																																									
64	Capacity																																																											
128	RESERVED																																																											
2		Reserved For Future Use																																																										
3	ReturnBitfield4	<table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> </tbody> </table>	Value	Name	1	RESERVED	2	RESERVED	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED																																												
		Value	Name																																																									
		1	RESERVED																																																									
		2	RESERVED																																																									
		4	RESERVED																																																									
		8	RESERVED																																																									
16	RESERVED																																																											
32	RESERVED																																																											
4		Reserved For Future Use																																																										
5		Reserved For Future Use																																																										
6		Reserved For Future Use																																																										
Reserved	143	1	Binary	Reserved For BATS Internal Use																																																								
Bitfields	144	7	Binary	<p>Echoed from the LOGIN REQUEST. See the <b>List of Return Bitfields</b> section.</p> <p>Reserved for future use.</p>																																																								
Reserved	151	1	Binary	Reserved For BATS Internal Use																																																								
Bitfields	152	7	Binary	<p>Echoed from the LOGIN REQUEST. See the <b>List of Return Bitfields</b> section.</p> <p>Reserved for future use.</p>																																																								
Reserved	159	1	Binary	Reserved For BATS Internal Use																																																								
LastReceived SequenceNumber	160	4	Binary	Last inbound (Member to BATS) message sequence number processed by BATS.																																																								
NumberOfUnits	164	1		A number, <i>n</i> , of unit/sequence pairs to follow, one per unit. A pair for every unit will be sent, even if no messages have been sent to this port today. For unsuccessful logins, this will be 0.																																																								
UnitNumber <sub>1</sub>		1	Binary	A unit number.																																																								
UnitSequence <sub>1</sub>		4	Binary	Highest available sequence number for the unit.																																																								
.			Binary																																																									
.																																																												

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

.				
UnitNumber <sub>n</sub>		1	Binary	A unit number.
UnitSequence <sub>n</sub>		4	Binary	Highest available sequence number for the unit.

**Example Login Response Message:**

<b>Field Name</b>	<b>Hexadecimal</b>	<b>Notes</b>
StartOfMessage	BA BA	Start of message bytes.
MessageLength	B7 00	183 bytes
MessageType	07	Login Response
MatchingUnit	00	Always 0 for inbound messages
SequenceNumber	00 00 00 00	Always 0 for session level messages
LoginResponse Status	41	A = Login Accepted
LoginResponse Text	41 63 63 65 70 74 65 64 00	Accepted (padding) (padding) (padding) (padding) (padding)
NoUnspecified UnitReplay	00	False (Replay Unspecified Units)
Order Acknowledgement Bitfields	00 01 06 00 00 00 00	01 = <i>Symbol</i> 06 = <i>ClearingFirm, ClearingAccount</i>
Reserved Order Rejected Bitfields	00	
Reserved Order Modified Bitfields	00 01 06 00 00 00 00	01 = <i>Symbol</i> 06 = <i>ClearingFirm, ClearingAccount</i>
Reserved Order Restated Bitfields	00	06 = <i>ClearingFirm, ClearingAccount</i>
Reserved Order Restated Bitfields	00 00 00 00 00 00 00	None
Reserved User Modify Rejected Bitfields	00	
Reserved User Modify Rejected Bitfields	00 01 06 00 00 00 00	01 = <i>Symbol</i> 06 = <i>ClearingFirm, ClearingAccount</i>
Reserved Order Cancelled Bitfields	00	
Reserved Order Cancelled Bitfields	00 00 00 00 00 00 00	None
Reserved Order Rejected Bitfields	00	
Reserved Order Rejected Bitfields	00 00 00 00 00 00 00	None
Reserved Order Executed Bitfields	00	
Reserved Order Executed Bitfields	00 01 06 00 00 00 00	01 = <i>Symbol</i> 06 = <i>ClearingFirm, ClearingAccount</i>
Reserved Trade Cancel Bitfields	00	
Reserved Trade Cancel Bitfields	00 01 00 00 00 00 00	01 = <i>Symbol</i>

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

or Correct		
Bitfields		
Reserved	00	
Reserved Bitfields	00 00 00 00 00 00 00	Reserved for future expansion
Reserved	00	
Reserved Bitfields	00 00 00 00 00 00 00	Reserved for future expansion
Reserved	00	
Last Received	00 00 00 00	Last received sequence number.
Sequence Number		0 = BATS has not received any messages
NumberOfUnits	04	Four unit/sequence pairs to follow.
UnitNumber <sub>1</sub>	01	Unit 1
UnitSequence <sub>1</sub>	4A BB 01 00	Last received sequence of 113,482
UnitNumber <sub>2</sub>	02	Unit 2
UnitSequence <sub>2</sub>	00 00 00 00	Last received sequence of 0
UnitNumber <sub>3</sub>	03	Unit 3
UnitSequence <sub>3</sub>	00 00 00 00	Last received sequence of 0
UnitNumber <sub>4</sub>	04	Unit 4
UnitSequence <sub>4</sub>	79 A1 00 00	Last received sequence of 41,337

### 3.2.2 Logout

A Logout is usually sent in response to a Logout Request. Any queued data is transmitted, a Logout is sent, and BATS will close the connection. However, a Logout may also be sent if the Member violates the protocol specification (e.g., by moving backwards in sequence number).

The Logout contains the last transmitted sequence number for each unit, allowing the Member to check that their last received sequence number matches.

Field	Offset	Length	Data Type	Description
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the StartOfMessage field.
MessageType	4	1	Binary	0x08
MatchingUnit	5	1	Binary	Always 0 for session level messages.
SequenceNumber	6	4	Binary	Always 0 for session level messages.
LogoutReason	10	1	Alphanumeric	The reason why the Logout message was sent.  U = User Requested E = End of Day A = Administrative ! = Protocol Violation
LogoutReason Text	11	60	Text	Human-readable text with additional information about the reason for logout. Particularly useful if LogoutReason = ! (Protocol Violation).
LastReceived	71	4	Binary	Last inbound (Member to BATS) message

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

SequenceNumber				sequence number processed by BATS.
NumberOfUnits	75	1		A number, n (possibly 0), of unit/sequence pairs to follow, one per unit from which the client has received messages.
UnitNumber <sub>1</sub>		1	Binary	A unit number.
UnitSequence <sub>1</sub>		4	Binary	Highest available sequence number for the unit.
.			Binary	
.				
.				
UnitNumber <sub>n</sub>		1	Binary	A unit number.
UnitSequence <sub>n</sub>		4	Binary	Highest available sequence number for the unit.

**Example Logout Message:**

Field Name	Hexadecimal	Notes
StartOfMessage	BA BA	Start of message bytes.
MessageLength	59 00	89 bytes
MessageType	08	Logout
MatchingUnit	00	Always 0 for session level messages
SequenceNumber	00 00 00 00	Always 0 for session level messages
LogoutReason	55	U = User Requested
LogoutReason	55 73 65 72 00 00 00 00 00 00	User
Text	00 00	
LastReceived	3F 93 01 00	103231
SequenceNumber		
NumberOfUnits	03	Three unit/sequence pairs to follow.
UnitNumber <sub>1</sub>	01	Unit 1
UnitSequence <sub>1</sub>	4A BB 01 00	Last sent sequence of 113,482
UnitNumber <sub>2</sub>	02	Unit 2
UnitSequence <sub>2</sub>	00 00 00 00	Last sent sequence of 0
UnitNumber <sub>3</sub>	03	Unit 3
UnitSequence <sub>3</sub>	79 A1 00 00	Last sent sequence of 41,337

### 3.2.3 Server Heartbeat

See the **Heartbeats** section for more information on heartbeats and the session level protocol.

Field	Offset	Length	Data Type	Description
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <i>StartOfMessage</i> field.
MessageType	4	1	Binary	0x09
MatchingUnit	5	1	Binary	Always 0 for session level messages.
SequenceNumber	6	4	Binary	Always 0 for session level messages.

#### Example Server Heartbeat Message:

Field Name	Hexadecimal	Notes
StartOfMessage	BA BA	Start of message bytes.
MessageLength	08 00	8 bytes
MessageType	09	Server Heartbeat
MatchingUnit	00	Always 0 for session level messages
SequenceNumber	00 00 00 00	Always 0 for session level messages

### 3.2.4 Replay Complete

See the **Login, Replay and Sequencing** section for more information on Login, sequencing and replay.

Field	Offset	Length	Data Type	Description
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <i>StartOfMessage</i> field.
MessageType	4	1	Binary	0x13
MatchingUnit	5	1	Binary	Always 0 for session level messages.
SequenceNumber	6	4	Binary	Always 0 for session level messages.

#### Example Replay Complete Message:

Field Name	Hexadecimal	Notes
StartOfMessage	BA BA	Start of message bytes.
MessageLength	08 00	8 bytes
MessageType	13	Replay Complete
MatchingUnit	00	Always 0 for session level messages
SequenceNumber	00 00 00 00	Always 0 for session level messages

## 4 Application Messages

### 4.1 Member to BATS

#### 4.1.1 New Order

A `New Order` message consists of a number of required fields followed by a number of optional fields. The optional fields used are specified by setting bits in the `NewOrderBitfields`. Fields must be appended at the end of the message.

Field	Offset	Length	Data Type	Description
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <code>StartOfMessage</code> field.
MessageType	4	1	Binary	0x04
MatchingUnit	5	1	Binary	Always 0 for inbound (Member to BATS) messages.
SequenceNumber	6	4	Binary	The sequence number for this message..
ClOrdID	10	20	Text	<p>Corresponds to <code>ClOrdID</code> (11) in BATS FIX.</p> <p>Day-unique ID chosen by the client. Characters in the ASCII range 33-126 are allowed, except for comma, semicolon, and pipe.</p> <p>If the <code>ClOrdID</code> matches a live order, the order will be rejected as duplicate.</p> <p><b>Note: BATS only enforces uniqueness of ClOrdID values among currently live orders. However, we strongly recommend that you keep your ClOrdID values day-unique.</b></p>
Side	30	1	Alphanumeric	<p>Corresponds to <code>Side</code> (54) in BATS FIX.</p> <p>1 = Buy 2 = Sell 5 = Sell Short (client affirms ability to borrow) 6 = Sell Short Exempt</p>
OrderQty	31	4	Binary	<p>Corresponds to <code>OrderQty</code> (38) in BATS FIX.</p> <p>Number of shares for the order. System-wide limit is 999,999 shares.</p>

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

NewOrder Bitfield1	35	1	Binary	<p>Bitfield indicating order fields to follow. Logical OR to include multiple fields.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><i>ClearingFirm</i></td> </tr> <tr> <td>2</td> <td><i>ClearingAccount</i></td> </tr> <tr> <td>4</td> <td><i>Price</i></td> </tr> <tr> <td>8</td> <td><i>ExecInst</i></td> </tr> <tr> <td>16</td> <td><i>OrdType</i></td> </tr> <tr> <td>32</td> <td><i>TimeInForce</i></td> </tr> <tr> <td>64</td> <td><i>MinQty</i></td> </tr> <tr> <td>128</td> <td><i>MaxFloor</i></td> </tr> </tbody> </table>	Value	Name	1	<i>ClearingFirm</i>	2	<i>ClearingAccount</i>	4	<i>Price</i>	8	<i>ExecInst</i>	16	<i>OrdType</i>	32	<i>TimeInForce</i>	64	<i>MinQty</i>	128	<i>MaxFloor</i>
Value	Name																					
1	<i>ClearingFirm</i>																					
2	<i>ClearingAccount</i>																					
4	<i>Price</i>																					
8	<i>ExecInst</i>																					
16	<i>OrdType</i>																					
32	<i>TimeInForce</i>																					
64	<i>MinQty</i>																					
128	<i>MaxFloor</i>																					
NewOrder Bitfield2	36	1	Binary	<p>Bitfield indicating order fields to follow. Logical OR to include multiple fields.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><i>Symbol</i></td> </tr> <tr> <td>2</td> <td><i>SymbolSfx</i></td> </tr> <tr> <td>4</td> <td><i>RESERVED</i></td> </tr> <tr> <td>8</td> <td><i>RESERVED</i></td> </tr> <tr> <td>16</td> <td><i>RESERVED</i></td> </tr> <tr> <td>32</td> <td><i>RESERVED</i></td> </tr> <tr> <td>64</td> <td><i>Capacity</i></td> </tr> <tr> <td>128</td> <td><i>RoutingInst</i></td> </tr> </tbody> </table>	Value	Name	1	<i>Symbol</i>	2	<i>SymbolSfx</i>	4	<i>RESERVED</i>	8	<i>RESERVED</i>	16	<i>RESERVED</i>	32	<i>RESERVED</i>	64	<i>Capacity</i>	128	<i>RoutingInst</i>
Value	Name																					
1	<i>Symbol</i>																					
2	<i>SymbolSfx</i>																					
4	<i>RESERVED</i>																					
8	<i>RESERVED</i>																					
16	<i>RESERVED</i>																					
32	<i>RESERVED</i>																					
64	<i>Capacity</i>																					
128	<i>RoutingInst</i>																					
NewOrder Bitfield3	37	1	Binary	<p>Bitfield indicating order fields to follow. Logical OR to include multiple fields.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><i>Account</i></td> </tr> <tr> <td>2</td> <td><i>DisplayIndicator</i></td> </tr> <tr> <td>4</td> <td><i>MaxRemovePct</i></td> </tr> <tr> <td>8</td> <td><i>Discretion Amount</i></td> </tr> <tr> <td>16</td> <td><i>PegDifference</i></td> </tr> <tr> <td>32</td> <td><i>Prevent Member Match</i></td> </tr> <tr> <td>64</td> <td><i>LocateReqd</i></td> </tr> <tr> <td>128</td> <td><i>ExpireTime</i></td> </tr> </tbody> </table>	Value	Name	1	<i>Account</i>	2	<i>DisplayIndicator</i>	4	<i>MaxRemovePct</i>	8	<i>Discretion Amount</i>	16	<i>PegDifference</i>	32	<i>Prevent Member Match</i>	64	<i>LocateReqd</i>	128	<i>ExpireTime</i>
Value	Name																					
1	<i>Account</i>																					
2	<i>DisplayIndicator</i>																					
4	<i>MaxRemovePct</i>																					
8	<i>Discretion Amount</i>																					
16	<i>PegDifference</i>																					
32	<i>Prevent Member Match</i>																					
64	<i>LocateReqd</i>																					
128	<i>ExpireTime</i>																					
NewOrder Bitfield4	38	1	Binary	<p>Bitfield indicating order fields to follow. Logical OR to include multiple fields.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><i>RESERVED</i></td> </tr> <tr> <td>2</td> <td><i>RESERVED</i></td> </tr> <tr> <td>4</td> <td><i>RESERVED</i></td> </tr> <tr> <td>8</td> <td><i>RESERVED</i></td> </tr> <tr> <td>16</td> <td><i>RESERVED</i></td> </tr> <tr> <td>32</td> <td><i>RESERVED</i></td> </tr> <tr> <td>64</td> <td><i>RESERVED</i></td> </tr> </tbody> </table> <p>Bit 8 <i>must</i> be set to 0. It is reserved for future expansion.</p>	Value	Name	1	<i>RESERVED</i>	2	<i>RESERVED</i>	4	<i>RESERVED</i>	8	<i>RESERVED</i>	16	<i>RESERVED</i>	32	<i>RESERVED</i>	64	<i>RESERVED</i>		
Value	Name																					
1	<i>RESERVED</i>																					
2	<i>RESERVED</i>																					
4	<i>RESERVED</i>																					
8	<i>RESERVED</i>																					
16	<i>RESERVED</i>																					
32	<i>RESERVED</i>																					
64	<i>RESERVED</i>																					

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

NewOrder Bitfield5	39	1	Binary	<p>Bitfield indicating order fields to follow. Logical OR to include multiple fields.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><i>RESERVED</i></td> </tr> <tr> <td>2</td> <td><i>AttributedQuote</i></td> </tr> </tbody> </table> <p>Bits 3-8 <i>must</i> be set to 0. They are reserved for future expansion.</p>	Value	Name	1	<i>RESERVED</i>	2	<i>AttributedQuote</i>
Value	Name									
1	<i>RESERVED</i>									
2	<i>AttributedQuote</i>									
NewOrder Bitfield6	40	1	Binary	All bits <i>must</i> be set to 0. This field is reserved for future expansion.						
Optional fields...										

**Required Order Attributes:**

The following are required to be sent on new orders for instruments traded on BATS:

- some form of symbology (see **Symbology** below).
- a *Price* only (limit orders) or a *Price* and/or *OrdType* (limit, market, or peg orders).
- *Capacity*.

All other values have defaults. See the table in the **List of Optional Fields** section for additional information about each optional field, including its default value.

**Symbology:**

For BATS US Equities symbology, please refer to the [BATS Symbology Reference](#) document.

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

**Example New Order Message:**

<b>Field Name</b>	<b>Hexadecimal</b>	<b>Notes</b>
StartOfMessage	BA BA	Start of message bytes.
MessageLength	4C 00	76 bytes
MessageType	04	New Order
MatchingUnit	00	Always 0 for inbound messages
SequenceNumber	64 00 00 00	Sequence Number 100
CIOrdID	41 42 43 31 32 33 00 00 00 00 00 00 00 00 00 00 00 00 00 00	ABC123
Side	31	Buy
OrderQty	E8 03 00 00	1000 shares
NewOrderBitfield1	04	<i>Price</i>
NewOrderBitfield2	C1	<i>Symbol, Capacity, RoutingInst</i>
NewOrderBitfield3	01	<i>Account</i>
NewOrderBitfield4	00	No optional fields
NewOrderBitfield5	00	No optional fields
NewOrderBitfield6	00	No optional fields
Price	5C 13 04 00 00 00 00 00	26.71
Symbol	4D 53 46 54 00 00 00 00	MSFT
Capacity	50	P = Principal
RoutingInst	52 00 00 00	R = Routable
Account	44 45 46 47 00 00 00 00 00 00 00 00 00 00 00 00	DEFG

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

**4.1.2 Cancel Order**

Request to cancel an order using the *ClOrdID* from a previous order.

Field	Offset	Length	Data Type	Description										
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.										
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <i>StartOfMessage</i> field.										
MessageType	4	1	Binary	0x05										
MatchingUnit	5	1	Binary	Always 0 for inbound (Member to BATS) messages.										
SequenceNumber	6	4	Binary	The sequence number for this message..										
OrigClOrdID	10	20	Text	Corresponds to <i>OrigClOrdID</i> (41) in BATS FIX.  ClOrdID of the order to cancel.										
CancelOrder Bitfield1	30	1	Binary	Bitfield indicating cancel fields to follow. Logical OR to include multiple fields.  <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><i>ClearingFirm</i></td> </tr> <tr> <td>2</td> <td><i>RESERVED</i></td> </tr> <tr> <td>4</td> <td><i>RESERVED</i></td> </tr> <tr> <td>8</td> <td><i>RESERVED</i></td> </tr> </tbody> </table> <i>ClearingFirm</i> is required for Service Bureau ports.  Bits 5-8 <i>must</i> be set to 0. They are reserved for future expansion.	Value	Name	1	<i>ClearingFirm</i>	2	<i>RESERVED</i>	4	<i>RESERVED</i>	8	<i>RESERVED</i>
Value	Name													
1	<i>ClearingFirm</i>													
2	<i>RESERVED</i>													
4	<i>RESERVED</i>													
8	<i>RESERVED</i>													
CancelOrder Bitfield2	31	1	Binary	All bits <i>must</i> be set to 0. This field is reserved for future expansion.										
Optional fields...														

**Example Cancel Order Message:**

Field Name	Hexadecimal	Notes
StartOfMessage	BA BA	Start of message bytes.
MessageLength	26 00	38 bytes
MessageType	05	Cancel Order
MatchingUnit	00	Always 0 for inbound messages
SequenceNumber	64 00 00 00	Sequence Number 100
OrigClOrdID	41 42 43 31 32 33 00 00 00 00 00 00 00 00 00 00 00 00 00 00	ABC123
CancelOrder Bitfield1	01	<i>ClearingFirm</i>
CancelOrder Bitfield2	00	(empty)
ClearingFirm	54 45 53 54	TEST

### 4.1.3 Modify Order

Request to modify an order. The order attributes to be modified are specified using *ModifyOrderBitfieldOne* and *ModifyOrderBitfieldTwo*.

Only *Price*, *Side*, *OrderQty*, and *OrdType* may be adjusted. Any change in *Price* or any increase in *OrderQty* will result in the order losing its time priority. *OrdType* may be adjusted from Limit to Market (but not from Limit to Peg or Peg to Limit). *Side* may only be used to change an order from a short sell to a long sell or vice versa. Modification of *Side* will only result in loss of priority if *Side* is changing to/from a short sell **AND** the *Symbol* is in a Regulation SHO Short Sale Circuit Breaker.

Other fields (including *ExecInst*) **will be ignored**, and the value from the original order will be re-used. In particular note that when a Day-ISO is modified the ISO designation is applied to the new order.

Changes in *OrderQty* result in an adjustment of the current order's *OrderQty*. The new *OrderQty* does not directly replace the current order's *LeavesQty*. Rather a delta is computed from the current *OrderQty* and the replacement *OrderQty*. This delta is then applied to the current *LeavesQty*. If the resulting *LeavesQty* is less than or equal to zero, the order is cancelled. This results in safer behavior when the replace request overlaps partial fills for the current order, leaving the Member in total control of the share exposure of the order.

*MaxFloor* and *DiscretionAmount* are preserved from the original order and applied to the new size and price.

A *Modify Order* should not be issued until the *Order Modified* message for the previous *Modify Order* has been received for that order. The BOE handler will reject a new *Modify Order* if it has not seen the prior *Modify Order* from the Matching Engine.

*Modify Order* requests that merely reduce *OrderQty* may be overlapped if the existing *CIOrdID* is re-used. This is the only case where re-use of the existing *CIOrdID* is allowed.

Field	Offset	Length	Data Type	Description
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <i>StartOfMessage</i> field.
MessageType	4	1	Binary	0x06
MatchingUnit	5	1	Binary	Always 0 for inbound (Member to BATS) messages.
SequenceNumber	6	4	Binary	The sequence number for this message..
CIOrdID	10	20	Text	New <i>CIOrdID</i> for this order.

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

OrigClOrdID	30	20	Text	<p>Corresponds to <i>OrigClOrdID</i> (41) in BATS FIX.</p> <p><i>ClOrdID</i> of the order to replace.</p> <p>In the case of multiple changes to a single order, this will be the <i>ClOrdID</i> of the most recently accepted change.</p>																		
ModifyOrder Bitfield1	50	1	Binary	<p>Bitfield indicating order modify fields to follow. Logical OR to include multiple fields.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><i>ClearingFirm</i></td> </tr> <tr> <td>2</td> <td><i>RESERVED</i></td> </tr> <tr> <td>4</td> <td><i>OrderQty</i></td> </tr> <tr> <td>8</td> <td><i>Price</i></td> </tr> <tr> <td>16</td> <td><i>OrdType</i></td> </tr> <tr> <td>32</td> <td><i>CancelOrig OnReject</i></td> </tr> <tr> <td>64</td> <td><i>ExecInst</i></td> </tr> <tr> <td>128</td> <td><i>Side</i></td> </tr> </tbody> </table> <p><i>OrderQty</i> must be present on all Modify Order requests. Modify Order messages without <i>OrderQty</i> will be rejected.</p> <p><i>Price</i> must now be present on all Modify Order requests for limit orders. Modify Order messages without <i>Price</i> will be rejected.</p> <p><i>ClearingFirm</i> is required for Service Bureau ports.</p>	Value	Name	1	<i>ClearingFirm</i>	2	<i>RESERVED</i>	4	<i>OrderQty</i>	8	<i>Price</i>	16	<i>OrdType</i>	32	<i>CancelOrig OnReject</i>	64	<i>ExecInst</i>	128	<i>Side</i>
Value	Name																					
1	<i>ClearingFirm</i>																					
2	<i>RESERVED</i>																					
4	<i>OrderQty</i>																					
8	<i>Price</i>																					
16	<i>OrdType</i>																					
32	<i>CancelOrig OnReject</i>																					
64	<i>ExecInst</i>																					
128	<i>Side</i>																					
ModifyOrder Bitfield2	51	1	Binary	<p>All bits <i>must</i> be set to 0. This field is reserved for future expansion.</p>																		
Optional fields...																						

BATS BZX Exchange US Equities  
 BOE Specification (Version 1.4.4)

**Example Modify Order Message:**

<b>Field Name</b>	<b>Hexadecimal</b>	<b>Notes</b>
StartOfMessage	BA BA	Start of message bytes.
MessageLength	3E 00	62 bytes
MessageType	06	Modify Order
MatchingUnit	00	Always 0 for inbound messages
SequenceNumber	64 00 00 00	Sequence Number 100
CIOrdID	41 42 43 31 32 34 00 00 00 00 00 00 00 00 00 00 00 00 00 00	ABC124
OrigCIOrdID	41 42 43 31 32 33 00 00 00 00 00 00 00 00 00 00 00 00 00 00	ABC123
ModifyOrder	0C	<i>OrderQty, Price</i>
Bitfield1		
ModifyOrder	00	(empty)
Bitfield2		
OrderQty	E0 2E 00 00	12,000 shares
Price	3A E2 01 00 00 00 00 00	12.345

## 4.2 BATS to Member

### 4.2.1 Order Acknowledgement

Order Acknowledgement messages are sent in response to a New Order message. The message corresponds to a FIX Execution Report with *ExecType* (150) = 0 (New).

Per the instructions given in the Login Request, optional fields may be appended to echo back information provided in the original New Order message. Fields which have been requested to be echoed back, but which were not filled in will still be sent and will be filled with binary zero (0x00).

Field	Offset	Length	Data Type	Description
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <i>StartOfMessage</i> field.
MessageType	4	1	Binary	0x0A
MatchingUnit	5	1	Binary	The matching unit which created this message. Matching units in BOE correspond to matching units on Multicast PITCH.
SequenceNumber	6	4	Binary	The sequence number for this message. Distinct per matching unit.
TransactionTime	10	8	DateTime	The time the event occurred in the BATS matching engine (not the time the message was sent).
ClOrdID	18	20	Text	Echoed back from the original New Order message.
OrderID	38	8	Binary	Corresponds to <i>OrderID</i> (37) in BATS FIX. Order identifier supplied by BATS. This identifier corresponds to the identifiers used in BATS market data products.

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Order Acknowledgement Bitfields	46	7	Binary	Bitfields indicating message fields to follow. See the <b>List of Return Bitfields</b> section.																																																																																																											
				<table border="1"> <thead> <tr> <th>Byte</th> <th>Name</th> <th colspan="2">Description</th> </tr> </thead> <tbody> <tr> <td rowspan="8">0</td> <td rowspan="8">ReturnBitfield1</td> <td><b>Value</b></td> <td><b>Name</b></td> </tr> <tr> <td>1</td> <td>Side</td> </tr> <tr> <td>2</td> <td>PegDifference</td> </tr> <tr> <td>4</td> <td>Price</td> </tr> <tr> <td>8</td> <td>ExecInst</td> </tr> <tr> <td>16</td> <td>OrdType</td> </tr> <tr> <td>32</td> <td>TimeInForce</td> </tr> <tr> <td>64</td> <td>MinQty</td> </tr> <tr> <td>128</td> <td>MaxRemovePct</td> </tr> <tr> <td rowspan="8">1</td> <td rowspan="8">ReturnBitfield2</td> <td><b>Value</b></td> <td><b>Name</b></td> </tr> <tr> <td>1</td> <td>Symbol</td> </tr> <tr> <td>2</td> <td>SymbolSfx</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> <tr> <td>64</td> <td>Capacity</td> </tr> <tr> <td>128</td> <td>RESERVED</td> </tr> <tr> <td rowspan="8">2</td> <td rowspan="8">ReturnBitfield3</td> <td><b>Value</b></td> <td><b>Name</b></td> </tr> <tr> <td>1</td> <td>Account</td> </tr> <tr> <td>2</td> <td>ClearingFirm</td> </tr> <tr> <td>4</td> <td>ClearingAccount</td> </tr> <tr> <td>8</td> <td>DisplayIndicator</td> </tr> <tr> <td>16</td> <td>MaxFloor</td> </tr> <tr> <td>32</td> <td>DiscretionAmount</td> </tr> <tr> <td>64</td> <td>OrderQty</td> </tr> <tr> <td>128</td> <td>PreventMember Match</td> </tr> <tr> <td rowspan="6">3</td> <td rowspan="6">ReturnBitfield4</td> <td><b>Value</b></td> <td><b>Name</b></td> </tr> <tr> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td rowspan="8">4</td> <td rowspan="8">ReturnBitfield5</td> <td><b>Value</b></td> <td><b>Name</b></td> </tr> <tr> <td>1</td> <td>OrigClOrdID</td> </tr> <tr> <td>2</td> <td>LeavesQty</td> </tr> <tr> <td>4</td> <td>LastShares</td> </tr> <tr> <td>8</td> <td>LastPx</td> </tr> <tr> <td>16</td> <td>DisplayPrice</td> </tr> <tr> <td>32</td> <td>WorkingPrice</td> </tr> <tr> <td>64</td> <td>BaseLiquidity Indicator</td> </tr> <tr> <td>128</td> <td>ExpireTime</td> </tr> <tr> <td>5</td> <td></td> <td colspan="2">Reserved For Future Use</td> </tr> <tr> <td>6</td> <td></td> <td colspan="2">Reserved For Future Use</td> </tr> </tbody> </table>		Byte	Name	Description		0	ReturnBitfield1	<b>Value</b>	<b>Name</b>	1	Side	2	PegDifference	4	Price	8	ExecInst	16	OrdType	32	TimeInForce	64	MinQty	128	MaxRemovePct	1	ReturnBitfield2	<b>Value</b>	<b>Name</b>	1	Symbol	2	SymbolSfx	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED	64	Capacity	128	RESERVED	2	ReturnBitfield3	<b>Value</b>	<b>Name</b>	1	Account	2	ClearingFirm	4	ClearingAccount	8	DisplayIndicator	16	MaxFloor	32	DiscretionAmount	64	OrderQty	128	PreventMember Match	3	ReturnBitfield4	<b>Value</b>	<b>Name</b>	1	RESERVED	2	RESERVED	4	RESERVED	8	RESERVED	16	RESERVED	4	ReturnBitfield5	<b>Value</b>	<b>Name</b>	1	OrigClOrdID	2	LeavesQty	4	LastShares	8	LastPx	16	DisplayPrice	32	WorkingPrice	64	BaseLiquidity Indicator	128	ExpireTime	5		Reserved For Future Use		6		Reserved For Future Use	
				Byte	Name	Description																																																																																																									
				0	ReturnBitfield1	<b>Value</b>	<b>Name</b>																																																																																																								
						1	Side																																																																																																								
						2	PegDifference																																																																																																								
						4	Price																																																																																																								
						8	ExecInst																																																																																																								
						16	OrdType																																																																																																								
						32	TimeInForce																																																																																																								
64	MinQty																																																																																																														
128	MaxRemovePct																																																																																																														
1	ReturnBitfield2	<b>Value</b>	<b>Name</b>																																																																																																												
		1	Symbol																																																																																																												
		2	SymbolSfx																																																																																																												
		4	RESERVED																																																																																																												
		8	RESERVED																																																																																																												
		16	RESERVED																																																																																																												
		32	RESERVED																																																																																																												
		64	Capacity																																																																																																												
128	RESERVED																																																																																																														
2	ReturnBitfield3	<b>Value</b>	<b>Name</b>																																																																																																												
		1	Account																																																																																																												
		2	ClearingFirm																																																																																																												
		4	ClearingAccount																																																																																																												
		8	DisplayIndicator																																																																																																												
		16	MaxFloor																																																																																																												
		32	DiscretionAmount																																																																																																												
		64	OrderQty																																																																																																												
128	PreventMember Match																																																																																																														
3	ReturnBitfield4	<b>Value</b>	<b>Name</b>																																																																																																												
		1	RESERVED																																																																																																												
		2	RESERVED																																																																																																												
		4	RESERVED																																																																																																												
		8	RESERVED																																																																																																												
		16	RESERVED																																																																																																												
4	ReturnBitfield5	<b>Value</b>	<b>Name</b>																																																																																																												
		1	OrigClOrdID																																																																																																												
		2	LeavesQty																																																																																																												
		4	LastShares																																																																																																												
		8	LastPx																																																																																																												
		16	DisplayPrice																																																																																																												
		32	WorkingPrice																																																																																																												
		64	BaseLiquidity Indicator																																																																																																												
128	ExpireTime																																																																																																														
5		Reserved For Future Use																																																																																																													
6		Reserved For Future Use																																																																																																													
Reserved	53	1	Binary	Reserved For BATS Internal Use																																																																																																											
Optional Fields...																																																																																																															

**Example Order Acknowledgement Message:**

Field Name	Hexadecimal	Notes
StartOfMessage	BA BA	Start of message bytes.
MessageLength	44 00	68 bytes
MessageType	0A	Order Acknowledgement
MatchingUnit	03	Matching Unit 3
SequenceNumber	64 00 00 00	Sequence Number 100
TransactionTime	E0 FA 20 F7 36 71 F8 11	1,294,909,373,757,324,000
CIOrdID	41 42 43 31 32 33 00 00 00 00 00 00 00 00 00 00 00 00 00 00	ABC123
OrderID	05 10 1E B7 5E 39 2F 02	171WC1000005 (base 36)
Order	00 01 06 00 00 00 00	01 = <i>Symbol</i>
Acknowledgement		06 = <i>ClearingFirm, ClearingAccount</i>
Bitfields		
BATS Internal	00	
Symbol	4D 53 46 54 00 00 00 00	MSFT
ClearingFirm	54 45 53 54	TEST
ClearingAccount	00 00 00 00	(empty)

**Minimal Order Acknowledgement Message:**

Field Name	Hexadecimal	Notes
StartOfMessage	BA BA	Start of message bytes.
MessageLength	34 00	52 bytes
MessageType	0A	Order Acknowledgement
MatchingUnit	03	Matching Unit 3
SequenceNumber	64 00 00 00	Sequence Number 100
TransactionTime	E0 FA 20 F7 36 71 F8 11	1,294,909,373,757,324,000
CIOrdID	41 42 43 31 32 33 00 00 00 00 00 00 00 00 00 00 00 00 00 00	ABC123
OrderID	05 10 1E B7 5E 39 2F 02	171WC1000005 (base 36)
Order	00 00 00 00 00 00 00	No optional fields
Acknowledgement		
Bitfields		
BATS Internal	00	

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

#### 4.2.2 Order Rejected

Order Rejected messages are sent in response to a New Order which must be rejected. This message corresponds to a FIX Execution Report with *ExecType* (150) = 8 (Rejected). Order Rejected messages are unsequenced.

Field	Offset	Length	Data Type	Description
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <i>StartOfMessage</i> field.
MessageType	4	1	Binary	0x0B
MatchingUnit	5	1	Binary	Unsequenced application message. Matching unit will be set to 0.
SequenceNumber	6	4	Binary	Unsequenced application message. Sequence number will be set to 0.
TransactionTime	10	8	DateTime	The time the event occurred in the BATS matching engine (not the time the message was sent).
ClOrdID	18	20	Text	Echoed back from the original New Order message.
OrderRejectReason	38	1	Text	Reason for an order rejection.  A = Admin C = Capacity Undefined D = Duplicate <i>ClOrdID</i> H = Halted I = Incorrect Data Center K = Order Rate Threshold Exceeded L = Order would lock or cross NBBO N = Ran Out of Liquidity to Execute Against O = <i>ClOrdID</i> Doesn't Match a Known Order P = Can't Modify an Order That is Pending Fill Q = Waiting For First Trade R = Routing Unavailable U = User Requested V = Would Wash W = Add Liquidity Only Order Would Remove X = Order Expired Y = <i>Symbol</i> Not Supported Z = Unforeseen Reason m = Market Access Risk Limit Exceeded o = Max Open Orders Count Exceeded r = Reserve Reload y = Order received by BATS during replay
Text	39	60	Text	Human readable text with more information about the reject reason.

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Order Rejected Bitfields	99	7	Binary	<p>Bitfields indicating message fields to follow. See the <b>List of Return Bitfields</b> section.</p> <table border="1"> <thead> <tr> <th data-bbox="857 300 927 415">Byte</th> <th data-bbox="927 300 1008 415">Name</th> <th colspan="2" data-bbox="1008 300 1427 415">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="857 415 927 680">0</td> <td data-bbox="927 415 1008 680">ReturnBitfield1</td> <td data-bbox="1008 415 1105 443">Value</td> <td data-bbox="1105 415 1427 443">Name</td> </tr> <tr> <td></td> <td></td> <td>1</td> <td>Side</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>PegDifference</td> </tr> <tr> <td></td> <td></td> <td>4</td> <td>Price</td> </tr> <tr> <td></td> <td></td> <td>8</td> <td>ExecInst</td> </tr> <tr> <td></td> <td></td> <td>16</td> <td>OrdType</td> </tr> <tr> <td></td> <td></td> <td>32</td> <td>TimeInForce</td> </tr> <tr> <td></td> <td></td> <td>64</td> <td>MinQty</td> </tr> <tr> <td></td> <td></td> <td>128</td> <td>MaxRemovePct</td> </tr> <tr> <td data-bbox="857 680 927 947">1</td> <td data-bbox="927 680 1008 947">ReturnBitfield2</td> <td data-bbox="1008 680 1105 707">Value</td> <td data-bbox="1105 680 1427 707">Name</td> </tr> <tr> <td></td> <td></td> <td>1</td> <td>Symbol</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>SymbolSfx</td> </tr> <tr> <td></td> <td></td> <td>4</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>8</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>16</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>32</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>64</td> <td>Capacity</td> </tr> <tr> <td></td> <td></td> <td>128</td> <td>RESERVED</td> </tr> <tr> <td data-bbox="857 947 927 1213">2</td> <td data-bbox="927 947 1008 1213">ReturnBitfield3</td> <td data-bbox="1008 947 1105 974">Value</td> <td data-bbox="1105 947 1427 974">Name</td> </tr> <tr> <td></td> <td></td> <td>1</td> <td>Account</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>ClearingFirm</td> </tr> <tr> <td></td> <td></td> <td>4</td> <td>ClearingAccount</td> </tr> <tr> <td></td> <td></td> <td>8</td> <td>DisplayIndicator</td> </tr> <tr> <td></td> <td></td> <td>16</td> <td>MaxFloor</td> </tr> <tr> <td></td> <td></td> <td>32</td> <td>DiscretionAmount</td> </tr> <tr> <td></td> <td></td> <td>64</td> <td>OrderQty</td> </tr> <tr> <td></td> <td></td> <td>128</td> <td>PreventMember Match</td> </tr> <tr> <td data-bbox="857 1213 927 1430">3</td> <td data-bbox="927 1213 1008 1430">ReturnBitfield4</td> <td data-bbox="1008 1213 1105 1241">Value</td> <td data-bbox="1105 1213 1427 1241">Name</td> </tr> <tr> <td></td> <td></td> <td>1</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>4</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>8</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>16</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>32</td> <td>RESERVED</td> </tr> <tr> <td data-bbox="857 1430 927 1472">4</td> <td data-bbox="927 1430 1008 1472"></td> <td colspan="2" data-bbox="1008 1430 1427 1472">Reserved For Future Use</td> </tr> <tr> <td data-bbox="857 1472 927 1514">5</td> <td data-bbox="927 1472 1008 1514"></td> <td colspan="2" data-bbox="1008 1472 1427 1514">Reserved For Future Use</td> </tr> <tr> <td data-bbox="857 1514 927 1549">6</td> <td data-bbox="927 1514 1008 1549"></td> <td colspan="2" data-bbox="1008 1514 1427 1549">Reserved For Future Use</td> </tr> </tbody> </table>	Byte	Name	Description		0	ReturnBitfield1	Value	Name			1	Side			2	PegDifference			4	Price			8	ExecInst			16	OrdType			32	TimeInForce			64	MinQty			128	MaxRemovePct	1	ReturnBitfield2	Value	Name			1	Symbol			2	SymbolSfx			4	RESERVED			8	RESERVED			16	RESERVED			32	RESERVED			64	Capacity			128	RESERVED	2	ReturnBitfield3	Value	Name			1	Account			2	ClearingFirm			4	ClearingAccount			8	DisplayIndicator			16	MaxFloor			32	DiscretionAmount			64	OrderQty			128	PreventMember Match	3	ReturnBitfield4	Value	Name			1	RESERVED			2	RESERVED			4	RESERVED			8	RESERVED			16	RESERVED			32	RESERVED	4		Reserved For Future Use		5		Reserved For Future Use		6		Reserved For Future Use	
Byte	Name	Description																																																																																																																																																										
0	ReturnBitfield1	Value	Name																																																																																																																																																									
		1	Side																																																																																																																																																									
		2	PegDifference																																																																																																																																																									
		4	Price																																																																																																																																																									
		8	ExecInst																																																																																																																																																									
		16	OrdType																																																																																																																																																									
		32	TimeInForce																																																																																																																																																									
		64	MinQty																																																																																																																																																									
		128	MaxRemovePct																																																																																																																																																									
1	ReturnBitfield2	Value	Name																																																																																																																																																									
		1	Symbol																																																																																																																																																									
		2	SymbolSfx																																																																																																																																																									
		4	RESERVED																																																																																																																																																									
		8	RESERVED																																																																																																																																																									
		16	RESERVED																																																																																																																																																									
		32	RESERVED																																																																																																																																																									
		64	Capacity																																																																																																																																																									
		128	RESERVED																																																																																																																																																									
2	ReturnBitfield3	Value	Name																																																																																																																																																									
		1	Account																																																																																																																																																									
		2	ClearingFirm																																																																																																																																																									
		4	ClearingAccount																																																																																																																																																									
		8	DisplayIndicator																																																																																																																																																									
		16	MaxFloor																																																																																																																																																									
		32	DiscretionAmount																																																																																																																																																									
		64	OrderQty																																																																																																																																																									
		128	PreventMember Match																																																																																																																																																									
3	ReturnBitfield4	Value	Name																																																																																																																																																									
		1	RESERVED																																																																																																																																																									
		2	RESERVED																																																																																																																																																									
		4	RESERVED																																																																																																																																																									
		8	RESERVED																																																																																																																																																									
		16	RESERVED																																																																																																																																																									
		32	RESERVED																																																																																																																																																									
4		Reserved For Future Use																																																																																																																																																										
5		Reserved For Future Use																																																																																																																																																										
6		Reserved For Future Use																																																																																																																																																										
Reserved	106	1	Binary	Reserved For BATS Internal Use																																																																																																																																																								
Optional Fields...																																																																																																																																																												

**Example Order Rejected Message:**

Field Name	Hexadecimal	Notes
StartOfMessage	BA BA	Start of message bytes.
MessageLength	79 00	121 bytes
MessageType	0B	Order Rejected
MatchingUnit	00	Unsequenced Message, unit = 0
SequenceNumber	00 00 00 00	Unsequenced Message, seq. = 0
TransactionTime	E0 FA 20 F7 36 71 F8 11	1,294,909,373,757,324,000
CIOrdID	41 42 43 31 32 33 00 00 00 00 00 00 00 00 00 00 00 00 00 00	ABC123
OrderReject Reason	44	D
Text	44 75 70 6C 69 63 61 74 65 20 43 6C 4F 72 64 49 44 00	Duplicate CIOrdID
OrderRejected Bitfields	00 01 06 00 00 00 00	01 = <i>Symbol</i> 06 = <i>ClearingFirm, ClearingAccount</i>
BATS Internal Symbol	00	
ClearingFirm	4D 53 46 54 00 00 00 00	MSFT
ClearingAccount	54 45 53 54 00 00 00 00	TEST (empty)

**4.2.3 Order Modified**

Order Modified messages are sent in response to a Modify Order request to indicate that the order has been successfully modified.

**Note:** It is highly advised that all Members opt-in to receiving *LeavesQty* on Order Modified messages. In certain cases, the last message to be received on an order's lifecycle will be an Order Modified message. In such cases, to know the order is no longer live you must inspect *LeavesQty*. An example of this behavior would be modification of an order whilst an execution is being generated, resulting in the order being reduced to zero outstanding shares.

To maintain compatibility with Members who have already implemented BOE, this field will remain in the optional block.

Field	Offset	Length	Data Type	Description
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <i>StartOfMessage</i> field.
MessageType	4	1	Binary	0x0C
MatchingUnit	5	1	Binary	The matching unit which created this message. Matching units in BOE correspond to matching units on Multicast PITCH.
SequenceNumber	6	4	Binary	The sequence number for this message. Distinct

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

				per matching unit.																																																																																										
TransactionTime	10	8	DateTime	The time the event occurred in the BATS matching engine (not the time the message was sent).																																																																																										
ClOrdID	18	20	Text	Client order ID. This is the <i>ClOrdID</i> from the Modify Order message.																																																																																										
OrderID	38	8	Binary	Corresponds to <i>OrderID</i> (37) in BATS FIX.  The unique OrderID. Modifications do <i>not</i> change the OrderID.																																																																																										
Order Modified Bitfields	46	7	Binary	Bitfields indicating message fields to follow. See the <b>List of Return Bitfields</b> section.  <table border="1"> <thead> <tr> <th>Byte</th> <th>Name</th> <th colspan="2">Description</th> </tr> </thead> <tbody> <tr> <td rowspan="8">0</td> <td rowspan="8">ReturnBitfield1</td> <td><b>Value</b></td> <td><b>Name</b></td> </tr> <tr> <td>1</td> <td>Side</td> </tr> <tr> <td>2</td> <td>PegDifference</td> </tr> <tr> <td>4</td> <td>Price</td> </tr> <tr> <td>8</td> <td>ExecInst</td> </tr> <tr> <td>16</td> <td>OrdType</td> </tr> <tr> <td>32</td> <td>TimeInForce</td> </tr> <tr> <td>64</td> <td>MinQty</td> </tr> <tr> <td>128</td> <td>MaxRemovePct</td> <td></td> <td></td> </tr> <tr> <td>1</td> <td></td> <td colspan="2">Reserved For Future Use</td> </tr> <tr> <td rowspan="8">2</td> <td rowspan="8">ReturnBitfield3</td> <td><b>Value</b></td> <td><b>Name</b></td> </tr> <tr> <td>1</td> <td>Account</td> </tr> <tr> <td>2</td> <td>ClearingFirm</td> </tr> <tr> <td>4</td> <td>ClearingAccount</td> </tr> <tr> <td>8</td> <td>DisplayIndicator</td> </tr> <tr> <td>16</td> <td>MaxFloor</td> </tr> <tr> <td>32</td> <td>DiscretionAmount</td> </tr> <tr> <td>64</td> <td>OrderQty</td> </tr> <tr> <td>128</td> <td>PreventMember Match</td> <td></td> <td></td> </tr> <tr> <td>3</td> <td></td> <td colspan="2">Reserved For Future Use</td> </tr> <tr> <td rowspan="8">4</td> <td rowspan="8">ReturnBitfield5</td> <td><b>Value</b></td> <td><b>Name</b></td> </tr> <tr> <td>1</td> <td>OrigClOrdID</td> </tr> <tr> <td>2</td> <td>LeavesQty</td> </tr> <tr> <td>4</td> <td>LastShares</td> </tr> <tr> <td>8</td> <td>LastPx</td> </tr> <tr> <td>16</td> <td>DisplayPrice</td> </tr> <tr> <td>32</td> <td>WorkingPrice</td> </tr> <tr> <td>64</td> <td>BaseLiquidity Indicator</td> </tr> <tr> <td>128</td> <td>ExpireTime</td> <td></td> <td></td> </tr> <tr> <td rowspan="3">5</td> <td rowspan="3">ReturnBitfield6</td> <td><b>Value</b></td> <td><b>Name</b></td> </tr> <tr> <td>1</td> <td>SecondaryOrderID</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>6</td> <td></td> <td colspan="2">Reserved For Future Use</td> </tr> </tbody> </table>	Byte	Name	Description		0	ReturnBitfield1	<b>Value</b>	<b>Name</b>	1	Side	2	PegDifference	4	Price	8	ExecInst	16	OrdType	32	TimeInForce	64	MinQty	128	MaxRemovePct			1		Reserved For Future Use		2	ReturnBitfield3	<b>Value</b>	<b>Name</b>	1	Account	2	ClearingFirm	4	ClearingAccount	8	DisplayIndicator	16	MaxFloor	32	DiscretionAmount	64	OrderQty	128	PreventMember Match			3		Reserved For Future Use		4	ReturnBitfield5	<b>Value</b>	<b>Name</b>	1	OrigClOrdID	2	LeavesQty	4	LastShares	8	LastPx	16	DisplayPrice	32	WorkingPrice	64	BaseLiquidity Indicator	128	ExpireTime			5	ReturnBitfield6	<b>Value</b>	<b>Name</b>	1	SecondaryOrderID	2	RESERVED	6		Reserved For Future Use	
Byte	Name	Description																																																																																												
0	ReturnBitfield1	<b>Value</b>	<b>Name</b>																																																																																											
		1	Side																																																																																											
		2	PegDifference																																																																																											
		4	Price																																																																																											
		8	ExecInst																																																																																											
		16	OrdType																																																																																											
		32	TimeInForce																																																																																											
		64	MinQty																																																																																											
128	MaxRemovePct																																																																																													
1		Reserved For Future Use																																																																																												
2	ReturnBitfield3	<b>Value</b>	<b>Name</b>																																																																																											
		1	Account																																																																																											
		2	ClearingFirm																																																																																											
		4	ClearingAccount																																																																																											
		8	DisplayIndicator																																																																																											
		16	MaxFloor																																																																																											
		32	DiscretionAmount																																																																																											
		64	OrderQty																																																																																											
128	PreventMember Match																																																																																													
3		Reserved For Future Use																																																																																												
4	ReturnBitfield5	<b>Value</b>	<b>Name</b>																																																																																											
		1	OrigClOrdID																																																																																											
		2	LeavesQty																																																																																											
		4	LastShares																																																																																											
		8	LastPx																																																																																											
		16	DisplayPrice																																																																																											
		32	WorkingPrice																																																																																											
		64	BaseLiquidity Indicator																																																																																											
128	ExpireTime																																																																																													
5	ReturnBitfield6	<b>Value</b>	<b>Name</b>																																																																																											
		1	SecondaryOrderID																																																																																											
		2	RESERVED																																																																																											
6		Reserved For Future Use																																																																																												

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Reserved	53	1	Binary	Reserved For BATS Internal Use
Optional Fields...				

**Example Order Modified Message:**

Field Name	Hexadecimal	Notes
StartOfMessage	BA BA	Start of message bytes.
MessageLength	4C 00	76 bytes
MessageType	0C	Order Modified
MatchingUnit	03	Matching Unit 3
SequenceNumber	64 00 00 00	Sequence Number 100
TransactionTime	E0 FA 20 F7 36 71 F8 11	1,294,909,373,757,324,000
CIOrdID	41 42 43 31 32 33 00 00 00 00 00 00 00 00 00 00 00 00 00 00	ABC123
OrderID	05 10 1E B7 5E 39 2F 02	171WC1000005 (base 36)
OrderModified	04 00 00 00 30 00 00	04 = <i>Price</i> 30 = <i>DisplayPrice, WorkingPrice</i>
Bitfields		
BATS Internal	00	
Price	3A E2 01 00 00 00 00 00	12.345
DisplayPrice	3A E2 01 00 00 00 00 00	12.345
WorkingPrice	3A E2 01 00 00 00 00 00	12.345

**4.2.4 Order Restated**

`Order Restated` messages are sent to inform the Member that an order has been asynchronously modified for some reason without an explicit `Modify Order` request having been sent.

Some example (non-exhaustive) reasons for `Order Restated` messages being sent:

- A reserve (iceberg) order has been reloaded.
- An order's remaining quantity was decremented because of a prevented wash trade.
- A recycle order has returned to rest on the book after matching liquidity on another market.

Members should be prepared to accept and apply `Order Restated` messages for any reason.

The `OrderRestatedBitfield1` and `OrderRestatedBitfield2` fields indicate the characteristics of the order which have changed. Optional fields will be present at the end of the message with the new values.

**Note:** It is highly advised that all Members opt-in to receiving `LeavesQty` on `Order Restated` messages. In some cases, the last message to be received on an order's lifecycle will be an `Order Restated` message. In such cases, to know the order is no longer live you must inspect `LeavesQty`. An example of this behavior would be restatement of an order in certain cases due to `PreventMemberMatch` being set to 'd'.

To maintain compatibility with Members who have already implemented BOE, this field will remain in the optional block.

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Field	Offset	Length	Data Type	Description
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <i>StartOfMessage</i> field.
MessageType	4	1	Binary	0x0D
MatchingUnit	5	1	Binary	The matching unit which created this message. Matching units in BOE correspond to matching units on Multicast PITCH.
SequenceNumber	6	4	Binary	The sequence number for this message. Distinct per matching unit.
TransactionTime	10	8	DateTime	The time the event occurred in the BATS matching engine (not the time the message was sent).
ClOrdID	18	20	Text	Client order ID. For user modifies, this is the <i>ClOrdID</i> from the <i>Modify Order</i> message. For unsolicited modifications, the <i>ClOrdID</i> is the identifier from the open order.
OrderID	38	8	Binary	Corresponds to <i>OrderID</i> (37) in BATS FIX.  The unique OrderID. For informational purposes only. Modifications do <i>not</i> change the OrderID.
Restatement Reason	46	1	Alphanumeric	The reason for this Order Restated message.  R = Reroute W = Wash L = Reload

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Order Restated Bitfields	47	7	Binary	Bitfields indicating message fields to follow. See the <b>List of Return Bitfields</b> section.																																																																																										
<table border="1"> <thead> <tr> <th data-bbox="857 302 927 415">Byte</th> <th data-bbox="927 302 997 415">Name</th> <th colspan="2" data-bbox="997 302 1430 415">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="857 415 927 680" rowspan="8">0</td> <td data-bbox="927 415 997 680" rowspan="8">ReturnBitfield1</td> <td data-bbox="997 415 1105 447"><b>Value</b></td> <td data-bbox="1105 415 1430 447"><b>Name</b></td> </tr> <tr> <td data-bbox="997 447 1105 478">1</td> <td data-bbox="1105 447 1430 478">Side</td> </tr> <tr> <td data-bbox="997 478 1105 510">2</td> <td data-bbox="1105 478 1430 510">PegDifference</td> </tr> <tr> <td data-bbox="997 510 1105 541">4</td> <td data-bbox="1105 510 1430 541">Price</td> </tr> <tr> <td data-bbox="997 541 1105 573">8</td> <td data-bbox="1105 541 1430 573">ExecInst</td> </tr> <tr> <td data-bbox="997 573 1105 604">16</td> <td data-bbox="1105 573 1430 604">OrdType</td> </tr> <tr> <td data-bbox="997 604 1105 636">32</td> <td data-bbox="1105 604 1430 636">TimeInForce</td> </tr> <tr> <td data-bbox="997 636 1105 680">64</td> <td data-bbox="1105 636 1430 680">MinQty</td> </tr> <tr> <td data-bbox="857 680 927 890" rowspan="2">1</td> <td data-bbox="927 680 997 890" rowspan="2">ReturnBitfield2</td> <td data-bbox="997 680 1105 711"><b>Value</b></td> <td data-bbox="1105 680 1430 711"><b>Name</b></td> </tr> <tr> <td data-bbox="997 711 1105 743">1</td> <td data-bbox="1105 711 1430 743">Symbol</td> </tr> <tr> <td data-bbox="857 890 927 1155" rowspan="8">2</td> <td data-bbox="927 890 997 1155" rowspan="8">ReturnBitfield3</td> <td data-bbox="997 890 1105 921"><b>Value</b></td> <td data-bbox="1105 890 1430 921"><b>Name</b></td> </tr> <tr> <td data-bbox="997 921 1105 953">1</td> <td data-bbox="1105 921 1430 953">Account</td> </tr> <tr> <td data-bbox="997 953 1105 984">2</td> <td data-bbox="1105 953 1430 984">ClearingFirm</td> </tr> <tr> <td data-bbox="997 984 1105 1016">4</td> <td data-bbox="1105 984 1430 1016">ClearingAccount</td> </tr> <tr> <td data-bbox="997 1016 1105 1047">8</td> <td data-bbox="1105 1016 1430 1047">DisplayIndicator</td> </tr> <tr> <td data-bbox="997 1047 1105 1079">16</td> <td data-bbox="1105 1047 1430 1079">MaxFloor</td> </tr> <tr> <td data-bbox="997 1079 1105 1110">32</td> <td data-bbox="1105 1079 1430 1110">DiscretionAmount</td> </tr> <tr> <td data-bbox="997 1110 1105 1155">64</td> <td data-bbox="1105 1110 1430 1155">OrderQty</td> </tr> <tr> <td data-bbox="857 1155 927 1365" rowspan="6">3</td> <td data-bbox="927 1155 997 1365" rowspan="6">ReturnBitfield4</td> <td data-bbox="997 1155 1105 1186"><b>Value</b></td> <td data-bbox="1105 1155 1430 1186"><b>Name</b></td> </tr> <tr> <td data-bbox="997 1186 1105 1218">1</td> <td data-bbox="1105 1186 1430 1218">RESERVED</td> </tr> <tr> <td data-bbox="997 1218 1105 1249">2</td> <td data-bbox="1105 1218 1430 1249">RESERVED</td> </tr> <tr> <td data-bbox="997 1249 1105 1281">4</td> <td data-bbox="1105 1249 1430 1281">RESERVED</td> </tr> <tr> <td data-bbox="997 1281 1105 1312">8</td> <td data-bbox="1105 1281 1430 1312">RESERVED</td> </tr> <tr> <td data-bbox="997 1312 1105 1365">32</td> <td data-bbox="1105 1312 1430 1365">RESERVED</td> </tr> <tr> <td data-bbox="857 1365 927 1629" rowspan="8">4</td> <td data-bbox="927 1365 997 1629" rowspan="8">ReturnBitfield5</td> <td data-bbox="997 1365 1105 1396"><b>Value</b></td> <td data-bbox="1105 1365 1430 1396"><b>Name</b></td> </tr> <tr> <td data-bbox="997 1396 1105 1428">1</td> <td data-bbox="1105 1396 1430 1428">OrigClOrdID</td> </tr> <tr> <td data-bbox="997 1428 1105 1459">2</td> <td data-bbox="1105 1428 1430 1459">LeavesQty</td> </tr> <tr> <td data-bbox="997 1459 1105 1491">4</td> <td data-bbox="1105 1459 1430 1491">LastShares</td> </tr> <tr> <td data-bbox="997 1491 1105 1522">8</td> <td data-bbox="1105 1491 1430 1522">LastPx</td> </tr> <tr> <td data-bbox="997 1522 1105 1554">16</td> <td data-bbox="1105 1522 1430 1554">DisplayPrice</td> </tr> <tr> <td data-bbox="997 1554 1105 1585">32</td> <td data-bbox="1105 1554 1430 1585">WorkingPrice</td> </tr> <tr> <td data-bbox="997 1585 1105 1629">64</td> <td data-bbox="1105 1585 1430 1629">BaseLiquidity Indicator</td> </tr> <tr> <td data-bbox="857 1629 927 1850" rowspan="3">5</td> <td data-bbox="927 1629 997 1850" rowspan="3">ReturnBitfield6</td> <td data-bbox="997 1629 1105 1661"><b>Value</b></td> <td data-bbox="1105 1629 1430 1661"><b>Name</b></td> </tr> <tr> <td data-bbox="997 1661 1105 1692">1</td> <td data-bbox="1105 1661 1430 1692">SecondaryOrderID</td> </tr> <tr> <td data-bbox="997 1692 1105 1724">2</td> <td data-bbox="1105 1692 1430 1724">RESERVED</td> </tr> <tr> <td data-bbox="857 1850 927 1892">6</td> <td data-bbox="927 1850 1430 1892"></td> <td colspan="2" data-bbox="997 1850 1430 1892">Reserved For Future Use</td> </tr> </tbody> </table>					Byte	Name	Description		0	ReturnBitfield1	<b>Value</b>	<b>Name</b>	1	Side	2	PegDifference	4	Price	8	ExecInst	16	OrdType	32	TimeInForce	64	MinQty	1	ReturnBitfield2	<b>Value</b>	<b>Name</b>	1	Symbol	2	ReturnBitfield3	<b>Value</b>	<b>Name</b>	1	Account	2	ClearingFirm	4	ClearingAccount	8	DisplayIndicator	16	MaxFloor	32	DiscretionAmount	64	OrderQty	3	ReturnBitfield4	<b>Value</b>	<b>Name</b>	1	RESERVED	2	RESERVED	4	RESERVED	8	RESERVED	32	RESERVED	4	ReturnBitfield5	<b>Value</b>	<b>Name</b>	1	OrigClOrdID	2	LeavesQty	4	LastShares	8	LastPx	16	DisplayPrice	32	WorkingPrice	64	BaseLiquidity Indicator	5	ReturnBitfield6	<b>Value</b>	<b>Name</b>	1	SecondaryOrderID	2	RESERVED	6		Reserved For Future Use	
Byte	Name	Description																																																																																												
0	ReturnBitfield1	<b>Value</b>	<b>Name</b>																																																																																											
		1	Side																																																																																											
		2	PegDifference																																																																																											
		4	Price																																																																																											
		8	ExecInst																																																																																											
		16	OrdType																																																																																											
		32	TimeInForce																																																																																											
		64	MinQty																																																																																											
1	ReturnBitfield2	<b>Value</b>	<b>Name</b>																																																																																											
		1	Symbol																																																																																											
2	ReturnBitfield3	<b>Value</b>	<b>Name</b>																																																																																											
		1	Account																																																																																											
		2	ClearingFirm																																																																																											
		4	ClearingAccount																																																																																											
		8	DisplayIndicator																																																																																											
		16	MaxFloor																																																																																											
		32	DiscretionAmount																																																																																											
		64	OrderQty																																																																																											
3	ReturnBitfield4	<b>Value</b>	<b>Name</b>																																																																																											
		1	RESERVED																																																																																											
		2	RESERVED																																																																																											
		4	RESERVED																																																																																											
		8	RESERVED																																																																																											
		32	RESERVED																																																																																											
4	ReturnBitfield5	<b>Value</b>	<b>Name</b>																																																																																											
		1	OrigClOrdID																																																																																											
		2	LeavesQty																																																																																											
		4	LastShares																																																																																											
		8	LastPx																																																																																											
		16	DisplayPrice																																																																																											
		32	WorkingPrice																																																																																											
		64	BaseLiquidity Indicator																																																																																											
5	ReturnBitfield6	<b>Value</b>	<b>Name</b>																																																																																											
		1	SecondaryOrderID																																																																																											
		2	RESERVED																																																																																											
6		Reserved For Future Use																																																																																												

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Reserved	54	1	Binary	Reserved For BATS Internal Use
Optional Fields...				

**Example Order Restated Message for a reserve (iceberg) reload:**

Field Name	Hexadecimal	Notes
StartOfMessage	BA BA	Start of message bytes.
MessageLength	3D 00	65 bytes
MessageType	0D	Order Restated
MatchingUnit	03	Matching Unit 3
SequenceNumber	64 00 00 00	Sequence Number 100
TransactionTime	E0 FA 20 F7 36 71 F8 11	1,294,909,373,757,324,000
ClOrdID	41 42 43 31 32 33 00 00 00 00 00 00 00 00 00 00 00 00 00 00	ABC123
OrderID	05 10 1E B7 5E 39 2F 02	171WC1000005 (base 36)
Restatement	4C	L = Reload
Reason		
OrderRestated	00 00 00 00 00 01 00	01 = <i>SecondaryOrderID</i>
Bitfields		
BATS Internal	00	
SecondaryOrderID	0A 10 1E B7 5E 39 2F 02	171WC100000A (base 36)

**4.2.5 User Modify Rejected**

User Modify Rejected messages are sent in response to a Modify Order for an order which cannot be modified. User Modify Rejected messages are unsequenced.

This message corresponds to a FIX Execution Report with *MsgType* (35) = 9 (Order Cancel Reject) and *CxlRejResponseTo* (434) = 2 (Order Cancel/Replace Request).

Field	Offset	Length	Data Type	Description
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <i>StartOfMessage</i> field.
MessageType	4	1	Binary	0x0E
MatchingUnit	5	1	Binary	Unsequenced application message. Matching unit will be set to 0.
SequenceNumber	6	4	Binary	Unsequenced application message. Sequence number will be set to 0.
TransactionTime	10	8	Date Time	The time the event occurred in the BATS matching engine (not the time the message was sent).
ClOrdID	18	20	Text	The <i>ClOrdID</i> of the modify request which was rejected.

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

ModifyReject Reason	38	1	Text	Reason for a modify rejection.  A = Admin D = Duplicate <i>ClOrdID</i> H = Halted I = Incorrect Data Center K = Order Rate Threshold Exceeded L = Order would lock or cross NBBO M = MaxSize Exceeded N = Ran Out of Liquidity to Execute Against O = <i>ClOrdID</i> Doesn't Match a Known Order P = Can't Modify an Order That is Pending Fill R = Routing Unavailable V = Would Wash W = Add Liquidity Only Order Would Remove X = Order Expired Y = <i>Symbol</i> Not Supported Z = Unforeseen Reason m = Market Access Risk Limit Exceeded r = Reserve Reload y = Modify received by BATS during replay																								
Text	39	60	Text	Human readable text with more information about the reject reason.																								
User Modified Rejected Bitfields	99	7	Binary	Bitfields indicating message fields to follow. See the <b>List of Return Bitfields</b> section.  <table border="1"> <thead> <tr> <th><i>Byte</i></th> <th><i>Name</i></th> <th><i>Description</i></th> </tr> </thead> <tbody> <tr> <td>0</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>1</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>2</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>3</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>4</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>5</td> <td></td> <td>Reserved For Future Use</td> </tr> <tr> <td>6</td> <td></td> <td>Reserved For Future Use</td> </tr> </tbody> </table>	<i>Byte</i>	<i>Name</i>	<i>Description</i>	0		Reserved For Future Use	1		Reserved For Future Use	2		Reserved For Future Use	3		Reserved For Future Use	4		Reserved For Future Use	5		Reserved For Future Use	6		Reserved For Future Use
<i>Byte</i>	<i>Name</i>	<i>Description</i>																										
0		Reserved For Future Use																										
1		Reserved For Future Use																										
2		Reserved For Future Use																										
3		Reserved For Future Use																										
4		Reserved For Future Use																										
5		Reserved For Future Use																										
6		Reserved For Future Use																										
Reserved	106	1	Binary	Reserved For BATS Internal Use																								
Optional Fields...																												

**Example User Modify Rejected Message:**

Field Name	Hexadecimal	Notes
StartOfMessage	BA BA	Start of message bytes.
MessageLength	69 00	105 bytes
MessageType	0E	User Modify Rejected
MatchingUnit	00	Unsequenced Message, unit = 0
SequenceNumber	00 00 00 00	Unsequenced Message, seq. = 0
TransactionTime	E0 FA 20 F7 36 71 F8 11	1,294,909,373,757,324,000
CIOrdID	41 42 43 31 32 33 00 00 00 00 00 00 00 00 00 00 00 00 00 00	ABC123
ModifyReject Reason	50	Pending Fill
Text	50 65 6E 64 69 6E 67 00	Pending
UserModify RejectedBitfields	00 00 00 00 00 00 00	No optional fields
BATS Internal	00	

**4.2.6 Order Cancelled**

An order has been cancelled.

Field	Offset	Length	Data Type	Description
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <i>StartOfMessage</i> field.
MessageType	4	1	Binary	0x0F
MatchingUnit	5	1	Binary	The matching unit which created this message. Matching units in BOE correspond to matching units on Multicast PITCH.
SequenceNumber	6	4	Binary	The sequence number for this message. Distinct per matching unit.
TransactionTime	10	8	DateTime	The time the event occurred in the BATS matching engine (not the time the message was sent).
CIOrdID	18	20	Text	The order which was cancelled.

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Cancel Reason	38	1	Text	<p>Reason for the order cancellation.</p> <p>A = Admin  D = Duplicate <i>ClOrdID</i>  H = Halted  L = Order would lock or cross NBBO  N = Ran Out of Liquidity to Execute Against  R = Routing Unavailable  S = Short Sale Price Violation  T = Fill would trade-through NBBO  U = User Requested  V = Would Wash  W = Add Liquidity Only Order Would Remove  X = Order Expired  Z = Unforeseen Reason  u = User Requested (delayed due to order being route pending)</p>																																																				
Order Cancelled Bitfields	39	7	Binary	<p>Bitfields indicating message fields to follow. See the <b>List of Return Bitfields</b> section.</p> <table border="1" data-bbox="857 842 1427 1820"> <thead> <tr> <th rowspan="2">Byte</th> <th rowspan="2">Name</th> <th colspan="2">Description</th> </tr> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td rowspan="2">0</td> <td rowspan="2">ReturnBitfield1</td> <td>1</td> <td>Side</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td rowspan="2">1</td> <td rowspan="2">ReturnBitfield2</td> <td>1</td> <td>Symbol</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td rowspan="8">2</td> <td rowspan="8">ReturnBitfield3</td> <td>1</td> <td>Account</td> </tr> <tr> <td>2</td> <td>ClearingFirm</td> </tr> <tr> <td>4</td> <td>ClearingAccount</td> </tr> <tr> <td>8</td> <td>DisplayIndicator</td> </tr> <tr> <td>16</td> <td>MaxFloor</td> </tr> <tr> <td>32</td> <td>DiscretionAmount</td> </tr> <tr> <td>64</td> <td>OrderQty</td> </tr> <tr> <td>128</td> <td>PreventMember Match</td> </tr> <tr> <td rowspan="7">3</td> <td rowspan="7">ReturnBitfield4</td> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> </tr> </tbody> </table>	Byte	Name	Description		Value	Name	0	ReturnBitfield1	1	Side			1	ReturnBitfield2	1	Symbol			2	ReturnBitfield3	1	Account	2	ClearingFirm	4	ClearingAccount	8	DisplayIndicator	16	MaxFloor	32	DiscretionAmount	64	OrderQty	128	PreventMember Match	3	ReturnBitfield4	1	RESERVED	2	RESERVED	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED		
Byte	Name	Description																																																						
		Value	Name																																																					
0	ReturnBitfield1	1	Side																																																					
1	ReturnBitfield2	1	Symbol																																																					
2	ReturnBitfield3	1	Account																																																					
		2	ClearingFirm																																																					
		4	ClearingAccount																																																					
		8	DisplayIndicator																																																					
		16	MaxFloor																																																					
		32	DiscretionAmount																																																					
		64	OrderQty																																																					
		128	PreventMember Match																																																					
3	ReturnBitfield4	1	RESERVED																																																					
		2	RESERVED																																																					
		4	RESERVED																																																					
		8	RESERVED																																																					
		16	RESERVED																																																					
		32	RESERVED																																																					

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

				4	ReturnBitfield5	Value	Name
						1	OrigClOrdID
						2	LeavesQty
						4	LastShares
						8	LastPx
						16	DisplayPrice
						32	WorkingPrice
						64	BaseLiquidity Indicator
						128	ExpireTime
				5	ReturnBitfield6	Value	Name
						1	SecondaryOrderID
						2	RESERVED
				6		Reserved For Future Use	
Reserved	46	1	Binary	Reserved For BATS Internal Use			
Optional Fields...							

**Example Order Cancelled Message:**

Field Name	Hexadecimal	Notes
StartOfMessage	BA BA	Start of message bytes.
MessageLength	49 00	73 bytes
MessageType	0F	Order Cancelled
MatchingUnit	03	Matching Unit 3
SequenceNumber	64 00 00 00	Sequence Number 100
TransactionTime	E0 FA 20 F7 36 71 F8 11	1,294,909,373,757,324,000
ClOrdID	41 42 43 31 32 33 00 00 00 00 00 00 00 00 00 00 00 00 00 00	ABC123
Cancel Reason	55	U = User Requested
OrderCancelled	00 00 06 00 01 00 00	06 = ClearingFirm, ClearingAccount 01 = OrigClOrdID
Bitfields		
BATS Internal	00	
ClearingFirm	54 45 53 54	TEST
ClearingAccount	31 32 33 34	1234
ClOrdID	41 42 43 31 32 31 00 00 00 00 00 00 00 00 00 00 00 00 00 00	ABC121

#### 4.2.7 Cancel Rejected

A `Cancel Rejected` message is sent in response to a `Cancel Order` message to indicate that the cancellation cannot occur. `Cancel Rejected` messages are unsequenced.

Field	Offset	Length	Data Type	Description
<code>StartOfMessage</code>	0	2	Binary	Must be 0xBA 0xBA.
<code>MessageLength</code>	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <code>StartOfMessage</code> field.
<code>MessageType</code>	4	1	Binary	0x10
<code>MatchingUnit</code>	5	1	Binary	Unsequenced application message. Matching unit will be set to 0.
<code>SequenceNumber</code>	6	4	Binary	Unsequenced application message. Sequence number will be set to 0.
<code>TransactionTime</code>	10	8	DateTime	The time the event occurred in the BATS matching engine (not the time the message was sent).
<code>ClOrdID</code>	18	20	Text	The order whose cancel was rejected.
<code>CancelReject Reason</code>	38	1	Text	Reason for a cancel rejection.  A = Admin I = Incorrect Data Center J = Too late to cancel P = Can't Modify an Order That is Pending Fill O = <code>ClOrdID</code> Doesn't Match a Known Order b = Broker Option m= Market Access Risk Limit Exceeded y = Cancel received by BATS during replay
<code>Text</code>	39	60	Text	Human readable text with more information about the reject reason.

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Cancel Rejected Bitfields	99	7	Binary	Bitfields indicating message fields to follow. See the <b>List of Return Bitfields</b> section.			
				<b>Byte</b>	<b>Name</b>	<b>Description</b>	
				0		Reserved For Future Use	
				1		Reserved For Future Use	
				2		Reserved For Future Use	
				3	<i>ReturnBitfield4</i>	<b>Value</b>	<b>Name</b>
						1	<i>RESERVED</i>
						2	<i>RESERVED</i>
						4	<i>RESERVED</i>
						8	<i>RESERVED</i>
16	<i>RESERVED</i>						
4		Reserved For Future Use					
5		Reserved For Future Use					
6		Reserved For Future Use					
Reserved	106	1	Binary	Reserved For BATS Internal Use			
Optional Fields...							

BATS BZX Exchange US Equities  
 BOE Specification (Version 1.4.4)

**Example Cancel Rejected Message:**

Field Name	Hexadecimal	Notes
StartOfMessage	BA BA	Start of message bytes.
MessageLength	69 00	105 bytes
MessageType	10	Cancel Rejected
MatchingUnit	00	Unsequenced Message, unit = 0
SequenceNumber	00 00 00 00	Unsequenced Message, seq. = 0
TransactionTime	E0 FA 20 F7 36 71 F8 11	1,294,909,373,757,324,000
CIOrdID	41 42 43 31 32 33 00 00 00 00 00 00 00 00 00 00 00 00 00 00	ABC123
CancelReject Reason	4A	J
Text	54 4F 4F 20 4C 41 54 45 00	TOO LATE
CancelRejected Bitfields	00 00 00 00 00 00 00 00	No optional fields
BATS Internal	00	

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

4.2.8 Order Execution

An Order Execution is sent for each fill on an order.

Field	Offset	Length	Data Type	Description								
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.								
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <i>StartOfMessage</i> field.								
MessageType	4	1	Binary	0x11								
MatchingUnit	5	1	Binary	The matching unit which created this message. Matching units in BOE correspond to matching units on Multicast PITCH.								
SequenceNumber	6	4	Binary	The sequence number for this message. Distinct per matching unit.								
TransactionTime	10	8	DateTime	The time the event occurred in the BATS matching engine (not the time the message was sent).								
ClOrdID	18	20	Text	Order ID of the order receiving the execution.								
ExecID	38	8	Binary	<p>Corresponds to <i>ExecID</i> (17) in BATS FIX.</p> <p>Execution ID. Unique across all units on a given day. Note: <i>ExecIDs</i> will be represented on ODROP, FIXDROP and standard DROP ports as base 36 ASCII.</p> <p>Example conversion:</p> <table border="1"> <thead> <tr> <th>Decimal</th> <th>Base 36</th> </tr> </thead> <tbody> <tr> <td>28294005440239</td> <td>A1234B567</td> </tr> <tr> <td>76335905726621</td> <td>R248BC23H</td> </tr> <tr> <td>728557228187</td> <td>09AP05V2Z</td> </tr> </tbody> </table>	Decimal	Base 36	28294005440239	A1234B567	76335905726621	R248BC23H	728557228187	09AP05V2Z
Decimal	Base 36											
28294005440239	A1234B567											
76335905726621	R248BC23H											
728557228187	09AP05V2Z											
LastShares	46	4	Binary	<p>Corresponds to <i>LastShares</i> (32) in BATS FIX.</p> <p>Executed share quantity.</p>								
LastPx	50	8	Binary Price	<p>Corresponds to <i>LastPx</i> (31) in BATS FIX.</p> <p>Price of this fill.</p>								
LeavesQty	58	4	Binary	<p>Corresponds to <i>LeavesQty</i> (151) in BATS FIX.</p> <p>Quantity still open for further execution. Will be zero if order is dead.</p>								
BaseLiquidity Indicator	62	1	Alphanumeric	<p>Indicates whether the trade added or removed liquidity, or was routed to another market.</p> <p>A = Added Liquidity R = Removed Liquidity X = Routed to Another Market C = BZX Auction Trade</p>								

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

SubLiquidity Indicator	63	1	Alphanumeric	<p>Additional information about an execution. <b>BATS may add additional values without notice. Members must gracefully ignore unknown values.</b></p> <p>ASCII NUL (0x00) = No Additional Information</p> <p>H = Trade added hidden liquidity I = Trade added hidden liquidity that was price improved S = Execution from order that set the NBBO V = Trade added visible liquidity that was price improved</p>
AccessFee	64	8	Signed Binary Fee	<p>Corresponds to <i>AccessFee</i> (9621) in BATS FIX.</p> <p>Access fee for this fill, five implied decimal places, negative for rebates.</p>
ContraBroker	72	4	Alphanumeric	<p>Corresponds to <i>ContraBroker</i> (375) in BATS FIX.</p> <p>BATS = BATS BZX Exchange BYXX = BATS BYX Exchange INET = Routed to Nasdaq ARCA = Routed to NYSE ARCA NSX = Routed execution from NSX AMEX = Routed to NYSE MKT BEX = Routed to Nasdaq BX CBSX = Routed to CBOE Stock Exchange CHX = Routed to Chicago DATA = Routed to Track EDGA = Routed to Direct Edge EDGX = Routed to Direct Edge FLOW = Routed to LavaFlow NYSE = Routed to New York PSX = Routed to Nasdaq PSX TRAC = Routed to Track DRT = Routed to DRT Pool</p>

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Order Execution Bitfields	76	7	Binary	<p>Bitfields indicating message fields to follow. See the <b>List of Return Bitfields</b> section.</p> <table border="1"> <thead> <tr> <th data-bbox="857 300 927 415">Byte</th> <th data-bbox="927 300 1008 415">Name</th> <th colspan="2" data-bbox="1008 300 1427 415">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="857 415 927 680">0</td> <td data-bbox="927 415 1008 680">ReturnBitfield1</td> <td data-bbox="1008 415 1117 443"><b>Value</b></td> <td data-bbox="1117 415 1427 443"><b>Name</b></td> </tr> <tr> <td></td> <td></td> <td>1</td> <td>Side</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>PegDifference</td> </tr> <tr> <td></td> <td></td> <td>4</td> <td>Price</td> </tr> <tr> <td></td> <td></td> <td>8</td> <td>ExecInst</td> </tr> <tr> <td></td> <td></td> <td>16</td> <td>OrdType</td> </tr> <tr> <td></td> <td></td> <td>32</td> <td>TimeInForce</td> </tr> <tr> <td></td> <td></td> <td>64</td> <td>MinQty</td> </tr> <tr> <td></td> <td></td> <td>128</td> <td>MaxRemovePct</td> </tr> <tr> <td data-bbox="857 680 927 947">1</td> <td data-bbox="927 680 1008 947">ReturnBitfield2</td> <td data-bbox="1008 680 1117 707"><b>Value</b></td> <td data-bbox="1117 680 1427 707"><b>Name</b></td> </tr> <tr> <td></td> <td></td> <td>1</td> <td>Symbol</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>SymbolSfx</td> </tr> <tr> <td></td> <td></td> <td>4</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>8</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>16</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>32</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>64</td> <td>Capacity</td> </tr> <tr> <td></td> <td></td> <td>128</td> <td>RESERVED</td> </tr> <tr> <td data-bbox="857 947 927 1213">2</td> <td data-bbox="927 947 1008 1213">ReturnBitfield3</td> <td data-bbox="1008 947 1117 974"><b>Value</b></td> <td data-bbox="1117 947 1427 974"><b>Name</b></td> </tr> <tr> <td></td> <td></td> <td>1</td> <td>Account</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>ClearingFirm</td> </tr> <tr> <td></td> <td></td> <td>4</td> <td>ClearingAccount</td> </tr> <tr> <td></td> <td></td> <td>8</td> <td>DisplayIndicator</td> </tr> <tr> <td></td> <td></td> <td>16</td> <td>MaxFloor</td> </tr> <tr> <td></td> <td></td> <td>32</td> <td>DiscretionAmount</td> </tr> <tr> <td></td> <td></td> <td>64</td> <td>OrderQty</td> </tr> <tr> <td></td> <td></td> <td>128</td> <td>PreventMember Match</td> </tr> <tr> <td data-bbox="857 1213 927 1430">3</td> <td data-bbox="927 1213 1008 1430">ReturnBitfield4</td> <td data-bbox="1008 1213 1117 1241"><b>Value</b></td> <td data-bbox="1117 1213 1427 1241"><b>Name</b></td> </tr> <tr> <td></td> <td></td> <td>1</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>4</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>8</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>16</td> <td>RESERVED</td> </tr> <tr> <td></td> <td></td> <td>32</td> <td>RESERVED</td> </tr> <tr> <td data-bbox="857 1430 927 1465">4</td> <td data-bbox="927 1430 1008 1465"></td> <td colspan="2" data-bbox="1008 1430 1427 1465">Reserved For Future Use</td> </tr> <tr> <td data-bbox="857 1465 927 1501">5</td> <td data-bbox="927 1465 1008 1501"></td> <td colspan="2" data-bbox="1008 1465 1427 1501">Reserved For Future Use</td> </tr> <tr> <td data-bbox="857 1501 927 1549">6</td> <td data-bbox="927 1501 1008 1549"></td> <td colspan="2" data-bbox="1008 1501 1427 1549">Reserved For Future Use</td> </tr> </tbody> </table>	Byte	Name	Description		0	ReturnBitfield1	<b>Value</b>	<b>Name</b>			1	Side			2	PegDifference			4	Price			8	ExecInst			16	OrdType			32	TimeInForce			64	MinQty			128	MaxRemovePct	1	ReturnBitfield2	<b>Value</b>	<b>Name</b>			1	Symbol			2	SymbolSfx			4	RESERVED			8	RESERVED			16	RESERVED			32	RESERVED			64	Capacity			128	RESERVED	2	ReturnBitfield3	<b>Value</b>	<b>Name</b>			1	Account			2	ClearingFirm			4	ClearingAccount			8	DisplayIndicator			16	MaxFloor			32	DiscretionAmount			64	OrderQty			128	PreventMember Match	3	ReturnBitfield4	<b>Value</b>	<b>Name</b>			1	RESERVED			2	RESERVED			4	RESERVED			8	RESERVED			16	RESERVED			32	RESERVED	4		Reserved For Future Use		5		Reserved For Future Use		6		Reserved For Future Use	
Byte	Name	Description																																																																																																																																																										
0	ReturnBitfield1	<b>Value</b>	<b>Name</b>																																																																																																																																																									
		1	Side																																																																																																																																																									
		2	PegDifference																																																																																																																																																									
		4	Price																																																																																																																																																									
		8	ExecInst																																																																																																																																																									
		16	OrdType																																																																																																																																																									
		32	TimeInForce																																																																																																																																																									
		64	MinQty																																																																																																																																																									
		128	MaxRemovePct																																																																																																																																																									
1	ReturnBitfield2	<b>Value</b>	<b>Name</b>																																																																																																																																																									
		1	Symbol																																																																																																																																																									
		2	SymbolSfx																																																																																																																																																									
		4	RESERVED																																																																																																																																																									
		8	RESERVED																																																																																																																																																									
		16	RESERVED																																																																																																																																																									
		32	RESERVED																																																																																																																																																									
		64	Capacity																																																																																																																																																									
		128	RESERVED																																																																																																																																																									
2	ReturnBitfield3	<b>Value</b>	<b>Name</b>																																																																																																																																																									
		1	Account																																																																																																																																																									
		2	ClearingFirm																																																																																																																																																									
		4	ClearingAccount																																																																																																																																																									
		8	DisplayIndicator																																																																																																																																																									
		16	MaxFloor																																																																																																																																																									
		32	DiscretionAmount																																																																																																																																																									
		64	OrderQty																																																																																																																																																									
		128	PreventMember Match																																																																																																																																																									
3	ReturnBitfield4	<b>Value</b>	<b>Name</b>																																																																																																																																																									
		1	RESERVED																																																																																																																																																									
		2	RESERVED																																																																																																																																																									
		4	RESERVED																																																																																																																																																									
		8	RESERVED																																																																																																																																																									
		16	RESERVED																																																																																																																																																									
		32	RESERVED																																																																																																																																																									
4		Reserved For Future Use																																																																																																																																																										
5		Reserved For Future Use																																																																																																																																																										
6		Reserved For Future Use																																																																																																																																																										
Reserved	83	1	Binary	Reserved For BATS Internal Use																																																																																																																																																								
Optional Fields...																																																																																																																																																												

BATS BZX Exchange US Equities  
 BOE Specification (Version 1.4.4)

**Example Order Execution Message:**

Field Name	Hexadecimal	Notes
StartOfMessage	BA BA	Start of message bytes.
MessageLength	5E 00	94 bytes
MessageType	11	Order Execution
MatchingUnit	03	Matching Unit 3
SequenceNumber	64 00 00 00	Sequence Number 100
TransactionTime	E0 FA 20 F7 36 71 F8 11	1,294,909,373,757,324,000
ClOrdID	41 42 43 31 32 33 00 00 00 00 00 00 00 00 00 00 00 00 00 00	ABC123
ExecID	01 F0 B7 D9 71 21 00 00	D19800001 (base 36)
LastShares	C4 09 00 00	2,500 shares
LastPx	3A E2 01 00 00 00 00 00	12.345
LeavesQty	DC 05 00 00	1,500 shares
BaseLiquidity	41	A = Added
Indicator		
SubLiquidity	48	H = Trade added hidden liquidity
Indicator		
AccessFee	D5 B4 00 00 00 00 00 00	$46293/100000 = 0.46293$
ContraBroker	42 41 54 53	BATS
OrderExecution	00 00 46 00 00 00 00	46 = <i>ClearingFirm, ClearingAccount, OrderQty</i>
Bitfields		
BATS Internal	00	
ClearingFirm	54 45 53 54	TEST
ClearingAccount	31 32 33 34	1234
OrderQty	A0 0F 00 00	4,000 shares

#### 4.2.9 Trade Cancel or Correct

Used to relay a trade which has been cancelled (busted) or corrected (price change only). The *CorrectedPrice* field will be set to 0 for cancelled trades and to the new trade price for corrected trades. Trade Cancel or Correct **can be sent for same day as well as previous day trades.**

Field	Offset	Length	Data Type	Description
StartOfMessage	0	2	Binary	Must be 0xBA 0xBA.
MessageLength	2	2	Binary	Number of bytes for the message, including this field but not including the two bytes for the <i>StartOfMessage</i> field.
MessageType	4	1	Binary	0x12
MatchingUnit	5	1	Binary	The matching unit which created this message. Matching units in BOE correspond to matching units on Multicast PITCH.
SequenceNumber	6	4	Binary	The sequence number for this message. Distinct per matching unit.
TransactionTime	10	8	DateTime	The time the event occurred in the BATS matching engine (not the time the message was sent).
ClOrdID	18	20	Text	<i>ClOrdID</i> of the order whose fill is being cancelled or corrected.
OrderID	38	8	Binary	Corresponds to <i>OrderID</i> (37) in BATS FIX.  Order whose fill is being cancelled or corrected.
ExecRefID	46	8	Binary	Corresponds to <i>ExecRefID</i> (19) in BATS FIX.  Refers to the ExecID of the fill being cancelled or corrected.
Side	54	1	Alphanumeric	Side of the order.
BaseLiquidity Indicator	55	1	Alphanumeric	Indicates whether the trade added or removed liquidity, or was routed to another market.  A = Added Liquidity R = Removed Liquidity X = Routed to Another Market C = BZX Auction Trade
ClearingFirm	56	4	Alpha	
ClearingAccount	60	4	Text	Echoed from original order.
LastShares	64	4	Binary	Number of shares of the trade being cancelled.
LastPx	68	8	Binary Price	Price of the trade being cancelled.
CorrectedPrice	76	8	Binary Price	For trade corrections, this is the new trade price. For trade breaks, this is set to 0.
OrigTime	84	8	DateTime	Corresponds to <i>OrigTime</i> (42).  The date and time of the original trade, in GMT.

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Trade Cancel or Correct Bitfields	92	7	Binary	<p>Bitfields indicating message fields to follow. See the <b>List of Return Bitfields</b> section.</p> <table border="1" data-bbox="857 298 1429 1102"> <thead> <tr> <th data-bbox="862 298 927 415"><i>Byte</i></th> <th data-bbox="927 298 1008 415"><i>Name</i></th> <th colspan="2" data-bbox="1008 298 1424 415"><i>Description</i></th> </tr> </thead> <tbody> <tr> <td data-bbox="862 415 927 457">0</td> <td data-bbox="927 415 1008 457"></td> <td colspan="2" data-bbox="1008 415 1424 457">Reserved For Future Use</td> </tr> <tr> <td data-bbox="862 457 927 722">1</td> <td data-bbox="927 457 1008 722" rowspan="8"><i>ReturnBitfield2</i></td> <td data-bbox="1008 457 1105 485"><b>Value</b></td> <td data-bbox="1105 457 1424 485"><b>Name</b></td> </tr> <tr> <td data-bbox="862 485 927 512"></td> <td data-bbox="1008 485 1105 512">1</td> <td data-bbox="1105 485 1424 512"><i>Symbol</i></td> </tr> <tr> <td data-bbox="862 512 927 539"></td> <td data-bbox="1008 512 1105 539">2</td> <td data-bbox="1105 512 1424 539"><i>SymbolSfx</i></td> </tr> <tr> <td data-bbox="862 539 927 567"></td> <td data-bbox="1008 539 1105 567">4</td> <td data-bbox="1105 539 1424 567"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="862 567 927 594"></td> <td data-bbox="1008 567 1105 594">8</td> <td data-bbox="1105 567 1424 594"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="862 594 927 621"></td> <td data-bbox="1008 594 1105 621">16</td> <td data-bbox="1105 594 1424 621"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="862 621 927 648"></td> <td data-bbox="1008 621 1105 648">32</td> <td data-bbox="1105 621 1424 648"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="862 648 927 722"></td> <td data-bbox="1008 648 1105 722">64</td> <td data-bbox="1105 648 1424 722"><i>Capacity</i></td> </tr> <tr> <td data-bbox="862 722 927 749"></td> <td data-bbox="1008 722 1105 749">128</td> <td data-bbox="1105 722 1424 749"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="862 749 927 777"></td> <td data-bbox="927 749 1008 777"></td> <td colspan="2" data-bbox="1008 749 1424 777">Reserved For Future Use</td> </tr> <tr> <td data-bbox="862 777 927 982">3</td> <td data-bbox="927 777 1008 982" rowspan="7"><i>ReturnBitfield4</i></td> <td data-bbox="1008 777 1105 804"><b>Value</b></td> <td data-bbox="1105 777 1424 804"><b>Name</b></td> </tr> <tr> <td data-bbox="862 804 927 831"></td> <td data-bbox="1008 804 1105 831">1</td> <td data-bbox="1105 804 1424 831"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="862 831 927 858"></td> <td data-bbox="1008 831 1105 858">2</td> <td data-bbox="1105 831 1424 858"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="862 858 927 886"></td> <td data-bbox="1008 858 1105 886">4</td> <td data-bbox="1105 858 1424 886"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="862 886 927 913"></td> <td data-bbox="1008 886 1105 913">8</td> <td data-bbox="1105 886 1424 913"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="862 913 927 940"></td> <td data-bbox="1008 913 1105 940">16</td> <td data-bbox="1105 913 1424 940"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="862 940 927 982"></td> <td data-bbox="1008 940 1105 982">32</td> <td data-bbox="1105 940 1424 982"><i>RESERVED</i></td> </tr> <tr> <td data-bbox="862 982 927 1010"></td> <td data-bbox="927 982 1008 1010"></td> <td colspan="2" data-bbox="1008 982 1424 1010">Reserved For Future Use</td> </tr> <tr> <td data-bbox="862 1010 927 1037"></td> <td data-bbox="927 1010 1008 1037"></td> <td colspan="2" data-bbox="1008 1010 1424 1037">Reserved For Future Use</td> </tr> <tr> <td data-bbox="862 1037 927 1064"></td> <td data-bbox="927 1037 1008 1064"></td> <td colspan="2" data-bbox="1008 1037 1424 1064">Reserved For Future Use</td> </tr> </tbody> </table>	<i>Byte</i>	<i>Name</i>	<i>Description</i>		0		Reserved For Future Use		1	<i>ReturnBitfield2</i>	<b>Value</b>	<b>Name</b>		1	<i>Symbol</i>		2	<i>SymbolSfx</i>		4	<i>RESERVED</i>		8	<i>RESERVED</i>		16	<i>RESERVED</i>		32	<i>RESERVED</i>		64	<i>Capacity</i>		128	<i>RESERVED</i>			Reserved For Future Use		3	<i>ReturnBitfield4</i>	<b>Value</b>	<b>Name</b>		1	<i>RESERVED</i>		2	<i>RESERVED</i>		4	<i>RESERVED</i>		8	<i>RESERVED</i>		16	<i>RESERVED</i>		32	<i>RESERVED</i>			Reserved For Future Use				Reserved For Future Use				Reserved For Future Use	
<i>Byte</i>	<i>Name</i>	<i>Description</i>																																																																												
0		Reserved For Future Use																																																																												
1	<i>ReturnBitfield2</i>	<b>Value</b>	<b>Name</b>																																																																											
		1	<i>Symbol</i>																																																																											
		2	<i>SymbolSfx</i>																																																																											
		4	<i>RESERVED</i>																																																																											
		8	<i>RESERVED</i>																																																																											
		16	<i>RESERVED</i>																																																																											
		32	<i>RESERVED</i>																																																																											
		64	<i>Capacity</i>																																																																											
	128	<i>RESERVED</i>																																																																												
		Reserved For Future Use																																																																												
3	<i>ReturnBitfield4</i>	<b>Value</b>	<b>Name</b>																																																																											
		1	<i>RESERVED</i>																																																																											
		2	<i>RESERVED</i>																																																																											
		4	<i>RESERVED</i>																																																																											
		8	<i>RESERVED</i>																																																																											
		16	<i>RESERVED</i>																																																																											
		32	<i>RESERVED</i>																																																																											
		Reserved For Future Use																																																																												
		Reserved For Future Use																																																																												
		Reserved For Future Use																																																																												
Reserved	99	1	Binary	Reserved For BATS Internal Use																																																																										
Optional Fields...																																																																														

BATS BZX Exchange US Equities  
 BOE Specification (Version 1.4.4)

**Example Trade Cancel or Correct Message:**

Field Name	Hexadecimal	Notes
StartOfMessage	BA BA	Start of message bytes.
MessageLength	6A 00	106 bytes
MessageType	12	Trade Cancel or Correct
MatchingUnit	03	Matching Unit 3
SequenceNumber	64 00 00 00	Sequence Number 100
TransactionTime	E0 FA 20 F7 36 71 F8 11	1,294,909,373,757,324,000
ClOrdID	41 42 43 31 32 33 00 00 00 00 00 00 00 00 00 00 00 00 00 00	ABC123
OrderID	05 10 1E B7 5E 39 2F 02	171WC1000005 (base 36)
ExecRefID	01 F0 B7 D9 71 21 00 00	D19800001 (base 36)
Side	31	Buy
BaseLiquidity	41	A = Added
Indicator		
ClearingFirm	54 45 53 54	TEST
ClearingAccount	00 00 00 00	(empty)
LastShares	C4 09 00 00	2,500 shares
LastPx	5C 13 04 00 00 00 00 00	26.71
CorrectedPrice	00 00 00 00 00 00 00 00	0 (cancelled)
OrigTime	E0 BA 75 95 15 4C EB 11	1,291,209,373,757,324,000
Trade Cancel or Correct Bitfields	00 01 00 00 00 00 00 00	01 = <i>Symbol</i>
BATS Internal Symbol	00 4D 53 46 54 00 00 00 00	MSFT

## 5 Implementation Notes

### 5.1 Automatic Cancel on Disconnect Malfunction

All open orders for a Member will be cancelled automatically if no messages have been received from the Member for 5 seconds. This is done to prevent orders from being stuck in an unknown state in the event of telecommunications failure. Order Cancelled messages for the automatically cancelled orders are available upon reconnection. Members are responsible for rerouting orders to other market centers based on their business needs. This should be rare, but all open orders may also be cancelled in the event of a complete or partial system malfunction.

### 5.2 Access Fees Returned on Order Executions

The access fee associated with each fill is calculated to 5 decimals and returned on each order execution. Negative numbers indicate liquidity rebates. Members should program their systems to read, validate, and pass along this field in order to avoid making software changes to their systems when the BATS fee schedule changes. The sum of the access fees received during a month should equal the access fee charged or rebated on a Member's monthly bill, rounded to the nearest penny.

### 5.3 Service Bureau Configuration

*ClearingFirm* must be set on New Order, Cancel Order and Modify Order messages sent to BATS. Orders with an unknown *ClearingFirm* will be rejected. *ClOrdID* values are required to be unique only within a given *ClearingFirm*. Messages sent by BATS will echo back the *ClearingFirm* value. **Orders must be cancelled or modified using the same *ClearingFirm* as was sent on the Order.**

### 5.4 OATS Connection ID

The OATS technical spec as of 5/3/2011 for implementation on 10/3/2011 allows for an optional 'connectionId' field to be included in your OATS feeds for the purposes of improving your order ID uniqueness. When creating OATS rows related to your transmissions to BATS, BATS recommends populating the OATS 'connectionId' field with the *SessionSubId* field as it appears on the login request. Please note that this field is optional on your OATS rows, and BATS is not recommending a perspective that you do or do not populate the field. Also note that the while not enforced internally, the BATS spec does require that your client order ID be day-unique; BATS continues to recommend this as the best way to meet OATS' day-unique order ID requirements.

## 6 Drop Copies

Drop copies of BOE traffic are available. Execution only drop copies are available via legacy (fixed-width) drop and FIX drop based interfaces. Order-by-order drop copies are available via Order by Order FIX drop based interfaces.

### 6.1 Max Number of Hits

BATS has repurposed FIX Tag 1 on FIX Drop ports to allow Registered Market Makers utilizing the BATS Market Maker Quoter to actively monitor the number of hits the Market Maker has remaining before BATS will pull both sides of their automated quote. FIX Tag 1 on FIX Drop ports will be used to maintain a count of hits remaining for a given security for all Market Maker Quoter events.

In event of an execution, FIX Tag 1 should be monitored for a value of 0 as at that point the Market Makers quote will be pulled and the Market Maker will need to take appropriate action in order to continue to fulfill their quote obligations. This may involve contacting the BATS Trade Desk to re-establish their automated quote or the Market Maker may choose to start fulfilling their quote obligation on their own.

In the case where the **Max Quote** (refer to the [BATS US Equities Market Maker Quoter Specification](#)) parameter has not been defined for a registered security, a value of UNLIMITED will be displayed in FIX Tag 1.

## 7 Future Expansion

**New message types may be added without notice.**

**New fields may be added without notice.** For messages which specify optional fields with bitfields (e.g., `Order Acknowledgement`), expansion will use a bit which has been reserved for future expansion. For messages which do not use optional fields with bitfields (e.g., `Order Cancelled`), fields will be appended to the end of the message.

**In BATS' certification environment, undocumented messages will intentionally be sent occasionally.** Undocumented extra fields will also occasionally be sent. This will aid Members in ensuring that their decoders will cope with future protocol changes.

## 8 List of Return Bitfields

This section lists all return bitfields. Specified unused bits *must* be set to 0, as they are reserved for future expansion. Reserved bits not noted as being required to be set to 0 are used by another BATS trading platform and will be ignored. BATS reserves the right to add more bit fields as per new requirements.

Field	Length	Data Type	Description																		
Return Bitfield1	1	Binary	Bitfield indicating return fields to follow. Logical OR to include multiple fields. <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><i>Side</i></td> </tr> <tr> <td>2</td> <td><i>PegDifference</i></td> </tr> <tr> <td>4</td> <td><i>Price</i></td> </tr> <tr> <td>8</td> <td><i>ExecInst</i></td> </tr> <tr> <td>16</td> <td><i>OrdType</i></td> </tr> <tr> <td>32</td> <td><i>TimeInForce</i></td> </tr> <tr> <td>64</td> <td><i>MinQty</i></td> </tr> <tr> <td>128</td> <td><i>MaxRemovePct</i></td> </tr> </tbody> </table>	Value	Name	1	<i>Side</i>	2	<i>PegDifference</i>	4	<i>Price</i>	8	<i>ExecInst</i>	16	<i>OrdType</i>	32	<i>TimeInForce</i>	64	<i>MinQty</i>	128	<i>MaxRemovePct</i>
Value	Name																				
1	<i>Side</i>																				
2	<i>PegDifference</i>																				
4	<i>Price</i>																				
8	<i>ExecInst</i>																				
16	<i>OrdType</i>																				
32	<i>TimeInForce</i>																				
64	<i>MinQty</i>																				
128	<i>MaxRemovePct</i>																				
Return Bitfield2	1	Binary	Bitfield indicating return fields to follow. Logical OR to include multiple fields. <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><i>Symbol</i></td> </tr> <tr> <td>2</td> <td><i>SymbolSfx</i></td> </tr> <tr> <td>4</td> <td><i>RESERVED</i></td> </tr> <tr> <td>8</td> <td><i>RESERVED</i></td> </tr> <tr> <td>16</td> <td><i>RESERVED</i></td> </tr> <tr> <td>32</td> <td><i>RESERVED</i></td> </tr> <tr> <td>64</td> <td><i>Capacity</i></td> </tr> <tr> <td>128</td> <td><i>RESERVED</i></td> </tr> </tbody> </table>	Value	Name	1	<i>Symbol</i>	2	<i>SymbolSfx</i>	4	<i>RESERVED</i>	8	<i>RESERVED</i>	16	<i>RESERVED</i>	32	<i>RESERVED</i>	64	<i>Capacity</i>	128	<i>RESERVED</i>
Value	Name																				
1	<i>Symbol</i>																				
2	<i>SymbolSfx</i>																				
4	<i>RESERVED</i>																				
8	<i>RESERVED</i>																				
16	<i>RESERVED</i>																				
32	<i>RESERVED</i>																				
64	<i>Capacity</i>																				
128	<i>RESERVED</i>																				
Return Bitfield3	1	Binary	Bitfield indicating return fields to follow. Logical OR to include multiple fields. <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><i>Account</i></td> </tr> <tr> <td>2</td> <td><i>ClearingFirm</i></td> </tr> <tr> <td>4</td> <td><i>ClearingAccount</i></td> </tr> <tr> <td>8</td> <td><i>DisplayIndicator</i></td> </tr> <tr> <td>16</td> <td><i>MaxFloor</i></td> </tr> <tr> <td>32</td> <td><i>Discretion Amount</i></td> </tr> <tr> <td>64</td> <td><i>OrderQty</i></td> </tr> <tr> <td>128</td> <td><i>Prevent Member Match</i></td> </tr> </tbody> </table>	Value	Name	1	<i>Account</i>	2	<i>ClearingFirm</i>	4	<i>ClearingAccount</i>	8	<i>DisplayIndicator</i>	16	<i>MaxFloor</i>	32	<i>Discretion Amount</i>	64	<i>OrderQty</i>	128	<i>Prevent Member Match</i>
Value	Name																				
1	<i>Account</i>																				
2	<i>ClearingFirm</i>																				
4	<i>ClearingAccount</i>																				
8	<i>DisplayIndicator</i>																				
16	<i>MaxFloor</i>																				
32	<i>Discretion Amount</i>																				
64	<i>OrderQty</i>																				
128	<i>Prevent Member Match</i>																				

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Return Bitfield4	1	Binary	<p>Bitfield indicating return fields to follow. Logical OR to include multiple fields.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RESERVED</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> <tr> <td>4</td> <td>RESERVED</td> </tr> <tr> <td>8</td> <td>RESERVED</td> </tr> <tr> <td>16</td> <td>RESERVED</td> </tr> <tr> <td>32</td> <td>RESERVED</td> </tr> </tbody> </table> <p>Bits 5-8 <i>must</i> be set to 0. They are reserved for future expansion.</p>	Value	Name	1	RESERVED	2	RESERVED	4	RESERVED	8	RESERVED	16	RESERVED	32	RESERVED				
Value	Name																				
1	RESERVED																				
2	RESERVED																				
4	RESERVED																				
8	RESERVED																				
16	RESERVED																				
32	RESERVED																				
Return Bitfield5	1	Binary	<p>Bitfield indicating return fields to follow. Logical OR to include multiple fields.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>OrigClOrdID</td> </tr> <tr> <td>2</td> <td>LeavesQty</td> </tr> <tr> <td>4</td> <td>LastShares</td> </tr> <tr> <td>8</td> <td>LastPx</td> </tr> <tr> <td>16</td> <td>DisplayPrice</td> </tr> <tr> <td>32</td> <td>WorkingPrice</td> </tr> <tr> <td>64</td> <td>BaseLiquidity Indicator</td> </tr> <tr> <td>128</td> <td>ExpireTime</td> </tr> </tbody> </table>	Value	Name	1	OrigClOrdID	2	LeavesQty	4	LastShares	8	LastPx	16	DisplayPrice	32	WorkingPrice	64	BaseLiquidity Indicator	128	ExpireTime
Value	Name																				
1	OrigClOrdID																				
2	LeavesQty																				
4	LastShares																				
8	LastPx																				
16	DisplayPrice																				
32	WorkingPrice																				
64	BaseLiquidity Indicator																				
128	ExpireTime																				
Return Bitfield6	1	Binary	<p>Bitfield indicating return fields to follow. Logical OR to include multiple fields.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SecondaryOrderID</td> </tr> <tr> <td>2</td> <td>RESERVED</td> </tr> </tbody> </table> <p>Bits 3-8 <i>must</i> be set to 0. They are reserved for future expansion.</p>	Value	Name	1	SecondaryOrderID	2	RESERVED												
Value	Name																				
1	SecondaryOrderID																				
2	RESERVED																				

## 9 List of Optional Fields

This section lists all optional field types supported by all BATS trading platforms worldwide.

Field	Length	Data Type	Description
Account	16	Text	Corresponds to <i>Account</i> (1) in BATS FIX.  Reflected back on execution reports associated with this order. Available via Standard FIX Drop on an opt-in basis at the port level. Available by default on Order by Order FIX Drop (Market Maker Quoter users should refer to the <b>Max Number of Hits</b> section). Not available via DROP.
AttributedQuote	1	Alphanumeric	Optional, allow for order to be attributed to firm's MPID in BATS market data feeds. The order may also be included within attributed summary information displays related to quote/trade information on the BATS web site. Must opt-in to support through BATS Trade Desk.  N = Do not attribute firm MPID to this order. Y = Attribute firm MPID to this order.
BaseLiquidity Indicator	1	Alphanumeric	Indicates whether the trade added or removed liquidity, or was routed to another market.  A = Added Liquidity R = Removed Liquidity X = Routed to Another Market C = BZX Auction Trade
CancelOrig OnReject	1	Alpha	Corresponds to <i>CancelOrigOnReject</i> (9619) in BATS FIX.  Indicates handling of original order on failure to modify.  N = Leave original order alone. Y = Cancel original order if modification fails.
Capacity	1	Alpha	Corresponds to <i>OrderCapacity</i> (47) in BATS FIX.  A = Agency P = Principal R = Riskless

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

ClearingAccount	4	Text	<p>Corresponds to <i>OnBehalfOfSubID</i> (116) and <i>ClearingAccount</i> (440) in BATS FIX.</p> <p>Supplemental identifier. Recorded and made available in execution reports. Available via Drop.</p>
ClearingFirm	4	Alpha	<p>Corresponds to <i>OnBehalfOfCompID</i> (115) and <i>ClearingFirm</i> (439) in BATS FIX.</p> <p>Firm that will clear trade. Must be allowed NSCC MPID.</p>
DiscretionAmount	2	Binary	<p>Corresponds to <i>DiscretionAmount</i> (9622) in BATS FIX.</p> <ul style="list-style-type: none"> <li>• Discretion is expressed in cents (i.e. 10 is \$0.10)</li> <li>• Discretion is implicitly added to bid prices and subtracted from offer prices.</li> <li>• Order will be displayed at <i>Price</i> but can execute in the discretionary range.</li> <li>• A discretionary order will use the minimum of discretion amount to achieve execution.</li> <li>• The default is to apply no discretion.</li> <li>• Max discretion to apply to <i>Price</i> (positive value in the range of 0-99.99).</li> </ul> <p><i>DiscretionAmount</i> does not mix with IOC, Post-Only, or directed orders.</p>

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

DisplayIndicator	1	Alphanumeric	<p>Corresponds to <i>DisplayIndicator</i> (9479) in BATS FIX.</p> <p>V = Default. As determined by port level setting (default to S)  S = Display-Price Sliding (this is to override a opt-out of Display-Price Sliding at the port level)  L = Display-Price Sliding, but reject if order crosses NBBO on entry  M = Multiple Display-Price Sliding – <i>effective pending SEC Approval</i>  R = Reject the order if it cannot be booked and displayed without adjustment  I = Invisible (implied on all Peg orders)  N = NoRescrapeAtLimit</p> <p><b>Display-Price Sliding:</b>  If the limit price of the unexecuted remainder of a day order does not lock or cross the NBBO then BATS books it as is. If the limit price does lock or cross the market BATS offers Display-Price Sliding.</p> <p>Display-Price Sliding permanently adjusts the booked price on entry to the strongest price that does not <b>cross</b> the NBBO. It will temporarily adjust the displayed price to the strongest price that does not <b>lock</b> the NBBO. When the NBBO widens, the display price will be readjusted to the booked price. The display price may be temporarily weaker than the booked price.</p> <p>Multiple Display-Price Sliding does not permanently adjust the booked price on entry, but allows for Display-Price slid orders to continue to have their display <b>and</b> booked prices adjusted towards their original limit price based on changes to the prevailing NBBO.</p> <p><b>NoRescrapeAtLimit:</b>  Applicable only to Fully Routable IOC orders (RoutingInst = R and TimeInForce = 3). After walking the price down to the limit, there will be no final scrape at BATS and the cancel code will state X (Expired) rather than N (No Liquidity).</p>
DisplayPrice	8	Binary Price	<p>Only present when order is fully or partially booked. If order had to be temporarily displayed at a less aggressive value to avoid locking the NBBO, then displayed price will be reported here, otherwise equals working price.</p>

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

ExecInst	1	Text	<p>Corresponds to ExecInst (18) in BATS FIX.</p> <p>f = Intermarket Sweep (Directed or BATS)  r = Late (For use with Auction Only orders only. Refer to the <a href="#">BATS US Equities Auction Process specification</a> for more information.)  u = BATS + DRT (access liquidity on the BATS book, then route to DRT Dark Liquidity Partners (DLPs), then return to BATS order book or be cancelled depending on user's instructions)  v = Force DRT (to override a port-level opt-out of DRT)  w = Do not DRT (default is to DRT unless overridden at port level)  P = Market Peg (peg Buy to NBBO Offer, peg Sell to NBBO Bid)  R = Primary Peg (peg Buy to NBBO Bid, peg Sell to NBBO Offer)  M = Midpoint (peg to NBBO Midpoint)  m = Midpoint (peg to NBBO Midpoint, but do not match in event the NBBO locks)  L = Alternative Midpoint (less aggressive of midpoint and 1 tick inside NBBO)  ASCII NULL (0x00) = no special handling</p> <p>Peg Orders:  Midpoint Pegged orders (M, m and L) will be forced to hidden (DisplayIndicator = I), regardless of what is sent in the DisplayIndicator field.</p> <p>Only Hidden Primary and Market Pegs (DisplayIndicator = I) will be accepted at this time. If DisplayIndicator = V, then Primary/Market Peg order will be rejected. If DisplayIndicator is not sent, DisplayIndicator = I will be implied.</p> <p>Routable Orders:  BATS + DRT (u) require RoutingInst = R in the 1st character position. Force DRT (v) requires RoutingInst ≠ "B" or "P".</p> <p>If the 1st character of RoutingInst = R or ExecInst is not specified, then Force DRT (v) will be implied.</p>
----------	---	------	---

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

ExpireTime	8	DateTime	Corresponds to ExpireTime (126) in FIX.  Required for TimeInForce = 6 orders, specifies the date-time (in GMT) that the order expires.
LastPx	8	Binary Price	Corresponds to <i>LastPx</i> (31) in BATS FIX. Price of this fill.
LastShares	4	Binary	Corresponds to <i>LastShares</i> (32) in BATS FIX.  Executed share quantity.
LeavesQty	4	Binary	Corresponds to <i>LeavesQty</i> (151) in BATS FIX.  Quantity still open for further execution. Will be zero if order is dead.
LocateReqd	1	Alpha	Corresponds to <i>LocateReqd</i> (114) in BATS FIX.  Optional, only processed for Sell Short and Sell Short Exempt.  N = client affirms ability to borrow (Default) Y = client does not affirm ability to borrow (results in a reject)  Default = N
MaxFloor	4	Binary	Corresponds to <i>MaxFloor</i> (111) in BATS FIX.  Portion of <i>OrderQty</i> to display. The balance is reserve. 0 displays the entire quantity. The displayed quantity of each order at a price level is decremented first. When displayed quantity is fully decremented, it is reloaded up to <i>MaxFloor</i> from reserve.  Default = 0
MaxRemovePct	1	Binary	Corresponds to <i>MaxRemovePct</i> (9618) in BATS FIX.  For Post Only At Limit ( <i>RoutingInst</i> = Q), what percentage of the order quantity which remains after price improvement may be removed at the limit.  Must be 0 for non-Post Only At Limit orders.

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

MinQty	4	Binary	<p>Corresponds to <i>MinQty</i> (110) in BATS FIX.</p> <p><b>Optional</b> minimum fill quantity for BATS Only hidden or IOC orders. When removing liquidity, limits the minimum <b>total</b> fill size, which may be made up of several <b>consecutive</b> smaller fills.</p> <p><b>Ignored</b> if order is not BATS Only hidden or IOC.</p> <p>Set to 0 to allow fills of any size.</p> <p>Default = 0</p>
OrderQty	4	Binary	<p>Corresponds to <i>OrderQty</i> (38) in BATS FIX.</p> <p>Number of shares for the order. System-wide limit is 999,999 shares.</p>
OrdType	1	Alphanumeric	<p>Corresponds to <i>OrdType</i> (40) in BATS FIX.</p> <p>1 = Market 2 = Limit P = Pegged</p> <p>Pegged requires ExecInst be set to L, M, P, or R.</p> <p>Default = 2</p>
OrigClOrdID	20	Text	<p>Corresponds to <i>OrigClOrdID</i> (41) in BATS FIX.</p>
PegDifference	8	Signed Binary Price	<p>Corresponds to <i>PegDifference</i> (211) in BATS FIX.</p> <p><b>Optional signed</b> value up to four decimal places is <b>added</b> to the result of peg calculation. <i>PegDifference</i> is round (down for buy, up for sell) to fit the tick size.</p> <p>Must be <math>\geq 0</math> for sell orders. Must be <math>\leq 0</math> for buy orders. Must be zero for midpoint peg or non-pegged orders.</p>

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

PreventMember Match	3	Alpha	<p>Corresponds to <i>PreventMemberMatch</i> (7928) in BATS FIX.</p> <p>Three characters:</p> <p>1<sup>st</sup> character – MTP Modifier:  N = Cancel Newest  O = Cancel Oldest  B = Cancel Both  D = Decrement Larger/Cancel Smaller  d = Same as D above, but only decrement <i>LeavesQty</i>. Do not restate <i>OrderQty</i>.</p> <p>2<sup>nd</sup> character - Unique ID Level:  F = Prevent Match at BZX Exchange Member Level  M = Prevent Match at MPID Level</p> <p>3rd character - Trading Group ID (optional):  Member specified alphanumeric value 0-9, A-Z, or a-z.</p> <p>The Unique ID Level (character 2) of both orders must match to prevent a trade. If specified <u>on both orders</u>, Trading Group ID (character 3) must match to prevent a trade.</p> <p>The MTP Modifier (character 1) of the inbound order will be honored, except that if the inbound order specifies Decrement and the resting order does not, and the resting order is larger, then both orders will be cancelled. This exception is to protect the order-entry software for the resting order from receiving an unexpected restatement message. If order-entry software is prepared to handle unexpected restatement messages, this exception may be overridden at the port level by requesting “Allow MTP Decrement Override” functionality.</p> <p>Users of MTP Modifier D or d AND users of “Allow MTP Decrement Override” functionality must be prepared to receive an Order Restated message that decrements <i>LeavesQty</i> (and also <i>OrdQty</i> for method D).</p>
Price	8	Binary Price	<p>Corresponds to <i>Price</i> (44) in BATS FIX.</p> <p>Limit price. Four implied decimal places.</p>

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

RoutingInst	4	Text	<p>1<sup>st</sup> character: Specifies the target destination.</p> <p>A = NYSE ARCA  B = BATS BZX Exchange Only  C = NSX  D = EDGA  G = EDGX  J = BATS BYX Exchange - B2B  K = Nasdaq BX  L = LavaFlow  M = Chicago  N = NASDAQ  P = BATS BZX Exchange Only Post Only (will reject rather than remove visible liquidity)  Q = BATS BZX Exchange Only Post Only At Limit (remove shares that improve upon limit price and up to <i>MaxRemovePct</i> of remaining <i>OrdQty</i> at limit price)  R = Smart route to visible markets (default)  T = TRAC  U = NYSE MKT  V = DATA  W = CBSX  X = Nasdaq PSX  Y = NYSE</p> <p>Post Only does not mix with <i>TimeInForce = 3</i>.  BATS Only Post Only orders do not interact with hidden order on entry.  BATS Only Post Only At Limit orders do not interact with hidden orders on entry at the stated limit price.</p> <p>2<sup>nd</sup> character: Only applicable when 1<sup>st</sup> is R, is used to enable/disable Re-Route on Lock/Cross:</p> <p>L = Re-Route. Allow for use of CYCLE or Parallel strategy up to limit or discretion price on entry and allow for re-route via CYCLE or Parallel strategy after the order has booked only if another market locks or crosses the limit or discretion price.  N = Do not Re-Route.</p> <p>3<sup>rd</sup> character: Only applicable if 1st is R, specifies the routing strategy:</p> <p>C = CYCLE  D = Parallel-D (default)  R = TRIM  r = TRIM- (do not scrape BZX book first*)</p>
-------------	---	------	---

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

RoutingInst (Cont.)			<p>P = TRIM2 p = TRIM2- (do not scrape BZX book first*) Q = TRIM3 q = TRIM3- (do not scrape BZX book first*) S = SLIM s = SLIM+ (route to BYX Exchange prior to scraping BZX Exchange book*) T = Parallel-T 2 = Parallel-2D * Unless Price Improvement is available.</p> <p>4<sup>th</sup> character: Reserved for future use. In order to specify values for the 2nd and/or 3rd character, the prior character(s) MUST be populated with a valid value. If <i>RouteInst</i> is not specified, a default value of RND is implied (All Visible Markets/No Re-Route/Parallel-D). ASCII NULs (0x00) in 2<sup>nd</sup>, 3<sup>rd</sup>, or 4<sup>th</sup> character positions will imply the default value for their respective position.</p> <p>As the default <i>RouteInst</i> value is subject to change with little or no notice, it is recommended you specify values for all 4 character positions if you wish to maintain maximum control of your routing decisions. For more information regarding the various routing strategies available on BATS, refer to <a href="http://www.batstrading.com/features/">http://www.batstrading.com/features/</a>.</p>
SecondaryOrderID	8	Binary	<p>Corresponds to <i>SecondaryOrderID</i> (198) in BATS FIX.</p> <p>Denotes an alternative <i>OrderID</i> which is present on BATS market data feeds (for example, to hide that a reserve (ice-berg) order has reloaded). Or, <i>OrderID</i> of the contra side of a prevented match.</p>
Side	1	Alphanumeric	<p>Corresponds to <i>Side</i> (54) in BATS FIX.</p> <p>1 = Buy 2 = Sell 5 = Sell Short (client affirms ability to borrow) 6 = Sell Short Exempt</p>
Symbol	8	Alphanumeric	<p>Corresponds to <i>Symbol</i> (55) in BATS FIX.</p> <p>Uniform symbology identifier for the instrument.</p>
SymbolSfx	8	Alphanumeric	<p>Corresponds to <i>SymbolSfx</i> (65) in BATS FIX.</p> <p>CQS or CMS suffix, if used. <b>Do not send <i>SymbolSfx</i> if using BATS format or if symbol does not have a suffix.</b></p>

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

TimeInForce	1	Alphanumeric	<p>Corresponds to TimeInForce (59) in FIX.</p> <p>0 = Day  1 = GTC (allowed, but treated as Day)  2 = At the Open  3 = IOC (Portion not filled immediately is cancelled. Market orders are implicitly IOC.)  5 = GTX (Expires at end of extended day)  6 = GTD (expires at earlier of specified ExpireTime or end of extended day)  7 = At the Close  R = RHO (Regular Hours Only – Applicable to BATS Listed Securities Only)</p>
WorkingPrice	8	Binary Price	<p>Only present when order is fully or partially booked. If price had to be adjusted to a less aggressive value to avoid crossing the NBBO, the adjusted price will be reported here, otherwise equals price.</p>

## 10 List of Message Types

### 10.1 Member to BATS

Message Name	Session/Application	Message Type	Sequenced
Login Request	Session	0x01	No
Logout Request	Session	0x02	No
Client Heartbeat	Session	0x03	No
New Order	Application	0x04	Yes
Cancel Order	Application	0x05	Yes
Modify Order	Application	0x06	Yes

### 10.2 BATS to Member

Message Name	Session/Application	Message Type	Sequenced
Login Response	Session	0x07	No
Logout	Session	0x08	No
Server Heartbeat	Session	0x09	No
Replay Complete	Session	0x13	No
Order Acknowledgement	Application	0x0A	Yes
Order Rejected	Application	0x0B	No
Order Modified	Application	0x0C	Yes
Order Restated	Application	0x0D	Yes
User Modify Rejected	Application	0x0E	No
Order Cancelled	Application	0x0F	Yes
Cancel Rejected	Application	0x10	No
Order Execution	Application	0x11	Yes
Trade Cancel or Correct	Application	0x12	Yes

## 11 Port Attributes

The table below lists BOE port attributes that are configurable on the port or firm level. Changes to these attributes can be made by sending a written request to [tradedesk@batstrading.com](mailto:tradedesk@batstrading.com).

Attribute	Default	Description
Allowed Clearing MPID(s)*	All MPIDs	Clearing MPID(s) allowed for trading on port.
Default Clearing MPID	None	Default MPID to use if none is sent on New Order.
Allow Pre-market*	Yes	Allows for orders to be entered prior to regular market open.
Allow Post-market*	Yes	Allows for orders to be entered after the regular market close.
Allow Short Sales*	Yes	Allows or disallows short sales.
Allow ISO*	Yes	Allows or disallows ISO orders.
Allow Directed ISO*	Yes	Allows or disallows ISO orders directed to other market centers.
Default Routing Instruction†	“RND”	Specifies a default value for <i>RoutingInst</i> .
Default Exec. Instruction†	None	Specifies a default value for <i>ExecInst</i> .
Maximum Order Size*	25,000	Maximum number of shares allowed per order.
Maximum Order Dollar Value*	Unlimited	Maximum order dollar value per order.
Default Price Sliding†	“S”	Default price sliding behavior. Specifies a default value for <i>DisplayIndicator</i> .
Default Pricing Sliding (Hidden Order Override)†	“S”	When a different default price sliding behavior is desired for hidden orders, this port attribute may be used. Specifies a default value for <i>DisplayIndicator</i> , but only for hidden orders.

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Cancel on Disconnect	<i>Option #1</i>	BATS will offer Members 3 options for cancelling orders as a result of a session disconnect: <ul style="list-style-type: none"> <li>1. Cancel Continuous Book Orders Only (default)</li> <li>2. Cancel All Open Orders (continuous books and On-Open, On-Close and Late orders)*</li> <li>3. Do Not Cancel Any Open Orders</li> </ul> <p><i>*If disconnect occurs during the cut-off period for an auction, On-Open, On-Close and Late orders that are to participate in the auction will not be cancelled.</i></p>
Send Trade Breaks <sup>^</sup>	No	Enables Trade Cancel or Correct messages.
Default MTP Value <sup>*^†</sup>	None	Specifies Default value for <i>PreventMemberMatch</i> .
Report MTP Fields <sup>*^</sup>	No	Enables <i>LastPx</i> , <i>LeavesQty</i> and <i>SecondaryOrderId</i> on Execution Reports caused by MTP.
Allow MTP Decrement Override <sup>*^</sup>	No	Overrides the exception that requires both the resting and inbound order to be marked as “Decrement”.
Allow Sponsored Participant MTP Control <sup>*^</sup>	No	Allows Sponsored Participant to override port default for MTP by using <i>PreventMemberMatch</i> on order-level.
Cancel on Reject <sup>†</sup>	No	Cancels an order upon a cancel or modify reject for that order.
Opt-out of PITCH Obfuscation	No	Opt-out all orders from PITCH Order Id obfuscation for hidden and reserve orders.
Decrement Remainder Only <sup>^</sup>	No	Enables “d” option for MTP. See <i>PreventMemberMatch</i> for details.
Restate on Reload <sup>^</sup>	No	Generates BOE Restatement on reserve order reload with new PITCH Order Id in <i>SecondaryOrderID</i> .
Fat Finger Protection <sup>*</sup>	None	Specifies a percentage based limit price tolerance where any orders entered with a limit price that is through the NBBO by an amount greater than or equal to the defined percentage will be rejected.
Reject Orders on DROP Port Disconnect <sup>*</sup>	No	Allows Member/Sponsoring Firms to associate a DROP port(s) to an order entry port(s). Once the association has been established and all DROP ports associated with a order entry port experience a session disconnect, reject orders on the order entry port until at least one of the DROP port sessions have been reestablished.

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Reject Orders on DROP Port Timeout(s)*	30 sec	Only applicable for sessions where “Reject Orders on DROP Port Disconnect” has been enabled. When the last associated DROP port for the order entry session has disconnected, the reject/cancel actions will be taken on the order entry session if an associated DROP port has not reestablished its connection in the defined time. Minimum value allowed is 20.
Cancel Open Orders on DROP Port Disconnect*	No	Only applicable for sessions where “Reject Orders on DROP Port Disconnect” has been enabled. If all DROP ports associated with an order entry port become disconnected, cancel all open orders on the order entry port.
Notional Cutoff Aggregation Methods		<p>Gross exposure = CBB + CBO + CEB + CEO.</p> <p>Net exposure = ABSOLUTE VALUE of [(CEO + CBO) – (CEB+CBB)]</p> <p>On a given port BATS will calculate and track four values as follows:</p> <ul style="list-style-type: none"> <li>➤ <b>Cumulative Notional Booked Bid Value (CBB)</b> – The sum of limit price * size for all buy limit orders on the book.</li> <li>➤ <b>Cumulative Notional Booked Offer Value (CBO)</b> – The sum of limit price * size for all sell limit orders on the book.</li> <li>➤ <b>Cumulative Notional Executed Bid Value (CEB)</b> – The sum of size * trade price on all executed buy orders.</li> <li>➤ <b>Cumulative Notional Executed Offer Value (CEO)</b> – The sum of size * trade price on all executed sell orders.</li> </ul>
Gross Daily Risk Limit Order Notional Cutoff*	None	Optional parameter that if specified will result in rejects for <b>limit</b> orders when <b>gross</b> exposure of limit orders exceeds this value. Whole dollar value not to exceed \$1B/port.
Gross Daily Risk Market Order Notional Cutoff*	None	Optional parameter that if specified will result in rejects for <b>market</b> orders when <b>gross</b> exposure of limit orders exceeds this value. Whole dollar value not to exceed \$1B/port.

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

Net Daily Risk Limit Order Notional Cutoff*	None	Optional parameter that if specified will result in rejects for <b>limit</b> orders when <b>net</b> exposure of limit orders exceeds this value. Whole dollar value not to exceed \$1B/port.
Net Daily Risk Market Order Notional Cutoff*	None	Optional parameter that if specified will result in rejects for <b>market</b> orders when <b>net</b> exposure of limit orders exceeds this value. Whole dollar value not to exceed \$1B/port.
Default Attributed Quote*†	Never	Specifies a default value for <i>AttributedQuote</i> . May only override at order to level after executing Attribution Addendum to Exchange User Agreement. Once Addendum has been executed, may default to Yes or No through BATS Trade Desk.

\* Sponsored Participants require written approval from Sponsors to update these settings on ports associated to a Sponsor's MPID.

† Port attribute can be overridden via BOE on an order by order basis.

^ Requires certification.

## 12 Support

Please email questions or comments regarding this specification to [tradedesk@batstrading.com](mailto:tradedesk@batstrading.com).

## Revision History

Document Version	Date	Description
1.0.0	07/07/11	Initial Version 1.0.0.
1.0.1	07/12/11	Added clarification to <b>Optional Fields and Bitfields</b> section.
1.0.2	07/15/11	Typo corrected for LoginResponseStatus message length.
1.1.0	07/21/11	Removed various references to flags used in other BATS markets. <i>DiscretionAmount</i> size changed from 8 to 2.
1.1.1	08/02/11	Removed <i>ClearingAccount</i> from Cancel Order and Modify Order input messages. It does not make sense to send this field on those message types. Added definition for <i>OrigClOrdID</i> , <i>LastShares</i> , <i>LastPx</i> , and <i>SecondaryOrderID</i> to <b>List of Optional Fields</b> section. <i>LocateReqd</i> is valid bitfield of <i>NewOrderBitfield3</i> .
1.1.2	08/05/11	Removed <i>LockedQty</i> references (BATS EU specific).
1.1.3	08/12/11	Added Symbol to <i>ReturnBitfield2</i> of Order Restated and Order Cancelled messages. Added Side to <i>ReturnBitfield1</i> of Order Cancelled messages. Add <b>Port Attributes</b> section. Added <i>LoginResponseStatus</i> Reason Code 'M = Invalid Login Request message structure'.
1.1.4	08/16/11	Added Order Cancelled <i>Cancel Reason</i> of 'T = Fill would trade-through NBBO'.
1.1.5	08/24/11	<b>Highly recommend that Members request <i>LeavesQty</i> on Order Modified and Order Restated messages.</b> <b>Clarified it is necessary to send both <i>Price</i> and <i>OrderQty</i> on Order Modify messages.</b> Changed <i>ClearingAccount</i> type from Alpha to Text field. Clarified valid values for <i>MaxRemovePct</i> when sending a routing value other than Q. Added Order Cancelled <i>Cancel Reason</i> 'W = Add Liquidity Only Order Would Remove'. Updated Login Request and Login Response examples. Added Reject Orders on DROP Port Timeout(s) and Cancel Open Orders on DROP Port Disconnect to <b>Port Attributes</b> section.
1.1.6	08/31/11	Added OATS Connection ID section.
1.1.7	09/14/11	Added <i>Subliquidity Indicator</i> "V" to Executed Order messages in support of Display-Price Sliding enhancement effective 09/23/11.

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

1.1.8	09/21/11	<p>Added cancel and reject reason of “m” Market Access Risk Limit. Updated <i>ExecID</i> description to show that <i>ExecID</i> can be compared to ODROP, FIXDROP and DROP ExecIDs. Corrected description of Market Peg order.</p>
1.2.0	10/21/11	<p>Ammended Section 6 Drop Copies to reflect BOE support via Order by Order FIX DROP. Removed Europe-specific <i>RestatementReason</i> values. Updated bitfields on Login Request and Login Response messages for Order Cancelled and Order Restated messages. Updated Order Modify message to reflect that <i>ExecInst</i> cannot be changed with an Order Modify. Added <i>CancelReason</i> of “H” = Halted. Removed Default Auction Only to Late port attribute. Added <i>ExecInst</i> “r” = Late. Added “M” = MaxSize Exceeded to <i>ModifyRejectReason</i> values. Converted reserved 8<sup>th</sup> byte of all bitfield sets to a byte reserved for BATS internal use.</p>
1.2.1	10/25/11	<p>Enforce <i>Capacity</i> marking on New Order messages (effective date 11/11/11). Added <i>OrderRejectReason</i> of “C = Capacity Undefined” to Order Rejected message.</p>
1.2.2	11/02/11	<p>Added <i>ModifyRejectReason</i> of “m = Market Access Risk Limit Exceeded” to Order Rejected message. Corrected description of Reason Code “L” for Order Canceled, Order Rejected, and Modify Rejected messages. Undefined <i>NewOrderBitfields</i>, <i>ModifyOrderBitfields</i>, or <i>CancelOrderBitfields</i> within incoming messages (New Order, Modify Order, Cancel Order) will be rejected.</p>
1.2.3	11/07/11	<p>Added Notional Cutoff Aggregation Method, Limit Order Notional Cutoff, and Market Order Notional Cutoff to <b>Port Attributes</b> section.</p>
1.2.4	12/08/11	<p>Added Send Routing Instruction to <b>Port Attributes</b> section.</p>
1.2.5	12/16/11	<p>Added “o” = Max Open Orders Count Exceeded to <i>OrderRejectReason</i> values. Noted <i>Capacity</i> is required for New Order.</p>

BATS BZX Exchange US Equities  
BOE Specification (Version 1.4.4)

1.2.6	01/05/12	Added <i>CancelReason</i> of S = Short Sale Price Violation to Order Cancelled message. Added <i>DisplayIndicator</i> of “M” in support of Multiple Display-Price Sliding.
1.2.7	01/18/12	Updated Multiple Display-Price Sliding <b>effective date</b> to <b>effective pending SEC Approval</b> .
1.2.8	01/30/12	Added TRIM2 (P), TRIM2- (p), TRIM3 (Q), TRIM3- (q) as Routing Strategies in 3 <sup>rd</sup> character of <i>RoutingInst</i> .
1.3.0	02/01/12	Added option to allow for cancel of all open orders including auction only orders to Cancel On Disconnect in the <b>Port Attributes</b> section. Added support for using either Net, Gross, <u>or a combination of both</u> Notional Cutoff Aggregation Methods to the <b>Port Attributes</b> section. <i>Effective 02/03/12</i> . Removed Notional Cutoff Aggregation Method attribute and added specific attributes for both Gross and Net Daily Risk Limit/Market Cutoffs. <i>Effective 02/03/12</i> .
1.3.1	02/17/12	Clarified ExecInst defaults for Routeable Orders. Minor updates to <b>Port Attributes</b> section.
1.4.0	03/07/12	Added <i>AttributedQuote</i> . Effective 05/07/12.
1.4.1	03/08/12	Correction to <i>AttributedQuote</i> within the Login Request and Login Response. In the <i>Order Acknowledgement Bitfields</i> , Bitfield6, <i>AttributedQuote</i> has been moved from bit 1 to bit 4.
1.4.2	04/04/12	Remove support for RHO orders in Non-BATS Listed Securities.
1.4.3	04/25/12	Specified Value 32 of Return Bitfield 4 is Reserved.
1.4.4	05/17/12	Updated <i>PreventMemberMatch</i> tag 7928 to assign formerly reserved 3 <sup>rd</sup> character to Trading Group Id. Effective 5/25/12. Changed NYSE AMEX references to NYSE MKT.